

Index — Volumes 1-89

The numbers mentioned in this Index refer to the Reference List of Indexed Articles (see pp. 191-227).

- 0-ary 1233
 - 0-1 integer linear programming problem
 - 1034
 - 0-1 knapsack problem 650
 - 1-subdivision transform 254
 - 1-superline transform 254
 - 2-approximation 1253
 - 2-consistency 529
 - 2-DT class of default theories 1343
 - 2-subdivision transform 254
 - 2D contours 1077
 - 2D features 478
 - 2D images 201
 - 2D line drawing 1102
 - 2D representations 1269
 - 3-consistency 529
 - 3-SAT 1301
 - formula 929
 - problems 1299
 - problems, hard random - 1299
 - satisfiability problem 929
 - 3D edge fragments 1310
 - 3D feature observations 1310
 - 3D features 478
 - 3D geometric models 478
 - 3D images, information from - 24
 - 3D interpretation
 - of a 2D view 480
 - of surface contours 193
 - 3D model of a scene 478
 - 3D models 201
 - 3D MOSAIC system 376, 478
 - 3D motion
 - estimation 1279
 - parameter 1279
 - 3D object 1102
 - classes 1310
 - recognition 1271
 - 3D objects 1077
 - construction of invariants for - 1271
 - recovery of - 1077
 - 3D recovery equations 484
 - 3D representations 1269
 - 3D scene descriptions 478
 - 3D scenes
 - perceiving - 54
 - reconstruction of - 376
 - 3D shape 484, 1001, 1077
 - estimation 364
 - inference of - 1077
 - of a textured surface 484
 - recovering - 456
 - 3D shapes of objects 204
 - 3D space, projective transformation of -
 - 1283
 - 3D spatial orientation 262
 - 3D structures 192, 478
 - inferring - 456
 - 3D surface 193
 - 3D surfaces, natural - 364
 - 3D textures 587
 - 3D wire-frame description 376
 - 4 x 4 Othello game 362
 - 50-move rule, FIDE's - 562
- A**
- a priori
 - calculation 929
 - given attributes 347

- minimum number of vertices 8
 - preferences 378
- A* 92, 95, 179, 232, 277, 278, 370, 547, 650, 1342
 - algorithm 92, 95, 215, 277, 370, 914, 965
 - algorithm, Korf's learning-real-time~ 1164
 - algorithm of Hart, Nilsson and Raphael 215
 - algorithm, real-time~ 547
 - complexity of ~ 179
 - graph search 1342
 - graph search with ~ 1342
 - iterative-deepening~ 972
 - mean complexity of ~ 232
 - optimality of ~ 95
 - search 914, 1128
 - search procedure 278
 - search strategy 1389
- A-ordered linear resolution 32
- abduction 631, 916, 1225
 - as belief revision 1178
 - cost-based ~ 1034, 1069, 1391
 - Horn-clause ~ 1005
 - in causal theories 684
 - interpretation as ~ 1059
 - model of ~ 1178
 - probabilistic Horn ~ 1005
 - problems, tractable class of ~ 631
 - process, efficiency of the ~ 1059
 - scheme weights and costs in ~ 1059
 - tasks 1222
 - to plausible causes 1250
 - using Horn theories 1225
 - weighted ~ 1059
- abductive
 - diagnosis 1178
 - explanations 1222, 1381
 - explanations, most specific and least specific ~ 916
- abductive inference 1059
 - method 684
 - reasoning 684, 1175, 1222, 1381
 - unification 430
 - view of diagnosis 917
- ABEL, expert system 679
- Abelson, H. 333
- ability
 - of EBL to learn 1380
 - to imagine an event and belief 1025
 - to introspect 1311
 - to model partial information 1258
 - to predict the future 1104
 - to search images 1172
- ablation 383
- study 584
- abnormality
 - predicate 630
 - theories 397, 1262
 - theories, nested ~ 1262
- abrupt changes in computational cost 1292
- ABSITY semantic interpreter 425
- absolute
 - position 1163
 - truths 925
- abstract
 - action descriptions 1241
 - algorithms, implementing ~ 140
 - assumptions underlying intelligence 600
 - generalizations 584
 - knowledge 418
 - match algorithm 695
 - minimality 698
 - model-theoretic interpretation 116
 - presentations 431
 - problem descriptions 914
 - proof checker 927
 - relations encoding solutions to previous problems 436
 - repair strategies 583
 - Rete network 695
 - solution 1103, 1150
 - solutions being refinable, probability of ~ 1150
 - solution spaces 210
 - specification 238
 - states 182
- abstracting common properties 519
- abstraction 181, 342, 407, 437, 927, 1103, 1359
 - algebraic ~ 1359
 - analysis of ~ 407
 - graph oriented view of ~ 1359
 - hierarchies, automatic generation of ~ 1150
 - hierarchies in planning 1394
 - hierarchy 407, 914, 1103, 1150
 - levels 1150, 1394
 - levels of ~ 273
 - mapping 181, 927
 - mappings, m~ 181
 - mechanization of ~ 927
 - model ~ 1083
 - of visual information 203
 - shell ~ 1341
 - spaces 51
 - STAR ~ 1359
 - technique 371, 1359
 - temporal ~ 662
 - theory of ~ 927

- [See also "abstractions"]
- abstraction-derived heuristic 1237
- abstractions 436
 - algorithm for generating ~ 1103
 - automatically generating ~ 1103
 - identification of ~ 1144
 - of a problem 1237
 - of differential equations 369
- abstractly minimal models 698
- abstractness 1237
- ABSTRIPS
 - hierarchies 1150
 - problem solver 51
 - style abstraction hierarchies in planning 1394
- ABTWEAK system 1394
- AC-3 algorithm 934, 1125
- AC-4 algorithm 688, 934, 1125
- AC-5 algorithm 934
- AC-6 algorithm 1125
- acausal mathematical relations 1083
- accent
 - assignment 1060
 - assignment, algorithm for ~ 1060
 - decisions 1060
- acceptability of arguments 1194
- acceptable
 - axiomatization 64
 - explanation 170
 - sets of beliefs 649
- acceptance criteria, explanation ~ 525
- accessing concept descriptions 114
- ACCORD, expert system 679
- accretion model of theory formation 246
- accuracy
 - improvement 1368
 - measure of ~ 447
 - of admissible heuristics 1237
 - of the heuristic function 6
 - of the parameters 266
 - parsing ~ 1356
 - reasoning about model ~ 918
- accurate descriptions 1144
- Ace
 - framework 418
 - knowledge base 418
- achieve a given goal, finding a sequence of actions
 - to ~ 1
- acidity of chemical solutions 657
- acoustic
 - analysis 50
 - classification 50
 - data 50
 - sensors 1067
- signal interpretation 1186
- acoustical and phonological information 49
- acquiring efficiently-applicable concepts 579
- acquisition
 - knowledge ~ 442, 960, 1242
 - lexical knowledge ~ 1364
 - of data 190
 - of knowledge 504
 - of new inference rules 141
- acquisition tool, knowledge ~ 503
- ACT*, computational theory of knowledge origin
 - 524
- action 599, 1132, 1223
 - and time, Allen's theory of ~ 546
 - and time, theory of ~ 281
 - descriptions 1223
 - effects 1223
 - executability 1223
 - feasibility 1223
 - formal theories of ~ 496
 - human ~ 548
 - logic for agents with bounded rationality,
 - ALX 1243
 - logic, modal ~ 1243
 - logics 1243
 - reasoning about ~ 441, 448, 496, 1250
 - representation 1228, 1248
 - representation, expressive ~ 1228
 - sequences, long ~ 522
 - sequences, single-actor ~ 130
 - theory 1145
 - theory of ~ 356
 - [See also "actions"]
- action-based
 - approach 1399
 - hierarchies 1399
- action-oriented perception, systems with ~ 1208
- actions 247, 281, 1240
 - add/delete-list representation for ~ 404
 - agent's ~ 548
 - and change, reasoning about ~ 1338
 - heuristic ~ 1242
 - nondeterministic ~ 1183
 - reasoning about ~ 281, 1183
 - representing ~ 448
 - single-agent ~ 1351
 - with many qualifications 448
 - [See also "action"]
- activated processes, involuntarily ~ 43
- activation, spreading ~ 923
- active
 - database context 112
 - perception 1171

- processes, beliefs of ~ 149
- surface estimation 1284
- vision 1165, 1275, 1277
- vision architecture 1274
- vision systems 1274
- activity
 - patterns, superimposed ~ 590
 - research 1159
 - shared cooperative ~ 1351
- actor
 - message passing 106
 - model of computation 106
- actual current states 1171
- acyclic
 - database 502
 - defeasible inheritance hierarchies 586
 - Horn defaults 586
 - inheritance networks 966
 - semantic network 550
 - theories 586
- Adams 575
- Adams' probabilistic semantics 575
- adaptation 1033, 1361
 - and environment 1210
 - case ~ 1368
 - of a design 520
 - strategies 1093
 - to context 82
 - to the writer 414
- adapting
 - environments 1159
 - to an environment 1159
- adaptive
 - agent 1157
 - behavior 1131
 - consistency 1110
 - control 50, 241
 - fit between an agent and its environment 1158
 - intelligent systems 1157
 - problem solving 1386
- ADATE automatic functional programming system 1195
- add/delete-list representation for actions 404
- adding
 - negation 687
 - new premises 1396
 - primitives 376
 - two histories 908
- addition
 - of redundancies 645
 - of strict logical links 622
- additional information, referring to ~ 318
- additive
 - changes 397
 - noise 197
 - probabilities 1258
- additivity of imprecision 689
- adequacy
 - criterion of ~ 913
 - i.d.e. ~ 913
 - model ~ 1272
 - of a model 64
- adjacency 296
 - assumptions 203
 - refinement 254
 - refinement partition 254
- adjacent elements 492
- admissibility 1205
 - of AO* 423
- admissible
 - algorithms 242, 370, 487
 - bidirectional algorithms 487
 - bidirectional staged heuristic search
- algorithm
 - 487
 - heuristics 1237
 - lower-bound heuristics 1237
 - search 1018
 - search algorithms 95
 - technique 1128
 - tree search, optimal ~ 331
- advanced reduction rules 648
- adversary
 - planning in real-world situations 189
 - situations 189
- advice 107
- aerial photographs of urban scenes 376
- affine
 - constraints 1283
 - parameter space 481
- agency, intelligent ~ 1104
- agent 1211
 - adaptive ~ 1157
 - architecture 1152, 1157
 - autonomous ~ 634
 - behaviors of an ~ 1241
 - beliefs of an ~ 421
 - designers 1352
 - environment, properties required by an ~ 1210
 - ideally rational ~ 303
 - intelligent ~ 266, 1011, 1172, 1378, 1399
 - interpreters 931
 - legged ~ 1158
 - search in a graph 1202

- searching 1202
- searching framework 1202
- searching in a tree 1337
- self-motivated ~ 1307
- societies, artificial ~ 1160
- state of an ~ 931
- with limited computational capabilities 1090
- [See also "agent's", "agents", and "agents'"]
- agent's
 - behavior 1158
 - belief, mathematical model of an ~ 1025
 - beliefs 356
 - beliefs goals actions and intentions 548
 - beliefs, inconsistencies in the ~ 1348
 - computational states, informational content of an ~ 1209
 - control policy 634
 - environment, procedural model of the ~ 1211
 - external actions 641
 - knowledge about the world 890
 - perceptions 1166
 - plan, inferring an ~ 1006
 - proposed actions, effects of an ~ 1104
 - reactions 1211
 - understanding of instructions 1166
 - [See also "agent", "agents", and "agents'"]
- agent-environment
 - interaction 1158, 1161
 - system 1158
- agent-oriented programming, AOP 931
- agents 1213, 1285, 1352
 - analysis of living ~ 1207
 - artificial ~ 1210
 - automated synthesis of arbitrary specialized ~ 1210
 - automated ~ 1174, 1353
 - autonomous ~ 1158
 - building integrated cognitive ~ 1012
 - collaborating autonomous ~ 1177
 - comprehensive ~ 1157
 - computational theories of ~ 1207
 - contractor ~ 1307
 - contracts between ~ 1307
 - design of artificial ~ 1207
 - design of situated ~ 1209
 - effective interaction of ~ 1174
 - group of ~ 697
 - in disagreement about the existence of objects 654
 - intelligent ~ 1209, 1241
 - interaction of ~ 1173
 - manager ~ 1307
 - multiple ~ 281
 - operating in real-time domains 1399
 - post-hoc analysis of ~ 1210
 - reasoning ~ 1130
 - recognizing plans of other agents 176
 - specifications for artificial ~ 548
 - typical AI ~ 1157
 - [See also "agent", "agent's", and "agents'"]
- agents'
 - behavior 1166
 - choice in communicative action 1362
 - global utility 1353
 - goals 1285
 - intentions towards another agent 1351
 - interactions with their environments 1207
 - involvements in their environments, resource limits 1362
 - workplace 1170
 - [See also "agent", "agent's", and "agents'"]
 - aggregation 371
 - model ~ 1083
 - of rigid and quasi-rigid objects at rest 203
 - of rigid and quasi-rigid objects in motion 203
 - spatio-temporal ~ 203
- AGM postulates, classic ~ 1096
- agreements, efficient ~ 1174
- AI 217, 251, 278, 403, 435, 525, 578, 602, 607, 636, 670, 916, 932, 1016, 1034, 1194, 1246, 1264, 1287, 1359, 1376
- [See also "artificial intelligence"]
- agents, typical ~ 1157
- applications 1197
- as empirical inquiry 607
- contributions to perception 320
- core ~ 600
- discovery systems 538
- foundations of ~ 600
- game-playing techniques 230
- history of ~ 1287
- learning algorithms 460
- major findings of ~ 607
- major hypotheses of ~ 607
- methodology 286
- methods 933
- planner 668
- priorities in ~ 1287
- problem solving 1018
- problems 1245
- problems, fundamental ~ 602
- programs 679
- programs, large ~ 178
- research 545
- research, classical ~ 604
- robotics challenge to ~ 320

- role of formal logic in ~ 628
 - search algorithms 251
 - search procedure A* 278
 - search procedure AO* 278
 - search programs 1136
 - spatial representation in ~ 38
 - strategic approaches to ~ 607
 - system-building in ~ 604
 - systems 147, 237
 - tasks 39
 - technologies 1161
 - temporal logics in ~ 408
 - theory in ~ 600
 - understanding music with ~ 1328
- air traffic control 234
- AIS, adaptive intelligent systems 1157
- AIS niche 1157
- alarm analysis 1196
- ALCHEM language 134
- ALECSYS, parallel implementation of a learning classifier system 1152
- algebra 295, 470, 658
 - Allen's ~ 693
 - dominance ~ 1238
 - inequality ~ 658
 - qualitative ~ 658
 - quantitative ~ 658
 - Vilain and Kautz's point ~ 632
- algebraic
 - abstraction 1359
 - analysis 119
 - and differential equations 359
 - approach to shape-from-image problems 279
 - difference set 472
 - equations 957
 - expressions 185
 - facts 185
 - geometry 471
 - manipulation 185
 - manipulation program, PRESS 185
 - method for proving a class of geometry theorems 469
 - operations, relational ~ 398
 - program analysis 238
 - reasoning 479
 - reasoning algorithms 479
 - reasoning, qualitative and quantitative ~ 658
 - representation of a problem 957
 - sets 472
 - simplification 26, 107
 - specification 473
 - structures of inexact reasoning 906
- algebras on signs and reals 658
- algorithm 932
 - A* ~ 92, 95, 277, 370, 914, 965
 - AC-3 ~ 1125
 - AC-4 of Mohr and Henderson 934
 - AC-4 ~ 1125
 - AC-4, arc consistency ~ 688
 - AC-6 ~ 1125
 - admissible ~ 370
 - alpha-beta ~ 384, 674
 - alpha-beta pruning ~ 122, 261, 1238
 - ALPINE ~ 1394
 - approximation ~ 1105
 - arc consistency ~ 354, 934
 - B ~ 277
 - B* tree search ~ 138, 225
 - backtrack ~ 250, 618
 - backtracking ~ 539, 956
 - based on state space search 143
 - behavior of an ~ 137
 - Berlekamp's ~ 86
 - best-first search ~ 392, 650
 - best-first ~ 1069
 - BS* 487
 - bucket brigade ~ 522
 - by Hart, Nilsson and Raphael 8
 - circumscription ~ 485
 - clause condensing ~ 963
 - complete inference ~ 433
 - concept of an ~ 932
 - conspiracy numbers ~ 559
 - constraint propagation ~ 265
 - decidable ~ 301
 - depth-first ~ 257
 - depth-first iterative-deepening ~ 331
 - derivational analogy ~ 1093
 - diagnosis ~ 395, 528
 - dialogue ~ 34
 - distributed ~ 221
 - EBL*DI ~ 1123
 - efficient ~ 1026
 - EM ~ 1410
 - explanation-based learning ~ 1123
 - for accent assignment 1060
 - for arc consistency 953
 - for computing multilevel counterfactuals 163
 - for computing multilevel counterfactuals, correctness proof for the ~ 163
 - for computing probability in Bayesian networks 1366
 - for Dempsters' rule 416
 - for estimation of surface orientation, WISP 1026
 - for finding 3D shape 1001

- for finding a loop cutset, MGA 1253
- for finding proofs for theorems 4
- for generating abstractions 1103
- for homing 1269
- for inferencing 699
- for interpreting image contours 480
- for local surface orientation 265
- for minimal cost strategies, Smith ~ 645
- for model composition, implemented ~ 659
- for prediction 971
- for probabilistic planning 1240
- for qualitative simulation 369
- for refinement planning 1229
- for search, nonexistence of an overall optimal ~ 277
- for searching AND/OR graphs 15
- for searching AND/OR graphs, optimality of ~ 15
- for skeptical reasoning with binary defaults 637
- for the description identification problem 672
- for the synthesis of a procedure from example computations 137
- for the three-dimensional movers' problem 392
- Freuder's synthesis ~ 529
- G~ 1165
- game playing ~ 56
- genetic ~ 1152
- graph parsing ~ 582
- graph-circuits ~ 167
- greedy ~ 1253
- heuristic ~ 929
- heuristic search ~ 277, 487, 1266
- heuristic tree search ~ 929
- HIGHPOINT ~ 1150, 1394
- i-th smallest element ~ 167
- ID3, learning ~ 1247
- IDA*–CR iterative depth-first branch and bound ~ 650
- IDA*–CRA 650
- incremental depth-first ~ 1192
- inference ~ 1263
- inheritance theory ~ 550
- k-consistency ~ 529
- kinematic analysis ~ 665
- learning ~ 1121
- level 524
- linear pattern-matching ~ 167
- linear string-matching ~ 167
- linear-space best-first search ~ 965
- Lion ~ 1165
- MA* ~ 534
- MAO* ~ 534
- match ~ 695
- maxn ~ 615
- Mellish's description identification ~ 1192
- message-passing ~ 413
- minimax ~ 143, 252, 558, 615
- Mitchell's candidate elimination ~ 1192
- model composition ~ 659
- model selection ~ 1272
- MTD(f) search ~ 1374
- negamax ~ 558
- non-optimal ~ 1125
- of Han and Lee, path-consistency ~ 529
- of Hart, Nilsson and Raphael, A* ~ 215
- of Kim and Pearl, polytree ~ 626
- of Knoblock, ALPINE ~ 1150
- of Mohr and Henderson, arc-consistency ~ 529
- OPS5 Rete ~ 695
- OPT ~ 1308
- OPT-2 for optimal pruning of decision trees 1308
- optical flow ~ 197
- optimal backtrack ~ 1146
- optimal plan merging ~ 920
- optimal refinement ~ 1359
- ordered-search ~ 87
- parallel ~ 1102
- partial order search ~ 1238
- path consistency ~ 97, 457
- patterns 82
- Pearl's probabilistic-inference ~ 644
- perimeter search ~ 1266
- plan generation ~ 1211
- probabilistic hill-climbing ~ 1288
- propagation ~ 1140
- pruning ~ 248
- Q* ~ 46
- query answering ~ 485
- QSIM ~ 369, 911
- qualitative simulation ~ 369
- quiescence search ~ 560
- real-number division ~ 57
- real-time-A* ~ 547
- recursively defined ~ 1141
- relative approximation ~ 924
- Rete match ~ 219
- revised polytree ~ 626
- Robinson's unification ~ 57
- rule refinement ~ 1143
- search ~ 331, 392, 1266, 1340, 1397
- selective search ~ 1344
- SIMD parallel ~ 1018

- spanning-tree ~ 167
- SSS* ~ 143, 252, 1374
- staged search ~ 487
- standard Edmonds' ~ 8
- structure matching ~ 68
- structure-mapping ~ 526
- timetable compilation ~ 27
- tractable domain-independent ~ 1103
- tractable ~ 433
- TWEAK planning ~ 404
- unification ~ 463
- uniform cost ~ 248
- Waltz propagation ~ 1140
- Waltz's filtering ~ 104, 302, 934
- Watkins' Q-Learning ~ 1164
- [See also "algorithmic", "algorithms"]
- algorithm-independent 1299
- algorithmic
 - fragments 582
 - knowledge 82
 - knowledge, human ~ 82
 - world knowledge, commonsense ~ 82
 - [See also "algorithm", "algorithms"]
- algorithms
 - admissible ~ 242
 - admissible bidirectional ~ 487
 - admissible search ~ 95
 - admissible ~ 487
 - algebraic reasoning ~ 479
 - anytime ~ 1227
 - approximation ~ 553, 920
 - arc consistency ~ 302, 934
 - assembly ~ 1153
 - average case ~ 553
 - behavior of search ~ 1301
 - best-first search ~ 534
 - bidirectional ~ 487, 1266
 - circumscription ~ 699
 - classical sorting ~ 1141
 - complete ~ 512
 - consistency ~ 302
 - constraint network ~ 948
 - constraint satisfaction ~ 354, 1257
 - design strategies for classes of ~ 330
 - directional ~ 162
 - distributed ~ 1249
 - divide-and-conquer ~ 330
 - EBG ~ 1094
 - EBL ~ 525
 - evaluating ~ 1372
 - evolutionary ~ 1372
 - fixed-depth minimax ~ 1374
 - for arc and path consistency 354
 - for behavior learning 903
 - for belief revision, distributed ~ 413
 - for cognitive learning 55
 - for communication 1362
 - for communicative choice 1362
 - for consistent-labeling 250
 - for constraint satisfaction, efficiency of ~ 1064
 - for cumulative default logic 1182
 - for generating representations 1225
 - for geometric reasoning 470
 - for learning from examples 673
 - for order generalization 1094
 - for parameter learning 1410
 - for plan merging 920
 - for plan subsumption 1339
 - for possible correctness generalization 1094
 - for precondition generalization 1094
 - for probabilistic temporal reasoning 1104
 - for reasoning about time 1169
 - for searching AND/OR graphs 1054
 - for searching minimax trees 1206
 - for standard arithmetical operations 1141
 - for terrain navigation 475
 - for testing the complementarity of a matrix 214
 - for the automatic analysis of machines 1156
 - for truth maintenance 1249
 - from control theory 1164
 - game searching ~ 240
 - generalization ~ 1094
 - genetic ~ 522, 961, 1072, 1244, 1387, 1390
 - geometric ~ 474, 482
 - graph theoretic ~ 434
 - graph ~ 1359
 - greedy ~ 1121
 - greedy-like approximation ~ 1253
 - heuristic ~ 920
 - heuristic search ~ 92, 534, 1018, 1389
 - high-level reasoning ~ 1204
 - hybrid ~ 1135
 - image understanding ~ 255
 - implementing abstract ~ 140
 - incorporating non-explicit knowledge into ~ 45
 - inference ~ 553
 - knowledge about ~ 1141
 - labeling ~ 479
 - learning ~ 460, 1176
 - linear-space search ~ 1200
 - linear-time ~ 585
 - local constraint propagation ~ 462
 - matching ~ 526

- mergesort ~ 330
- minimax ~ 384
- minimax tree search ~ 240
- modelling ~ 1136
- network consistency ~ 97, 988
- node consistency ~ 302
- on graphs, analysis of ~ 1389
- parallel search ~ 1018
- parameterized ~ 534
- parsing ~ 1118
- path consistency ~ 302, 632
- perfect relaxation ~ 618
- planning ~ 1076, 1229
- planning and search ~ 914
- polynomial time ~ 1122
- preprocessing ~ 1110
- QSIM-type ~ 911
- quicksort ~ 330
- recursive state space search ~ 1206
- relaxation ~ 618
- retrieval ~ 268
- RL ~ 1165
- SAT testing ~ 1297
- satisfiability ~ 1199, 1245
- search ~ 92, 162, 251, 362, 530, 674, 1018, 1237, 1372, 1390
- serial search ~ 1018
- sorting ~ 81
- standard reasoning ~ 1204
- STATIC's ~ 1004
- stereo ~ 202
- stored-state ~ 1165
- strategic search ~ 242
- strategies for the synthesis of ~ 167
- termination of ~ 1141
- to test for existential misconceptions 654
- [See also "algorithm, "algorithmic"]
- ALICE
 - constraint satisfaction system 354
 - language for combinatorial problems 119
 - synthesis techniques 354
- all-or-none solutions 72
- all-or-nothing deals 1352
- Allen and McDermott 408
- Allen, J. F. 546
- Allen's
 - algebra 693
 - interval-based approach to temporal reasoning 693
 - theory of action and time 546
- allocate computation time optimally 1227
- allocation
 - of computational resources 1090
 - of resources 1242
 - resource ~ 1174
- allocations, globally optimal ~ 1227
- allowable configurations 476
- allowed constraints 1355
- almost
 - existential 1403
 - existential formulas 1403
 - linear unification algorithm 463
 - linear worst-case complexity 463
 - universal formulas 1403
- almost-continuous systems 640
- alpha-beta 122, 143, 252, 362, 615, 674, 1206, 1344
 - + transposition tables = SSS* 1374
 - algorithm 99, 384, 674
 - algorithm, quantitative study of the ~ 261
 - cn search 1066
 - cutoffs 560
 - mechanism 560
 - minimax 1344
 - procedure 75, 162
 - pruning 75, 422, 447, 547, 615
 - pruning algorithm 122, 261, 1238
 - pruning algorithm, efficiency of the ~ 261
 - pruning, shallow ~ 615
 - search 99, 122, 221, 560, 1374
 - search of games trees 561
 - search procedure, generalization of ~ 362
 - search procedures, surpassing ~ 362
 - technique 75
 - tree pruning 257
- ALPINE
 - algorithm 1394
 - algorithm of Knoblock 1150
 - planning system 1103
- altered forms of the noun 76
- alternating
 - opportunism AltO 1359
 - search direction 1359
- alternative
 - default inferences 633
 - descriptions of line drawings 59
 - goals, multiple ~ 72
 - interpretations 663
 - systems of beliefs 146
- AltO, alternating opportunism 1359
- ALX, action logic for agents with bounded rationality 1243
- AM
 - discovery system 538
 - learning by discovery program 246, 247, 286
 - paradigm 287

- program 227, 287
 - program for new mathematical concepts and conjectures 115
 - program, Lenat's ~ 286
- Amarel 98
- ambiguities 671, 966, 1205
 - of matching 440
 - structural ~ 425
- ambiguity 622
 - domain ~ 622
 - in image description 532
 - in the interpretation of curved surfaces 484
 - matching ~ 1270
 - resolution 1074
 - resolution of syntactic ~ 1059
 - resolving ~ 898
 - semantic ~ 622
 - sources of ~ 932
- ambiguous 111
 - data 1186
 - inheritance network 966
 - words 595
- analog retrieval 596
- analogical
 - inference 436
 - models 492
 - processing 526
 - reasoning 504
 - reasoning, computational approaches to ~ 504
 - representation 20
 - representations of naive physics 492
- analogies, understanding ~ 436
 - [See also "analogy"]
- analogs retrieved from memory 596
- analogue circuits 395
- analogy 107, 227, 504
 - computational studies of ~ 504
 - derivational ~ 520
 - Gentner's theory of ~ 526
- ANALOGY program, Winston's ~ 383
- analogy
 - programs 526
 - reasoning by ~ 17
 - theory of ~ 436
 - [See also "analogies"]
- analogy-based generalization 524
- analysis 26
 - mechanism ~ 915
 - of algorithms on graphs 1389
 - of autonomous agents 1158
 - of exchanges 77
 - of failures 112
 - of naturally occurring texts 329
 - of range data 139
 - of tenses 25
 - of complexity 988
 - of the topological structure of a phase portrait, automatic ~ 1215
 - problems 660
 - qualitative ~ 295
- analytic
 - knowledge, complex ~ 65
 - resolution 90
 - tableaux 90
 - techniques, standard ~ 359
- analytical
 - learning technique 955
 - methods 519
 - model of search complexity 1150
- analyzing
 - circuits 294
 - qualitative behaviors 1113
 - specialization 1210
 - the environment 289
- anaphora 1058
- anaphoric inference problems 65
- anatomy of consciousness 1056
- AND/OR
 - gates 1366
 - graph 15, 87, 534, 585, 1054
 - graph, generalized ~ 87
 - graphs containing cycles 1054
 - tree 1259
 - tree search 251
- AND/OR-type subproblem tree 307
- Anderson, John R. 355
- angle magnitude 262
- animal designs 1208
- animals to Animats 1131
- Animat-like behavior 1152
- animate
 - systems of vision 613
 - vision 613
- animation, human figure ~ 1166
- Animats, animals to ~ 1131
- annotated
 - logic 935
 - predicate calculus APC 347
- anomalies 525, 1171
- anomalous
 - extension 450
 - extension problem in default reasoning 450
- anomaly, Sussman's ~ 919
- Anselm 636
- answering

- procedure 129
 - queries 486, 1338
 - questions 308
- antagonist constraints in a planner 336
- antecedent
 - description language 1101
 - facts 112
 - of a clause 1101
 - of a default 1138
 - of a production 94
- anti-functional constraints 934
- antibiotic therapy for bacteremia 93
- anticipation of additional constituents of a sentence 595
- anytime
 - algorithms 1227
 - deduction procedure 1124
 - modules, reusable ~ 1227
- AO* 278
 - admissibility of ~ 423
 - search procedure 278
 - search strategy 1389
- AOM, automatic model simplification method 1221
- AOP, agent-oriented programming 931
- APC, annotated predicate calculus 347
- apparent
 - contour in the image 571
 - surface-pattern distortion 265
 - velocity of the brightness pattern 197
- appearance
 - of an object 1271
 - of scenes 1269
- applicability
 - condition for defaults 649
 - of Dempster–Shafer theory 619
- apprentice programs, learning ~ 1007
- apprentice-based approach to knowledge acquisition 1007
- approaches to automatic programming 140
- approximate
 - answers 1162
 - classification 625
 - consequence relation formulation 1388
 - descriptions 1144
 - domain theory 1071
 - inference with belief networks 924
 - model 1221
 - planning 1230
 - reasoning 381, 1162
 - reasoning, hardness of ~ 1245
 - representation 1381
- approximately
 - complete 1230
 - correct 1230
 - correct rules 1368
 - optimal strategy 1259
- approximating
 - Horn theory, best ~ 1225
 - probabilistic inference 924
- approximation 689, 918, 1105, 1162, 1269, 1403
 - algorithms 553, 920, 1105
 - algorithms, greedy-like ~ 1253
 - method in the theory of evidence 1062
 - methods, Bayesian ~ 1062
 - methods, consonant ~ 1062
 - min/max ~ 422
 - of classical reasoning 1384
 - of decision reasoning problems 1162
 - problems 81
 - theory 1162
 - to a network 1350
 - to a relation, Horn ~ 954
 - to an ideal planner, implemented ~ 1033
 - to the motion field 1279
- approximations 1062, 1144, 1249
 - causal ~ 1144
 - complete ~ 1162
 - Horn ~ 1225
 - identification of ~ 1144
 - order-of-magnitude ~ 1338
 - piecewise linear ~ 540
 - self-consistent ~ 1221
 - sound ~ 1162
- Arachne distributed operating system 221
- arbitrary
 - association of patterns 695
 - fluents 599
- arc
 - and path consistency 1357
 - at the root, best ~ 138
 - consistency 302, 354, 457, 529, 585, 688, 953, 1125, 1140
 - consistency algorithm AC-4 688, 934
 - consistency algorithm AC-5 934
 - consistency algorithm of Mohr and Henderson 529
 - consistency algorithms 302, 354, 934
 - consistency algorithms, optimized ~ 953
 - consistency, directional ~ 1110
 - consistency for continuous variables 1140
 - consistent 462
 - inconsistencies 97
 - network ~ 337
- architectural requirements for intelligence 932
- architecture 634, 1011, 1079, 1368
 - active vision ~ 1274

- agent ~ 1152, 1157
- blackboard control ~ 327
- cognitive ~ 406
- computational ~ 368
- connectionist ~ 592, 1181
- for adaptive intelligent systems 1157
- for general intelligence SOAR 406
- highly-parallel dataflow ~ 337
- IPUS ~ 1186
- learning ~ 634
- NON-VON ~ 398
- of an intelligent system 932
- of cognition 355
- of EURISKO 246
- of SHUNYATA
- parallel marker-passing ~ 550
- problem-solving ~ 351
- production system ~ 211
- reasoning ~ 1345
- recognition ~ 1271
- Soar ~ 609
- SUPREM ~ 343, 493
- truth maintenance ~ 352
- underlying cognition 600
- von Neumann computer ~ 337
- [See also "architectures"]
- architecture's domain coverage 1368
- architectures
 - control ~ 668, 1161
 - dataflow ~ 337
 - flexible control ~ 1073
 - problem solving ~ 493
 - [see also "architecture"]
- arcs, data connected by ~ 483
- ARCS
 - computational power of ~ 596
 - program analog retrieval by constraint satisfaction 596
 - psychological plausibility of ~ 596
- ARE, discovery system 538
- area surveillance, simulated problem in ~ 234
- ARF 2
 - problem solver ~ 2
- argument elimination 247
- [See also "arguments"]
- argument-based
 - approach to defeasible reasoning 1092
 - defeasible reasoning 680, 913
- argumentation 1194
 - as a special form of logic programming 1194
 - systems generating meta-interpreters for ~ 1194
 - theory for ~ 1194
- arguments, equivalence classes of ~ 680
- [See also "argument"]
- ARIOSTO2-LEX, large-scale lexical learning system 1364
- arithmetic 482
 - first-order ~ 1081
 - interval ~ 950
 - operators 184
 - qualitative ~ 658
 - without diagrams 101
- arithmetical
 - hierarchy 1081, 1139
 - operations 1141
- arity 894
- arm, computer-controlled ~ 68
- arrangement
 - of items, spatial ~ 1170
 - tasks, spatial ~ 39
- arrangements
 - generation of two-dimensional ~ 39
 - of lines 482
- array operations 126
- arrays 57
- arrow puzzle 158
- ARS, rule language 112
- articulations 1310
 - of sub-parts 96
- artifact 396, 1341
- artificial
 - agent societies 1160
 - agents 1210
 - agents, specifications for ~ 548
 - breadth cutoffs 905
 - computing networks 1041
- artificial intelligence 20, 23, 39, 44, 53, 58, 66, 85, 97, 103, 108, 125, 130, 134, 160, 174, 175, 187, 207, 213, 229, 230, 239, 250, 253, 259, 263, 270, 271, 278, 286, 287, 302, 310, 311, 317, 320, 334, 348, 350, 372, 398, 401, 435, 468, 489, 490, 491, 504, 507, 542, 573, 585, 601, 602, 605, 610, 628, 635, 948, 1011, 1022, 1050, 1105, 1119, 1164, 1168, 1205, 1207, 1287, 1292, 1327, 1335, 1339, 1382
- applications of ~ to organic chemistry 263
- challenging problems for ~ 601
- community 297
- distributed ~ 603
- frame problem in ~ 458
- goal of ~ 108
- knowledge representation in ~ 553
- machine 398
- problems 60

- programming 173, 1098, 1099
- representations for modeling decisions 1082
- research 71, 959
- state of affairs of ~ 317
- systems 412, 418, 601
- systems, large-scale ~ 412
- tasks 956
- two types of theory in ~ 108
- unsolved problems in ~ 70
- [See also "AI"]
- artificial
 - life 1134
 - neural networks 1135
- artificial paranoia 11
 - computer simulation model for ~ 11
 - theory of ~ 11
 - reason 1332
 - sciences of the ~ 267
 - universes, method of ~ 1247
- artificially rotated textured images 565
- ask-operations 282
- assemblies
 - language for describing ~ 159
 - neural ~ 259
 - of parts 483
- assembly 1170
 - algorithms, planning of ~ 1153
 - computer-controlled ~ 68
 - mechanical ~ 1153
 - operations 1153
 - product, internal structure of an ~ 1153
- assertion of non-unit clauses 686
- [See also "assertions"]
- assertional
 - database 268
 - information 904
 - knowledge 625
 - knowledge base 904
- assertions
 - database of ~ 394
 - entailed by a conditional knowledge base 890
 - [See also "assertion"]
- assessing of positions 280
- assignment
 - of measurements 1067
 - of parts of speech to words 1356
- assignments 1381
 - of measurements to features 1067
 - satisfying ~ 1245
 - truth ~ 1124
- association
 - between concepts 342
 - heuristic ~ 342
 - measure 66
 - of patterns 695
 - [See also "associations"]
- associational reasoning 681
- associations
 - data/hypothesis ~ 237
 - weakly structured set of if/then ~ 237
 - [See also association"]
- associative
 - database 112
 - memory 594, 614, 1070
 - memory, connectionist-hashed ~ 1070
 - models 66
 - pattern recognition machinery 592
 - retrieval 590
- associative-categorical model of word meaning 66
- associativity, built-in ~ 107
- assumption
 - retraction 653
 - sets 653
 - sets, manipulating ~ 351
 - [See also "assumptions"]
- assumption-based
 - TMS 351
 - truth maintenance 396, 516, 527, 987
 - truth maintenance ATMS 352
 - truth maintenance system 353
- assumptions 527, 660
 - commit to ~ 1148
 - disjunctions of ~ 352
 - independence ~ 304
 - premises as ~ 925
 - underlying intelligence 600
 - [See also "assumption"]
- asymmetric
 - conditional independence assertions 1263
 - independence assertions 1263
 - information 1307
 - traveling salesman problem 1302
 - traveling salesman problem, ATSP 1200, 1305
 - TSP 1302
- asymptotic
 - behavior, uniform ~ 612
 - behaviour of problems 1300
 - branching factor 615
 - fixed point 551
 - optimality 1200
 - order of magnitude reasoning 1221
- asymptotically equivalent 252
- asynchronous 337
 - DP 1164
 - evidence 1358

- ATMS 353, 682
 - assumption-based truth maintenance 352
 - extending the ~ 352
 - interfacing with the ~ 353
 - justifications 527
 - problem solving with the ~ 353
 - procedure 1222
 - task 1249
- ATN, augmented transition network formalism 155
- atomic predicate 669
- ATP-methods 214
- ATSP, asymmetric traveling salesman problem
 - 1200, 1305
- attachment
 - methods 1095
 - universal ~ 1095
- attention
 - computational models of ~ 1273
 - control of perceptual ~ 1277
 - controlling visual ~ 1277
 - in machine vision 1273
 - model, visual ~ 1273
 - primate visual ~ 1273
- attentional
 - bias 1273
 - capacity 1362
 - control 1289
- attitudes, propositional ~ 426
- attractors in phase space 551
- attribute, irrelevant ~ 1247
 - [See also "attributes"]
- attribute-based instance spaces 460
- attributes 309, 347
 - a priori given multi-valued ~ 347
 - common to positive instances 642
 - concept as a set of ~ 642
 - description ~ 1247
 - tree-structured or linear ~ 460
- attributive concept descriptions 611
 - [See also "attribute"]
- augmented
 - recursive transition network 28
 - transition networks 28, 155
- Aussonderungs axiom of ZF set theory 385
- auto-associative encoder networks, three-layer ~
 - 592
- auto-epistemic 282
- autocircumscription 461
- autoepistemic
 - and default logic, equivalence of ~ 449
 - expansion 1154
 - expansions, generalized ~ 1154
 - expansions of modal theories 1154
 - formulas 1365
 - logic 303, 449, 516, 549, 566, 603, 639, 677, 922, 984, 1096, 1154, 1365
 - logic, Moore's ~ 1154, 1365
 - reasoning 449, 922, 1097, 1154
- automata
 - deterministic finite-state ~ 1176
 - theory 1339
 - theory, situated~ 1209
- automatable strategies for the formation of iterative
 - loops 316
- automate protocol analysis 23
- automated
 - agents 1174, 1353
 - deduction 504
 - defeasible reasoner, OSCAR 1092
 - design 392
 - design of specialized representations 692
 - diagnosis 297, 465
 - diagnosis of hardware faults 372
 - dictionary construction 1371
 - discourse generation 1085
 - engineering 992
 - generation of multisentence texts 1085
 - generation of two-dimensional arrangements
 - 39
 - methodology for understanding planner
 - behavior 1236
 - model management system 918
 - negotiation 1352
 - planning 1085
 - processing 239
 - program recognition 582
 - reasoning 275, 1141, 1381
 - reasoning about machines 1156
 - reasoning assistant 275
 - reasoning systems 328
 - reasoning under uncertainty 651
 - replay 520
 - replay of design plans 520
 - space planning 39
 - synthesis 1141
 - synthesis of arbitrary specialized agents 1210
 - theorem prover 324
 - theorem proving 275
- automatic analysis
 - of dynamic systems 540
 - of ordinary differential equations 612
 - of phase portraits program PSX2PWL 1215
 - of the topological structure of a phase portrait
 - 1215
- automatic
 - calibration 1387

- chromosome analysis 8
- classification 347
- combination of features 452
- complexity analysis 374
- computation of limits 40
- construction of SHUNYATA's heuristics 1055
- conversion 129
- conversion of natural language input 129
- creation of a plan taxonomy 1339
- debugging 172
- debugging of picture drawing programs 73
- debugging program, LAURA 172
- derivation of rules 263
- dictionary creation system, AutoSlog ~ 1371
- dynamical analysis 1156
- explanation of decisions 1082
- functional programming 1195
- functional programming system, ADATE 1195
- automatic generation
 - of a plan 153
 - of a program 153
 - of abstraction hierarchies 1150
 - of goal hierarchies 402
 - of hierarchical partially ordered plans 274
 - of operators 915
 - of proofs in English 88
- automatic
 - interpretation of off-line handwritten text 1100
 - invention of recursive auxiliary functions 1195
 - kinematic analysis 1156
 - knowledge base refinement 442, 1071
 - learning 185
 - learning of goal hierarchies 402
 - problem-solving 12
 - program synthesis 70, 153
 - programmer 256
- automatic programming 238
 - approaches to ~ 140
 - framework, LIBRA 238
 - in CAI 71
 - knowledge-based ~ 140
 - of behavior-based robots 903
 - systems 140, 247
- automatic
 - proof of Gödel's incompleteness theorem 1055
 - qualitative analysis 540
 - recognition 50, 1037
 - recognition of continuous speech 50
 - refinement 442
 - selection of models 660, 1144
 - selection of models, formalization of the problem of ~ 1144
 - switching of models 660
 - synthesis 239
 - synthesis of robot motions 392
 - synthesis of social laws 1160
 - text analysis 1060
 - theorem prover 63
- automatic theorem proving 26, 107, 166, 500
 - heuristics in ~ 13
 - in set theory 118
 - reduction heuristics in ~ 13
 - system, MUSCADET 500
 - with equality 9
- automatic theory refinement 1071
- automatically
 - analyzing qualitative behaviors 1113
 - answering questions 129
 - generating abstractions 1103
- automating
 - the acquisition of knowledge 959
 - the learning of heuristics 3
- automation of set theory and its logic 127
- automorphism
 - graph ~ 254
 - partition 254
 - partition of a graph 254
- automorphisms
 - coarsening a partition 254
 - refining a partition 254
- autonomous
 - agents 634, 1152, 1174
 - agents, analysis of ~ 1158
 - agents, collaborating ~ 1177
 - agents, synthesis of ~ 1158
 - planar systems of ordinary differential equations 612
 - robots 1153
 - systems, intelligent ~ 1161
 - vehicle 475
- AutoSlog, automatic dictionary creation system 1371
- available evidence 1039
- average
 - case algorithms 553
 - complexity 1231
 - complexity of A* 179
 - efficiency 1018
 - frequency of satisfiability 1301
 - Holder constant 565

- number of nodes expanded 252
 - number of solutions 249
 - number of terminal nodes examined 122
 - search cost 1184
 - search efficiency 487
 - time 249
 - time complexity 618, 1125
 - time complexity of AC-6 1125
- average-case
 - analysis 1303
 - complexity 1305
 - complexity analysis 920
 - performance 1146, 1200
 - situations 572
- avoidance
 - behavior, neural mechanism of ~ 1208
 - in frogs 1208
- avoiding
 - repeating mistakes 955
 - repetition of planning effort 896
- awareness 421
- Awari game 1066
- axes of symmetry 357
- axiom
 - existence of situations ~ 1183, 1224
 - frame ~ 450
 - list 1220
 - of ZF set theory, Aussonderungs ~ 385
 - sets 16
 - sets for natural-language constructions 16
 - systems 597, 697
 - [See also "axioms"]
- axiomatic
 - Herbrand approach 31
 - set theory 118
 - theory, theorems in ~ 4
- axiomatics for belief 1019
- axiomatization 64, 1348
 - for LL 405
 - for preference logics 541
 - of common belief 1198
 - of only knowing, Levesque's ~ 1256
- axiomatizations, complete ~ 697
- axiomatizing probability logics 597
- axioms 9, 917
 - closure ~ 684
 - depiction ~ 532
 - domain ~ 630
 - domain-dependent ~ 374
 - encoding observations 1183
 - for belief functions 696
 - image ~ 532
 - logical ~ 374
 - of probability theory 368
 - scene ~ 532
 - terminological ~ 1385
 - transitivity ~ 377
 - [See also "axiom"]
- axisymmetry 456
- B**
- B algorithm 277
- B&B, branch and bound 251, 278
 - [See also "BnB"]
- B* 362
 - Hitech 1340
 - method 138
 - probability based search algorithm 1340
 - search 447
 - search, Berliner's ~ 206
 - tree search algorithm 138
 - probabilistic ~ 1340
- back chaining theorem prover, sequent-style ~ 535
- BACK system 433
- back-propagation learning 515
- backchaining approach, preimage ~ 667
- backgammon 515
 - computer program 165
 - world champion 165
- 24
- background knowledge 638, 1101
 - of the world 1033
 - problem ~ 235
- backjumping 539, 1110
 - heuristic 1231
- backmarking, Gaschnig's ~ 168
- backprojection 262, 587
- backpropagation 592, 1135
- backtrack
 - algorithm 250, 618
 - algorithm, optimal ~ 1146
 - enhancement schemes 1146
 - information 1192
 - search 618
 - search, depth-first ~ 1231
 - search procedure 1231
 - [See also "backtracking"]
- backtrack-free procedures sequential ~ 502
- backtracking 97, 112, 242, 249, 351, 502, 566, 618, 949, 962, 1110, 1129, 1150, 1202, 1357
 - algorithm 539, 956
 - dependency-directed ~ 146, 653, 962, 1380
 - intelligent ~ 1295
 - limiting ~ 1394
 - methods 249

- procedure 232
- procedure, selective ~ 336
- schemes 1231
- search 168
- search without ~ 502
- standard ~ 168
- strategies 1380
- techniques 952, 1231
- backward
 - analysis, logic-centered ~ 134
 - chaining 62
 - chaining process 645
 - chaining rule 101
 - in time, reasoning ~ 630
 - inference 507
 - inference strategies 507
 - propagation 1367
 - reasoning 563, 1145
 - search 563
 - [See also "backtrack"]
- backward-chained reasoning 563
- bacterial-organism identification problem 328
- Baker, Andrew ~ 1183
- Baker's approach to the frame problem 1183
- Balaban, M. 1328
- balance
 - assumptions 1221
 - assumptions, inconsistent ~ 1221
- balanced incomplete block designs 254
- bandwidth condition 56
 - restriction on an heuristics 56
- Barnden, John A. 1047
- barriers 268
- base-level problems 914
- basic label sets 169
- BASIC language 239
- basic LISP mutators 247
- basins of attractors 612
- basis
 - for a query language 1264
 - of a knowledge base 1264
- basketball game summaries, corpus of ~ 1373
- Bayes' rule 186
- Bayesian
 - approach, subjective ~ 964
 - approximation methods 1062
 - belief network 912
 - belief network, discrete ~ 1005
 - belief networks 553, 644, 924, 1175, 1245, 1289, 1377
 - data association framework 1067
 - decision theory 60
 - diagnosis 689
 - evidential updating 391
 - framework 358
 - learning 452, 556
 - model 437
 - model of plan recognition 1006
 - multinets 1263
 - multiple hypothesis approach 1067
- Bayesian network 1006, 1253
 - MAP solution 1069
 - model 1263
 - structure 1410
- Bayesian networks 598, 1005, 1358, 1366, 1367, 1377, 1396, 1397
 - irrelevance in ~ 1410
 - parameter learning in ~ 1410
- Bayesian
 - point probability 689
 - probability theory 1006
 - scheme for inexact reasoning 683
 - subnet 1358
 - theory 1258
 - updating 186, 304, 683, 1006, 1338
 - updating methods 366
 - updating on uncertain evidence 391
 - upper and lower probability 1065
 - valuation network 1212
- behavior 11, 492, 989, 1274
 - adaptive ~ 1131
 - agent's ~ 1158, 1166
 - Animat-like ~ 1152
 - causality in device ~ 359, 361
 - complex visual ~ 1274
 - context of ~ 1166
 - correct system ~ 395
 - critical ~ 1304
 - cycle's ~ 371
 - deriving structure from ~ 1265
 - descriptions of system ~ 371
 - descriptions, qualitative ~ 369
 - device ~ 993
 - economist's approach to system ~ 361
 - effective language ~ 1362
 - effective problem-solving ~ 234, 1386
 - electrical circuit ~ 545
 - engineer's approach to system ~ 361
 - exaggerated ~ 570
 - from structure 293
 - inferred ~ 298
 - input/output ~ 1176
 - instinctive ~ 1208
 - intelligent ~ 115, 406
 - interstate ~ 291
 - intrastate ~ 291

- large signal ~ 295
- learning 903
- long-term ~ 1156
- model of cooperative ~ 176
- nonmonotonic ~ 575
- of a composite device 291
- of a composite device from the behavior of
 - its components 298
- of a dynamical system, long-term ~ 551
- of a scheduling system 955
- of a system, characterizing the ~ 581
- of alpha-beta pruning 75
- of alpha-beta search 122
- of an algorithm 137
- of classes of problems, typical ~ 1292
- of clichés 582
- of composite systems 294
- of electronic circuits 294
- of expert circuit analyzers 112
- of game-searching methods 162
- of mechanisms 291, 293
- of search algorithms 1301
- of systems, qualitative analysis of ~ 1215
- of the composite device 396
- of the individual components 294
- original ~ 570
- over time 1083
- paranoid input-output ~
- pathological ~ 229
- pattern 1152
- patterns of ~ 1236
- physical system ~ 663
- planned ~ 1241
- planner ~ 1236
- predicting machine ~ 1156
- prediction 396
- produced by QSIM, qualitative ~ 369
- qualitative ~ 1265
- reactive ~ 1211, 1241
- reflective ~ 1208
- schemas 1241
- simple reactive ~ 1152
- simulation of ~ 1011
- situation-triggered ~ 1157
- stabilization ~ 1159
- target ~ 1152
- verbal ~ 23
- visual ~ 613
- walking ~ 1158
- [See also "behaviour", "behaviors"]
- behavior-based robots 903
- behavioral
 - abstraction 371
 - description 293
 - goals for intelligent control 327
 - models 1156
 - realities 1172
- behaviorism, strict ~ 1172
- behaviorist
 - claims 1172
 - classical ~ 1011
 - intelligence 1172
 - methodology 1011
 - position, computational ~ 1172
- behaviors
 - of an agent 1241
 - qualitative ~ 1113
 - unpredictable source ~ 1186
 - [See also "behavior", "behaviour"]
- behaviour
 - of updating systems 1375
 - patterns of ~ 1289
 - [See also "behavior", "behaviors"]
- belief
 - ability to imagine an event and ~ 1025
 - arguments, construction of ~ 527
 - arguments, quantitative ~ 527
 - as defeasible knowledge 1019
 - as evidence 696
 - as generalized probability 696
 - as knowledge-relative-to-assumptions 1019
 - axiomatics for ~ 1019
 - base, finite ~ 1254
 - certainty of ~ 363
 - commitments 413
 - coordination 1362
 - degrees of ~ 413, 597, 1245, 1378
 - explicit ~ 1213
 - extended logic of ~ 549
 - functions 651, 696, 1065, 1258
 - functions as representing evidence 696
 - functions, axioms for 696
 - implication problem for ~ 1151
 - implicit ~
 - logic of implicit and explicit ~ 1213
 - logical problems about ~ 356
 - logics 1151, 1311
 - logics for ~ 421
 - logics of ~ 549
 - measure of ~ 368
 - minimal ~ 1142
 - modal logic system of common ~ 1198
 - modal logic system of individual ~ 1198
 - modal logics of ~ 697
 - model of ~ 1025
 - model transferable ~ 1065

- modeling ~ 1151
- monotonicity rule of individual ~ 1198
- mutual ~ 1086
- belief network 907, 912
 - Bayesian ~ 912
 - discrete Bayesian ~ 1005
 - topology 1175
- belief networks 368, 553, 626, 907, 924, 997, 1069, 1212, 1377
 - Bayesian ~ 924
 - MAPs for ~ 1175
 - multiply connected ~ 644
 - probabilistic ~ 907
 - robustness of ~ 1377
 - sensitivity of ~ 1377
- belief
 - operators 931
 - properties of ~ 1025
 - reasoning 1154
 - reasons for ~ 649
 - representation of ~ 391
- belief revision 435, 651, 686, 962, 1038, 1096, 1097, 1178, 1249, 1254, 1338
 - distributed algorithms for ~ 413
 - logic for reasoning about ~ 1096
 - model canonical ~ 962
- belief
 - revision of ~ 413
- belief revision
 - strategy, complete ~ 962
 - system 435
 - theory of ~ 651, 1038
- belief
 - set 1250
 - set, logically closed ~ 1254
 - systems of others models of the ~ 146
 - theory of ~ 356
 - theory, Shafer–Dempster ~ 527
 - to knowledge, reducing ~ 1019
 - update 1250
 - updating 413, 686, 1212
 - updating a ~ 696
 - values 577
 - weak axiomatization of common ~ 1198
 - [See also “beliefs”]
- beliefs 146, 151, 281, 303, 315, 356, 363, 368, 391, 413, 421, 426, 435, 527, 548, 549, 553, 577, 597, 626, 633, 638, 644, 651, 682, 686, 696, 697, 907, 912, 924, 931, 962, 1005, 1019, 1025, 1038, 1065, 1069, 1086, 1096, 1097, 1142, 1151, 1154, 1171, 1175, 1178, 1198, 1212, 1213, 1245, 1249, 1250, 1254, 1258, 1289, 1311, 1338, 1348, 1362, 1377, 1378
 - about another agent's beliefs 548
 - about another agent's intentions 548
 - about beliefs 421
 - acceptable sets of ~ 649
 - agent's ~ 548
 - alternative systems of ~ 146
 - coherent states of ~ 1338
 - conflicting ~ 1185
 - context bounded ~ 682
 - current set of ~ 146
 - deductively closed ~ 1338
 - derived ~ 151
 - explanations of ~ 146, 527
 - limited ~ 1311
 - method of generalization with ~ 145
 - minimal core of ~ 671
 - of active processes 149
 - of an agent 421
 - of humans 421
 - prescriptions for extending ~ 682
 - quantified ~ 1065
 - reasoning about ~ 356
 - relevant ~ 548
 - representation of ~ 1036
 - validity of ~ 682
 - [See also “belief”]
- BELIEVER system 130
- believers out of computers, making ~ 373
- Bell laboratories text-to-speech system 1060
- benchmark
 - for chess programs 30
 - for satisfiability testing procedures 1293
 - problems 1405
- benchmarking satisfiability algorithms 1199
- beneficial decoy lies 1352
- Berlekamp's algorithm, Wang's implementation of ~ 86
- Berliner's B* search 206
- best
 - approximating Horn theory 1225
 - arc at the root 138
 - available action 1399
 - explanation for a given set of observations 1034
 - explanation inference to the ~ 1059
 - explanation of a set of data 631
 - k-Horn approximation to a relation 954
 - order for processing 507
 - ordering for a set of conjuncts 323
 - production rule 580
- best-first
 - algorithm 1069

- algorithm for finding least-cost proofs 1069
- evaluation criterion 171
- extension algorithm, hybrid ~ 1344
- fixed-depth game-tree search algorithms 1374
- fixed-depth minimax algorithms 1374
- heuristic search 331
- minimax search 1344
- node information 1206
- order 965
- proof procedure 138
- search (BFS) 1200
- search 274, 535, 965
- search algorithm 392, 534, 650, 1069, 1374
- search algorithm linear-space ~ 965
- search strategies 1389
- tree search 1342
- best-match retrieval 1070
- best-possible order of training examples 432
- beta
 - distribution 689, 1396
 - probability distributions 689
- beta-binomial distributions 1396
- beta-expansion 91
- BFS, best-first search 1200
- BHPA search algorithm 487
- bi-directional search 331
- bi-valued variables 894
- bias 460
 - attentional ~ 1273
 - inductive ~ 460
- biasing property of game trees 207
- BIDA*, perimeter search algorithm 1266
- bidirectional
 - algorithms 487, 1266
 - context-free grammar parsing 1118
 - heuristic search algorithms 487, 1266
 - interaction 1186
 - parsing 1118
 - strategies 1118
 - tabular parsing 1118
 - translation 1080
- bifurcation
 - points 612
 - set, view ~ 571
- BILL, Othello program 556
- BILL's playing strength 556
- binary
 - clauses theories with ~ 1245
 - constraint satisfaction problems 168, 1122, 1300
 - constraint satisfaction problems, random ~ 1296
 - constraints 632
 - constraints network of ~ 894
 - CSP 934
 - defaults 637
 - disjunctions of PA-relations 1169
 - relations 118
 - strings 1072
 - tree 248
- binding, dynamic variable ~ 613
- binocular
 - channels 202
 - combination, processes of human ~ 202
 - combination rules, global ~ 202
 - image data 456
- biochemistry 911
- biological
 - design principles 1208
 - evolution 247
- biology 911
 - computational ~ 1135
 - of consciousness 1056
- bipartite graph 1143
 - minimization problem 1143
- birds flying example 508
- Birkhoff's completeness theorem 382
- blackboard
 - architecture for control 327
 - control architecture's strengths and weaknesses 327
 - control system 327
 - expert systems 679
- BLAH, a system which explains its reasoning 170
- BLAH, design of ~ 170
- blending surfaces 481
- blind
 - alleys 90
 - search techniques 905
- block
 - designs, balanced incomplete ~ 254
 - structure 473
- block-shaped objects in an urban scene 376
- blocking graph, non-directional ~ 1153
- blocks and wedges scenes with a few ~ 41
- blocks-world 919, 930
 - operator set 930
 - operators 163
 - planning 919
 - problems 63, 1117
 - structure 154
- BnB, branch and bound 1302, 1305
- BnB
 - depth-first ~ 1305
 - on random trees, computational complexity

- of ~ 1302
 - [See also "B&B"]
- board games 3
- board-game method 1193
- Bobrow and Webber 672
- Bobrow, Daniel G. 1028
- Boden, Margaret 1316, 1317, 1319, 1320, 1321
- body of evidence 5
- Bohanec and Bratko 1308
- BoltzCONS connectionist model 590
- Boltzmann
 - machine learning 907
 - machines 907, 1185
- Boolean
 - algebra canonical term-rewriting system for ~ 314
 - circuit design knowledge base for ~ 1007
 - combination of propositions 1240
 - constraint propagation 653
 - domains 1121
 - function, learning of a ~ 1214
 - function minimization 1105
 - function of a knowledge base 1105
 - functions, characterization of ~ 1381
 - logic 114
 - satisfiability
 - satisfiability problem 1305
- bootstrapping problem 595
- BORIS, experiment in in-depth understanding of narratives 233
- Bossu and Siegel 345
- bottom-up
 - heuristics 260
 - lazy-evaluation 451
 - processing 1118
- boundaries 1077
 - between regions 551
 - discontinuity ~ 194
 - extremal ~ 194
 - object ~ 195
 - occluding ~ 196, 1001
 - topology of ~ 1204
- boundary
 - between two cells 911
 - conditions 196
 - locations 1204
 - representation scheme 1037
 - surface ~ 194
- bounded
 - indeterminacy 1187
 - rationality 1243
- boundedness 540
- bounding
 - abstractions 918
 - box for the system state 612
 - the depth of nesting of modal operators 1267
 - the number of primitive propositions 1267
- bounds
 - on differences 1257
 - on position values 560
 - querying ~ 1257
- box pushing task 903
- Brachman and Levesque 433
- Brachman, Levesque and ~ 625
- Brady 255
- Brady's smoothed local symmetry representation 383
- brain 1015
 - computational ~ 1383
 - function 259
 - view of the ~ 652
- brain-gatekeeper-user hierarchy 1218
- three-layer model 1218
- brains
 - of animals 1208
 - of robots 1208
- Braitenberg V. 340
- branch and bound 251, 650, 1305
 - algorithm IDA*–CR, iterative depth-first ~ 650
 - B&B 251
 - BnB 1302, 1305
 - depth-first ~ 1200
 - general ~ 278
 - heuristic for ~ 1391
 - [See also "BnB", "B&B"]
- branch
 - costs 232
 - costs, unit ~ 179
- branch-dependent terminal node scores 99
- branching
 - conditional ~ 83
 - degree 162, 252, 1249
- branching factor 122, 253, 1200
 - asymptotic ~ 615
 - non-uniform ~ 1066
 - of alpha-beta search 122
 - of SSS* 252
- Bratko, Bohanec and ~ 1308
- Bratman's
 - account of shared cooperative activity 1351
 - three characteristic functional roles for intentions 548
- Brazdil's rule-learning program 335
- breadth

- cutoffs, artificial ~ 905
 - hypothesis of AI 607
 - of the game tree 143
- breadth-first search 37, 331, 965, 1128
 - procedure S&M 37
 - procedure S&R 37
- breaking an image into meaningful regions 60
- Brewka 1138
- Brewka's
 - CDL 1148
 - cumulative default logic 1182
- brightness
 - change constraint 1281
 - image 1001
 - levels 197
 - pattern 197
- brittleness problem of rule-based models 1181
- broken semantic preferences 135
- Brooks, Rod 606
- Brown 929
- Brown, de Kleer and ~ 359, 360, 361
- Brown, J.S. 325, 326
- brute-force 1340
 - game-playing programs 561
 - search 30
 - searching 561
- BS* 487
- BS* algorithm ~ 487
- BS*'s average search efficiency 487
- bubble sort 126
- Buchanan et al. 188
- bucket brigade algorithm 522
- Buffon transform 587
- BUILD, computer program for generating building
 - plans 47
- BUILD planning 47
 - [See also "BUILD's"]
- builders of expert systems 227
- building
 - a global model of an object 1275
 - expert systems 305, 306
 - integrated cognitive agents 1012
 - large knowledge-based systems 937, 938, 939, 940, 941, 944
 - of complete intelligent creatures, incremental ~ 605
- BUILD's implementation language CONNIVER 47
 - [See also "BUILD"]
- built-in commutativity 107
- Bundy, Prieditis, van Harmelen and ~ 1004
- BURIDAN, efficiency of ~ 1240
- BURIDAN, implemented least-commitment planner
 - 1240
- bypassable causal selection networks 82
- C
 - C conditional logic 541
 - C-13, organic chemistry analysis of ~ 263
 - C-restricted monotonicity 1198
 - c.m.i. model 621
 - CABINS, system of knowledge acquisition and revision for scheduling 1242
 - cached plans 1230
 - caching
 - context-based ~ 1155
 - knowledge ~ 1155
 - CAD
 - databases 1037
 - description 666
 - CADUCEUS, expert system 679
 - CAI
 - computer-assisted instruction 71
 - system for computer programs 71
 - calculating criticalities 1394
 - calculus 291, 295
 - limit theorems of elementary ~ 26
 - of events 1189
 - calibrated camera 1281
 - model 54
 - calibrating computer controlled cameras 54
 - calibration 1269
 - automatic ~ 1387
 - of the camera 1271
 - techniques 54
 - camera
 - calibration of the ~ 1271
 - model, calibrated ~ 54
 - observations 1283
 - orientation of the ~ 1271
 - parameters 1270
 - position of the ~ 1271
 - positions space of ~ 571
 - cancellation
 - effects among hypotheses 631
 - of obstacles 579
 - cancellations, obstacle ~ 579
 - candidate
 - elimination algorithm, Mitchell's ~ 1192
 - explanations 1006
 - path 476
 - space 1040
 - Candide, system for interactive acquisition of procedural knowledge 643
 - canonical

- belief revision model 962
- forms 40
- forms of mathematical formulas 40
- term-rewriting system for Boolean algebra 314
- capabilities 931
 - mental ~ 932
- capability operators 931
- car sequencing 951
- Carbonell, J.G. 310, 311
- carcinogenicity 1370
- card game Eleusis 309
- cardinality restrictions 1385
 - on concepts 1385
- careful closure procedure 375
 - completeness of the ~ 375
 - soundness of the ~ 375
- Carnegie-Mellon university 39
- carrier grid, spatial frequency ~ 24
- carry-chain circuit 1219
- Cartesian manipulators 392
- cartography 104
- cascaded inference 689
- case
 - adaptation 1368
 - analysis 97
 - arguments 308
 - indexing 1368
 - systems 76
 - systems for natural language 76
- case-based
 - approach to explanation 525
 - explainer 525
 - learning method 1242
 - planner 583, 1230
 - planner for cooking, CHEF 583
 - reasoning 1361, 1368
- case-less languages 76
- CASNET
 - causal-associational network 133
 - expert system in medicine 132
 - models of disease 133
- catalog
 - of types of distinctions between languages 1080
 - selection 342
- categorical
 - acceptance 413
 - and probabilistic reasoning combination of ~ 132
 - models 66
 - reasoning 998
 - reasoning in medical diagnosis 132
- categorical-associative model, dual ~ 66
- categories 969
 - of preferences 633
 - [See also "category"]
- categorization, text ~ 1073
- category
 - formation 525
 - of processes 546
 - of properties 546
 - [See also "categories"]
- causal
 - accounts of physical mechanisms 291
 - analysis 294
 - approach 630
 - approaches to system analysis 361
 - approximations 1144, 1272
 - calculus, qualitative ~ 359
 - connections 412, 1145
 - dependency relations 1083
 - explanations 573, 583, 1144
 - explanations, generating ~ 1272
 - explanations, generation of ~ 545
 - inferences 524, 908
 - information, complete ~ 525
 - linking 679
 - links 1129
 - links, multi-contributor ~ 1129
 - minimisation 1189
 - minimization 1262
 - model progressions 545
 - modeling 1338
 - models 400
- causal ordering 360, 361, 1083, 1144
 - approach 361
 - around feedback loops 360
 - definition of ~ 1083
 - theories of ~ 360, 361
- causal
 - organizations, modularity of ~ 1338
 - projections, reasoning about ~ 1338
- causal reasoning 292, 445, 681, 1145
 - qualitative ~ 369
 - systems, qualitative ~ 369
- causal relations 231, 1144
 - entailed by a model 1144
- causal relationship 295, 363
 - among constraints 295
- causal
 - relationships 188, 1034
 - rules 1338
 - selection networks bypassable ~ 82
 - simulation 371
- causal structure

- of networks 1289
 - of plans 896
 - plan ~ 1129
 - representations 1129
- causal structures 1129
 - multi-contributor ~ 1129
 - single-contributor ~ 1129
- causal theories 464, 621, 684
 - propositional ~ 621
- causal theory imperfect ~ 1104
- causal-associational network CASNET 133
- causality 291, 293, 308, 360, 445, 630, 993, 1083
 - formal characterizations of ~ 359
 - in device behavior 359, 361
 - intuitive concepts of ~ 359
 - mythical ~ 361
- causation 464, 1145
 - as a preference criterion 1145
 - flow of ~ 445
- cause and effect, knowledge of ~ 82
- causes
 - of a failure 583
 - of pathology 253
 - of pathology in games 229
 - of plan failures 1236
 - plausible ~ 1250
- cause-effect relations 1083
- cautious form of inheritance 966
- cc(FD) program 951
- cc(FD), CLP language 951
- CDL
 - Brewka's ~ 1148
 - cumulative default logic 1148, 1182
 - extensions 1182
- cells 571
 - of stable views 571
- cellular decomposition of view space 571
- censored
 - data 1363
 - production rules 363
- centralization
 - of control 106
 - of information storage 106
 - versus decentralization 106
- centralized control 337
- certainty
 - of belief 363
 - of conclusions, variable ~ 363
 - of an implication 363
- chain
 - in a graph 1169
 - of inferences 309
- chaining
 - backward ~ 62
 - forward ~ 62
 - rules 101
- champion Othello program, IAGO 230
- chance 257, 1223
- change 599
 - continuous ~ 1189
 - directions of ~ 293
 - gradual ~ 43
 - in a system's current knowledge 459
 - minimal ~ 1243
 - morphological ~ 495
 - of ordering among models 698
 - or non-change in scene topology 1204
 - over time 1145
 - reasoning about ~ 441, 1104
 - shape ~ 495
 - theory ~ 1375
 - [See also "changes"]
- changed planning situation 896
- changes
 - in images of objects 54
 - in objects over time 292
 - minimality of performed ~ 962
 - of the knowledge base 563
 - scenario ~ 1186
 - [See also "change"]
- changing
 - environment 507, 1161
 - image 289
 - intensity pattern of ~ 289
 - model accuracy 918
 - observations 1338
 - representations in problem solving 158
 - taxonomical information 904
 - the logic 453
 - world 1250
- chaotic dynamics 661
- Chapman 1233, 1248
- Chapman, David 1132
- Chapman's plans 1248
- character recognition 642
- characterising tractable constraints 1122
- characteristic
 - clauses 916
 - functions 247
 - models 1225
 - models, set of ~ 1381
 - views of an object 571
- characteristics 1215
 - of human intelligence 610
- characterization
 - of Boolean functions 1381

- of cumulative default logic 1182
 - of default logic by classical logic 1343
 - of heuristics 53
 - of knowledge, use-independent ~ 602
 - of reasoning problems 916
 - of truth-functional consistency 80
- characterizations
 - of causality, formal ~ 359
 - of LISP strings 79
- characterizing
 - diagnoses 917
 - entities, descriptive concepts for ~ 347
 - processes by equations 1083
 - rule 309
 - systems 917
- Charniak, Eugene 173
- chattering variables 664
- Chavchanidze, V. V. 103
- cheapest path 248
- checker experts 52
- checkers
 - game of ~ 52
 - program Chinook 685
 - program, world championship caliber ~ 685
- checking specificity 680
- CHEF, case-based planner for cooking 583
- chemical
 - reaction 1039
 - reaction knowledge base 134
 - solutions, acidity of ~ 657
 - structure, target ~ 134
- chemical synthesis
 - evaluation of ~ 134
 - program SECS 134
 - simulation of ~ 134
- chemistry 1226, 1370
 - analysis of C-13, organic ~ 263
 - machine discovery in ~ 1039
- chemist-computer team 134
- Cherniak, Christopher ~ 506
- Chervonenkis, Vapnik and ~ 460
- chess 447
 - combination program 105
 - computer ~ 123, 557, 670, 1340
 - endgames, pathologies in ~ 562
 - game tree, natural branches in the ~ 105
 - grandmasters' intuition 562
 - king and pawn endings in ~ 280
 - machine, HITECH ~ 555, 1340
 - master games, compressing ~ 670
 - masters 138, 164
 - middle game positions in ~ 164
 - move, selecting a ~ 164
 - patterns in ~ 164
 - pawn endgames 280
 - plans in ~ 164
 - playing program 77, 561
 - playing program KAISSA 77
 - position 164
- chess program 206, 559, 670
 - HITECH 493
 - PARADISE 164
 - technology ~ 30
- chess programs 77, 280, 331, 555
 - benchmark for ~ 30
 - playing strength of ~ 555
- chess
 - tactics 560
 - trees 138
 - world championship level ~ 555
- chi-squared test 587
- Chierchia, Gennaro ~ 967
- child language learning 365
 - computer model of ~ 365
- Chinook checkers program 685
- CHIP, CLP language 951
- choice
 - of modal operators 697
 - spatial arrangements for ~ 1170
 - with commitment 548
- choices
 - nondeterministic ~ 951
 - of reasoning methods 1157
 - of reasoning tasks 1157
- Chomsky's description of linguistic transformations 427
- choosing
 - between incompatible hypotheses 631
 - good search orderings 250
- chromosome
 - analysis, automatic ~ 8
 - data, clustering of ~ 8
 - matching 8
- chronic contention 955
- chronological ignorance 464
- chronological-backtracking
 - method 1193
 - problem-solving method 1193
- chronology of computer chess 123
- Chronos computer question answering program 25
- chunk instances 280
- chunked knowledge 280
- CHUNKER chess program 280
- chunking 280, 402
- Churchland, Patricia S. 1383

- CIRCA, cooperative intelligent real-time control
 - architecture 1161
- circuit analysis
 - computer-aided ~ 112
 - program EQUAL 294
- circuit
 - analyzers, expert ~ 112
 - array, iterative ~ 38
 - behavior, simulation of ~ 545
 - cost 1007
- circuit design 295, 545, 1341
 - Boolean ~ 1007
 - digital ~ 1007
 - system for ~ 1341
- circuit
 - diagnosis 413
 - functioning 294
 - functions 294
 - models 662
 - modules, decomposing ~ 1007
 - performance 295
 - schematics 662
 - state variables 295
 - theory 295
 - topology 294
- circuits 294, 395
 - design of ~ 520
 - diagnosis of ~ 657
 - digital ~ 662
 - electronic ~ 294, 296
 - implemented diagnosis system for ~ 296
 - integrated ~ 295
 - MOS ~ 295
- circular definition 1086
 - of mutual belief 1086
- circumscribing
 - all predicates in the database 338
 - with sets 385
- circumscription 148, 150, 338, 345, 346, 349, 380, 385, 397, 461, 485, 486, 488, 508, 511, 516, 603, 630, 639, 677, 698, 699, 922, 970, 1020, 1092, 1142, 1262, 1384, 1403
 - algorithm 485
 - algorithms 699
 - closed nonrecursive ~ 511
 - completeness of ~ 511, 970
 - consistency of ~ 380, 511
 - first-order ~ 346, 385
 - history of ~ 1020
 - McCarthy's ~ 380
 - model theory of ~ 346
 - nonseparable ~ 508
 - open and recursive ~ 511
 - operator 1262
 - policy 630
 - predicate ~ 516, 699
 - principle 461
 - prioritized ~ 345, 485, 516, 682
 - satisfiability of ~ 345, 1403
 - second-order ~ 385
 - standard ~ 511
 - translating defaults to ~ 397
 - without varying predicates 699
- circumscriptive
 - approach robust ~ 1183
 - calculus of events 1189
 - theorem prover 508
 - theorem prover, implemented ~ 508
 - theorems 346
 - theories 486, 508
- civilized discourse 106
- clarity of interpretation 1258
- Clark's query evaluation procedure QEP 375
- Clarke tax mechanism 1353
- clash of intuitions 622
- CLASP
 - algorithms for plan subsumption 1339
 - classification of scenarios and plans
 - knowledge representation system 1339
 - representation language 1339
- class
 - attribute 1247
 - hierarchy of AIS niches 1157
 - model and its representations 1247
 - of mappings called abstractions 181
 - of constraints 1257
- classic AGM postulates 1096
- CLASSIC, subsumption-based knowledge
 - representation language 1339
- classical
 - AI research 604
 - behaviorists 1011
 - conditionalization 391
 - default reasoning 1182
 - EBL 955
 - learning algorithm 460
 - logic 593, 640, 1311, 1343
 - logic, semantics of ~ 593
 - logics 1191
 - mechanics 454
 - modal logics 1248, 1388
 - monotonic inference 1384
 - notions of logic 549
 - pattern classification methods 452
 - physics 291

- planning 1229
- planning systems 958
- probability functions 391
- propositional logic 1213
- propositional theories 1343
- resolution 1068
- sorting algorithms 1141
- syntax 895
- classification 512, 580, 625
 - accuracy 1071, 1143
 - acoustic ~ 50
 - approximate ~ 625
 - automatic ~ 347
 - contour ~ 480
 - diagnostic ~ 689
 - errors 432
 - expert system 1143
 - generation process 347
 - goals of ~ 347
 - heuristic ~ 342, 584, 976
 - human ~ 347
 - learning ~ 432
 - of bifurcation points 612
 - of heuristic search algorithms 1389
 - of plans 1339
 - of problems 563
 - of scenarios 1339
 - of scenarios and plans knowledge
 - representation system CLASP 1339
 - of spatial arrangements 1170
 - of the intersections of drawings 59
 - pattern ~ 452, 907
 - principled ~ 1170
 - problems 432
 - processes 347
 - program CLUSTER/S ~ 347
 - projective ~ 481
 - reasoning 342
 - sound and complete ~ 625
 - systems 442
 - tasks 1071
 - taxonomic ~ 625
 - techniques 580
 - tractability ~ 894
 - trees 21
- classified examples 1135
- classifier systems 522, 1152
 - extensions of ~ 522
- CLASSIT, incremental concept formation model 518
- clausal
 - knowledge base 904
 - logic 216
- clausal theories 1201
 - first-order jk -~ 1201
 - first-order range-restricted ~ 1201
- clause 21, 46, 249, 963, 1101
 - condensing algorithm 963
 - form of the first-order predicate calculus 67
 - grammars, definite ~ 155
 - graph resolution system 648
 - non-condensed ~ 963
 - recursive ~ 536
 - representation 67
 - resultant ~ 10
 - strongly condensed ~ 963
 - white-knight declobbering ~ 1248
- clauses 181, 459, 916, 929, 1068, 1245
 - data structure for a set of ~ 142
 - determinate function-free ~ 1187
 - inconsistency of a set of ~ 213
 - irrelevant ~ 1295
 - logic-style ~ 653
 - multiple ~ 1187
 - of a deduction, initial ~ 10
 - of constant depth 1187
 - of constant locality 1187
 - premise ~ 237
 - PROLOG ~ 536, 1187
 - set of ~ 301
 - with bounded indeterminacy 1187
 - with up to k literals 1201
- Clayton, Jan E. 960
- cleanliness 136
- CLEARTOP expedient 163
- clichés 582
 - behavior of ~ 582
 - in programs 582
 - programming ~ 1101
 - relations between ~ 582
- client-server concept 1218
- clinical audiology 584
- CLIP, concept learning from inference patterns 1219
- clique trees 1212
- CLOCK, reasoning program for complex two-dimensional mechanisms 666
- clocks 666
- clockwork mechanisms 1156
- Clore, Gerald L. 694
- close coupling 904
- closed
 - circumscription 511
 - convex sets 391
 - E-saturated databases 338
 - loops 571

- closed-world
 - assumption 301, 338, 375, 485
 - assumption, CWA 485
 - assumption, Reiter's ~ 639
 - databases 338
 - evaluation of queries in databases 338
 - reasoning 1384
- closure 1260
 - axioms 684
 - in causal theories 684
 - of goals under logical implication 1243
 - of roles, transitive ~ 1379
 - operation 890
 - procedure 375
 - rational ~ 890
- closures 486
- Clowes–Huffman–Malik labelling scheme 1102
- CLP
 - constraint logic programming 948, 951
 - language cc(FD) 951
 - language CHIP 951
 - languages 951
- cluster
 - of beliefs 421
 - of particles 203
 - tree 1366
- CLUSTER/S, classification program 347
- clustered data, perfectly ~ 8
- clustering
 - conceptual 347
 - of chromosome data 8
 - statistical ~ 903
 - techniques 574, 1249
 - tree ~ 502
- clusters, word ~ 66
- cluttered
 - environments 574
 - scenes 574
- cn-search 1066
- CNF
 - concepts k~ 460
 - formulas random ~ 1297
 - theory 954
- co-NP-complete 567, 963, 1343
- co-NP-hard subsumption problems 687
- CO-OP, natural language database query system 226
- co-ordinate system 1224
- coaching 545
- coarse
 - equilibrium 657
 - knowledge 693
- coarse-grain analysis 1208
- coarse-to-fine
 - control structure 1276
 - image acquisition 1284
- CODASYL, database management system 226
- CODE, description language for patterns 114
- coding grid ~ 24
- coercion of representation 473
- coercions 1059
- coexistence of multiple programs 1160
- cognition 315, 357, 367, 428, 600, 627, 1009, 1010
 - architecture of ~ 355
 - architecture underlying ~ 600
 - computation and ~ 497, 498, 499
 - computational models of ~ 1360
 - connectionist theories of ~ 255
 - creative ~ 1323
 - epistemology and ~ 428, 429
 - music ~ 1327
 - understanding ~ 386, 387, 388, 389, 390
 - unified theories of ~ 1009, 1010, 1011
 - unified theory of ~ 1012, 1013, 1014, 1015, 1016, 1017
- cognitive
 - agents, building integrated ~ 1012
 - architecture 406
 - competence modeling ~ 1011
 - learning 55
 - map full ~ 431
 - map raw ~ 431
 - mapping process 431
 - maps 431
- cognitive model 347
 - of classification processes 347
- cognitive modeling 543, 1045, 1111, 1360
- cognitive models 412, 1011, 1360
 - languages for specifying ~ 1360
- cognitive
 - musicology 1328
 - notions 315
 - point of view 693
 - primitives 357
 - processes 327
 - psychology 161, 228, 276, 313
 - science 497, 498, 499, 568, 1011
 - scientists 1011
 - simulation 526
 - simulation studies 526
 - structure of emotions 694
 - tasks 115, 406
 - theories 1360
 - theory 1360
- Cohen, Philip R. 968
- coherence 1343

- concept ~ 308
- in attributive concept descriptions 611
- of extended dialogue 269
- of network inference representations 379
- rules for surfaces and edges 42
- coherent
 - belief revision 1338
 - disparity surface 1276
 - inferencing 400
 - lower previsions 1258
 - model, globally ~ 894
 - states of beliefs 1338
 - structures 412
 - upper previsions 1258
- Coiffet, Philippe 411
- coincidental alignments 154
- Colby, Kenneth Mark ~ 74
- collaborating autonomous agents 1177
- collaborative planning 1351, 1362
 - dialogues 1362
 - in dialogue 1362
- collaborative plans 1351
- collapsible cases of circumscription 488
- collapsing an infinite set of distinct behaviors into a
 - few 664
- collective phenomena 1041
- Collins, Allan 694
- collision 47
- collision-free
 - motions planning ~ 476
 - path 392, 667
- Colmerauer 216
 - and Kowalski 155
- colon endoscopy 964
- colored digraph 1219
- coloring problems, graph ~ 1184
- coloured solid models 1037
- Columbia University 398
- combination
 - of categorical and probabilistic reasoning 132
 - of fragments of translation examples 1216
 - of hypotheses plausible ~ 631
 - rules global binocular ~ 202
- combinatorial
 - computations 1113
 - explosion 689
 - mathematics 278
 - optimization 1302, 1305
 - optimization problems 1305
 - problems 119, 1405
 - problems, program for solving ~ 119
 - search 112, 1039, 1298
 - search problems 951
- combinatorially large problem spaces 242
- combinatorics 184, 574, 1111
 - of inference 507
 - of object recognition 574
- combined behavior of components 662
- combining
 - alpha-beta with best-first minimax 1344
 - bodies of evidence 577
 - building blocks 692
 - multiple models of design 1341
 - qualitative and quantitative constraints 1357
 - rule-based and case-based reasoning 1368
 - rules and similarities 1181
 - uncertainty 1258
- commit to assumptions 1148
- commitment 603
 - choice with ~ 548
- commitments
 - belief ~ 413
 - interpersonal ~ 548
- common belief 1198
 - axiomatization of ~ 1198
 - modal logic system of ~ 1198
- common
 - goal 1307
 - knowledge 697
- COMMON LISP 654, 1196, 1215
- common patterns 1181
- commonality values 577
- commonsense 1313, 1314
 - algorithm representation 82
 - inferences 445
 - knowledge 82, 231, 942, 943, 944, 946, 1205
 - models 291
 - nonmonotonic inference 372
 - notions about time chance and action 1223
 - physical reasoning 292
 - reasoning 293, 303, 346, 357, 385, 441, 445, 516, 593, 657, 699, 937, 1181, 1381
 - reasoning, formalization of ~ 1191
 - reasoning, human ~ 677
 - understanding 294
 - understanding of the behavior of electronic circuits 294
- communicating
 - knowledge-based problem-solving experts 106
 - primitives for ~ 931
- communication 968, 1177
 - algorithms for ~ 1362
 - and control 234
 - human ~ 269, 1364
 - implicit ~ 269

- intentions in ~ 968
- lines 221
- mechanisms 106
- modeling 679
- multimodal ~ 1058
- natural language ~ 71
- operation 1358
- operations 1358
- optimization of ~ 1358
- primitive 931
- communications
 - successive ~ 1358
 - technology 603
- communicative
 - action 1362
 - choice algorithms for ~ 1362
- communicative goal 329, 564, 1058
 - compare a ~ 329
 - define a ~ 329
 - describe a ~ 329
 - intent of a speaker 318
 - intentions 1085
 - requirements 418
- commutative functions 57
- commutativity, built-in ~ 107
- compact
 - object 571
 - representation
- compactness
 - maximal ~ 587
 - of representation 1384
- comparative analysis 465, 1265
 - of sublanguages 1364
 - problems 570
- comparative
 - inheritance work 898
 - performance of learning methods 1363
 - statics 359, 361
- compare communicative goals ~ 329
- comparing
 - interactions 658
 - old and new designs 520
- comparison
 - of programs 172
 - of some rule-learning programs 335
 - shape ~ 691
- comparisons
 - among hypotheses 132
 - with previously solved problems 145
- compass and straight edge constructions in geometry 53
- compatibility-based
 - ordering-heuristics 250
 - theories 250
- competence
 - constructs 1011
 - level 584
 - modeling 1011
 - nature of ~ 1011
 - theory 53
- competing
 - diagnoses 395, 1040
 - hypotheses 522
 - hypotheses, discriminate among ~ 1399
 - objectives 1082
- competition among contractor agents 1307
- compilable inference problem 1384
- compilation 524
 - knowledge ~ 1245
 - problem, general ~ 1227
- compiled hindsight 227
- compiler-compiler idea in conventional programming 1194
- compiling system 91
- complementarity of a matrix 214
- complements in attributive concept descriptions 611
- complete 303, 597, 898, 904, 935, 1230, 1240, 1243, 1256
 - algorithms 512
 - approximation of classical reasoning 1384
 - approximations 1162
 - axiomatization 597, 697, 1348
 - belief revision strategy 962
 - causal information 525
 - classification 625
 - decision procedure 471
 - for first-order logic 913
 - inference algorithm 433
 - inferentially ~ 1263
 - information 1174
 - logic for two-place preference operators 1243
 - planning system 1230
 - probabilistic theories 1112
 - proof theory 151
 - reduction 896
 - representation 1290
 - semantic unification of default and autopoietic logic 922
 - strategy 181
 - systems of inductive inference 5
 - terminological inferences 433
- completely general proof technique 451
- completeness 208, 375, 392, 476, 625, 682, 948, 970, 1123, 1279
 - and reducibility, relation between ~ 970

- diagnostic ~ 1263
- logical ~ 625
- of circumscription 511, 970
- of constrained resolution 1068
- of linear resolution strategies 32
- of modal logics 697
- of P-defining theories 970
- of pointwise circumscription 1403
- of the careful closure procedure 375
- of the non-monotonic predicate calculus 149
- of the truth preserving rules 18
- of the universal attachment rule 1095
- results 341, 346
- results for circumscription 346
- theorem, Birkhoff's ~ 382
- theorems 346
- completing figures 1260
- completion
 - minimal ~ 150
 - paths, possible ~ 1260
 - procedure, Knuth-Bendix ~ 314
- completions 486
- complex 3
 - artifacts 520
 - controls 1241
 - dynamics 661
 - environments 1186
 - experiences 518
 - goals 1241
 - group action 1351
 - information processing 1023
 - mechanical systems 666
 - organic compounds 134
 - organic molecules 263
 - task 607
 - visual behavior 1274
- complexity 21, 302, 457, 463, 466, 574, 626, 632, 637, 697, 914, 926, 1105, 1175, 1182, 1233, 1302, 1304, 1305, 1405
 - analyses 250
- complexity analysis 924
 - automatic ~ 374
 - average-case ~ 920
 - of generation and reuse 1235
 - worst-case ~ 920, 1235
- complexity, analysis of ~ 988
- complexity
 - average ~ 179
 - average time ~ 618
 - classes 1389
 - classes harder than NP 963
 - classes non-uniform ~ 1384
 - computational ~ 433, 567, 575, 1257, 1384
 - control parameter determining the ~ 1302
 - decrease 1299
 - evaluation techniques 1153
 - expected ~ 574
 - exponential ~ 179
 - inferential ~ 1362
 - information ~ 1177
 - inherent ~ 530
 - linear ~ 407
 - measure 434
 - measure of a formula 434
 - of a clause condensing algorithm 963
 - of a line drawing 169
 - of a product, inherent ~ 1153
 - of A* 179
 - of admissible search algorithms 92
 - of an exhaustive search strategy 527
 - of answering a query 1257
 - of assembly algorithms 1153
 - of blocks-world planning 919
 - of classical planning systems 958
 - of combining bodies of evidence 577
 - of constraint satisfaction 988
 - of counterfactuals 926
 - of cumulative default logic 1182
 - of domain-independent planning 1233
 - of existential quantification 687
 - of game-searching methods 162
 - of heuristic estimates for the A* algorithm 914
 - of heuristic search algorithms 92, 1389
 - of labeling 1137
 - of MGA 1253
 - of modal logic 1267
 - of objects 96
 - of OPT-2 1308
 - of path-based defeasible inheritance 966
 - of polynomial network consistency algorithms 302
 - of propositional Horn theories 586
 - of propositional knowledge base revision 926
 - of reasoning 637, 1264, 1311
 - of reasoning, computational ~ 1116
 - of relation algebras 1290
 - of searching 1389
 - of searching implicit graphs 1389
 - of sensing in a general driving-scene 1277
 - of specifying probability distributions 1175
 - of subsumption, computational ~ 687
 - of the structure-mapping algorithm 526
 - of updates 926
 - on-line ~ 1264
 - optimal worst-case time ~ 1125

- parallel ~ 585, 1120
- polynomial search ~ 232
- polynomial ~ 1232
- problem ~ 250
- results 535
- robot task ~ 1177
- sample ~ 1121
- search ~ 257, 1202
- sequential ~ 1120
- space ~ 965, 1344
- task ~ 1362
- theory 1389
- time and space ~ 953
- time ~ 965
- transition 1200, 1302, 1305
- worst-case ~ 463, 962, 1162
- worst-case space ~ 1192
- worst-case time ~ 1192
- compliance 300, 320
 - in robot manipulation 300
- compliant motions 477
- component interaction heuristics 1272
- components functioning abnormally 395
- composed system 1227
- COMPOSER, statistically rigorous learning system 1386
- composing
 - interactions 658
 - machine ~ 1326
 - model fragments 1272
 - possibly failing applications of inference rules 1251
 - regions of configuration spaces 665
- composite
 - beliefs, revision of ~ 413
 - device 291
 - symbol structures 590
- composition 247, 1227
 - model ~ 659
 - of monotonicity 658
 - of qualitative histories 908
 - of real-time systems 1227
 - of two productions 94
 - theorems 1241
- compositional modeling 659
 - efficient ~ 1272
- compositionality 643
 - in neural networks 590
- compound
 - nominals, interpretation of ~ 1059
 - objects 347
- comprehension
 - language ~ 136
 - natural language ~ 504
 - plan ~ 189
 - problems 125
 - process 239
 - sentence ~ 28
 - story ~ 430, 1169
- comprehensive agents 1157
- compressing chess master games 670
- compression, optimal ~ 1105
- compression-based existential misconceptions 654
- compromise
 - final state 1285
 - in negotiation 1285
 - over their degree of satisfaction 1285
- compromises 336
- compulsory reduction 647
- computation
 - actor model of ~ 106
 - ecology of ~ 676
 - in the theory of evidence, efficient ~ 1062
 - mental ~ 1048
 - spatial arrangements for ~ 1170
 - theory, connectionist ~ 1047
 - theory, neural ~ 1047
 - time 965, 1124, 1227
- computation-theoretic reductions 1177
- computational
 - approach to human reasoning 284, 285
 - architecture 368
 - behaviorist position 1172
 - biology 1135
 - brain 1383
- computational complexity 212, 575, 687, 1117, 1257
 - of abduction 631
 - of BnB on random trees 1302
 - of non-monotonic reasoning 1384
 - of plan validation 1063
 - of planning 1063
 - of probabilistic inference 553
 - of propositional STRIPS planning 1117
 - of query answering 1257
 - of querying bounds 1257
 - of reasoning 1116
 - of subsumption 687
 - of temporal projection 1063
 - of terminological reasoning 433, 567
- computational cost 1214, 1304
 - abrupt changes in ~ 1292
 - scaling 1304
- computational
 - description language 137
 - difficulty 1222

- computational efficiency 188, 328, 955, 1121
 - of a scheduling system 955
 - of deriving inferences 363
- computational
 - environment 1160
 - geometry 473, 475
 - inefficiency 328
 - kinematics 665
 - learning theory 1288
 - lexicons 1074
 - linguistics 1085
- computational model
 - for process-grammar 495
 - of explanation 690
 - of retrieval of analogs from memory 596
- computational models
 - of attention 1273
 - of cognition 1360
- computational
 - point of view 693
 - power of ARCS 596
- computational resources 252
 - management of ~ 1090
 - systems capable of taking account of their own ~ 1090
- computational
 - strategies, optimal ~ 641
 - strength 693
 - studies of analogy 504
 - system, social law in a ~ 1160
- computational theories
 - of agents' involvements in their environments 1207
 - of vision 203
- computational theory
 - of cognitive maps 431
 - of knowledge origin ACT* 524
 - of knowledge origin PUPS 524
 - of vision 200
- computational
 - tractability 567, 1254
 - vision 302, 456
- computationally
 - efficient method for cost- based abduction 1034
 - intractable 433, 966
 - tractable 890
- compute summaries 308
- computer aided
 - design 174
 - teaching of programming 81
- computer checkers 685
- computer chess 123, 557, 670, 685, 1340
- literature 123
- program 559
- computer construction of crossword puzzles 78
- computer game
 - playing 56
 - Tetris 1170
- computer
 - graphics 134
 - language 342
 - model of language 125
 - models of thought and language 74
 - music 1327
- computer programs
 - interpretation of ~ 333
 - structure of ~ 333
- computer
 - simulation of paranoia 111
 - systems learning 1084
 - understanding of natural language 61
- computer vision 156, 191, 218, 255, 262, 398, 569, 1102, 1276, 1277, 1349
 - psychology of ~ 89
 - system 322, 393
 - VISIONS system for ~ 1208
- computer-aided
 - circuit analysis 112
 - design 483
 - medical decision-making 133
- computer-assisted
 - instruction 113
 - instruction, CAI 71
- computer-based synthesis system 126
- computer-controlled
 - arm 68
 - assembly 68
- computerized
 - expert systems 906
 - graph theory bibliography 434
- computing
 - abductive explanations 1222
 - MAP assignments to belief networks 1069
 - networks 1041
 - rule ordering 1338
 - shape from shading 196
 - symbolic or numerical relationships 1283
- concave domains 1352
- concealed information 257
- concept 501
 - as a set of attributes 642
- concept coherence 308
 - relations 308
- concept description 443
 - formalisms 1385

- language 1101, 1162
- concept descriptions 114, 611
 - subsumption of ~ 567
- concept formation 518
 - incremental ~ 518
 - system, robust ~ 518
- concept
 - hierarchies 518
 - languages 687
- concept learning 212, 460, 584, 672, 686, 1192, 1219
 - human ~
 - methods, conventional ~ 1219
 - program 113
 - program of Quinlan 335
 - program of Young et al. 335
 - system 1101
- concept
 - modifiers of a ~ 76
 - of an algorithm 932
 - of likeness 1037
 - recognition system 114
 - representation mechanism 163
- concept teaching 113
 - systems 113
 - [See also "concepts"]
- concept-formation 246
- concept-free intelligent behaviour 606
- concept-using creatures 606
- conceptions of action 604
- concepts 114, 315, 514, 1385
 - acquiring ~ 579
 - association between ~ 342
 - conjunctive ~ 460
 - domain-specific dictionary of ~ 1371
 - of causality, intuitive ~ 359
 - [See also "concept"]
- conceptual analysis
 - natural language ~ 61
 - of a sentence 61
- conceptual
 - base 61
 - clarity 461
 - clustering 347
 - data analysis 188, 235
 - dependency 61
 - hierarchy 514
 - inductive learning 673
- conceptual knowledge 418, 1289
 - complex 65
- conceptual
 - model of problem solving 1193
 - neighborhood 693
- conceptual representation 418, 431
 - of the environment 431
- conceptual
 - simplicity 630
 - structures 61, 332, 415
- conceptualization 600
- conceptually similar problems 579
- concise descriptions of objects 139
- conclusion sets 1404
 - restricted language of ~ 1404
- conclusions
 - credulous ~ 898
 - reinstating ~ 913
 - retracting ~ 913
 - skeptical ~ 898
 - variable certainty of ~ 363
- concomitant variation 66
- concrete-level solution 1150
- concurrency, domains with ~ 1189
- concurrent
 - events 496, 1189
 - exploration 274
 - method 400
 - systems science 603
- condensing 963
 - a clause 963
- condition typing 668
- conditional
 - assertions 890
 - branching 83
- conditional connective 1096, 1097
 - for statements of normality 1097
- conditional effects 1233
- conditional entailment 682
 - proof theory of ~ 682
- conditional
 - explanations 1250
 - functions ordinal ~ 651
- conditional independence 1143, 1263
 - between observations 1143
- conditional interpretations 643
 - of default expressions 682
- conditional knowledge base 890
- conditional logic 1057, 1388
 - C 541
 - deduction in a ~ 1057
 - first-order ~ 409, 455
 - of normality 1097
- conditional
 - operator 1057
 - optimizations 1210
 - possibility 1388
- conditional probabilities 368, 396, 924, 1124, 1338

- in belief networks 924
 - of the data 689
- conditional probability 1258
 - matrices 1367
- conditional
 - relationships 1339
 - statement 926
 - tests 70
 - theories of default reasoning 1097
 - truth 1248
 - typing theory 1180
- conditionally independent 1367
- conditionals 1361
- conditioning 638
 - Dempster ~ 391
 - Dempster's rule of ~ 1388
 - for inference 1253
 - method of ~ 644
 - Pearl's method of ~ 1253
 - strategy of Touretzky 966
- conditions 247
 - for consistency 671
 - for distinct GAs 1390
- cones, generalized ~ 195
- configuration 480
 - constraints 220
 - domain 220
 - of successes and failures 1259
 - of technical systems 1385
 - process 220
- configuration space 392, 477, 665, 667
 - robots ~ 476
- configurations
 - of geometric entities satisfying geometric constraints 957
 - of objects and relations 59
 - of shape tokens 691
 - possible ~ 59
- configurer of computer systems, rule-based ~ 220
- conflict 603
 - resolution 633, 958
 - resolution in planning 958
 - resolve a ~ 27
 - set resulting from a measurement 1040
 - sets, minimal ~ 1040
 - with physics practice 1376
 - [See also "conflicts"]
- conflicting
 - beliefs 1185
 - criteria for a game position 1238
 - information 514
 - observation 395
 - property values 514
 - rationality postulates 1375
- conflicts 1231, 1397
 - minimizing ~ 952
 - resolution of ~ 527
 - [See also "conflict"]
- confluence assumptions 203
- confluences 291, 658
- congruence relations 118
- congruent angles 1217
- conjectural reasoning 148
- conjecturing
 - hidden entities 1039
 - unseen entities in science 1226
- conjoined goal 1230
- conjoint goals 1241
- conjunct ordering 323
- conjunction
 - of circumscriptions 485
 - of Horn clauses 926
- conjunctions 507, 580
- conjunctive concepts 460
 - restriction to ~ 460
 - with internal disjunction 460
- conjunctive goals 1248
 - planning for ~ 404
- conjunctive normal form 249
- predicates 249
- conjunctive
 - planning, domain-independent ~ 404
 - problems 323
 - queries ordering ~ 323
- conjunctive-goal problems 530
- conjuncts 377
 - best ordering for a set of ~ 323
- Connect-Four 422, 1066
- connected
 - component 476
 - discourse, understand ~ 136
 - speech 117
- connectedness 1260
- connection
 - between abduction and default logic 1222
 - graphs 142
 - machine 972
 - of perception to action 320
 - strengths 521, 614
- connectionism 1135
 - music and ~ 1329
- connectionist
 - approach 1051
 - architecture 592, 1181
 - computation theory 1047
 - framework 1185

- hashed associative memory 614, 1070
 - inference engine 1185
- connectionist learning 515, 907
 - procedures 521
 - techniques 1135
- connectionist
 - modeling 592
 - models 590, 594, 1046, 1047, 1181
 - network 515, 591, 593, 614, 1070, 1185
 - networks 593
 - representation of value/variable bindings 594
 - symbol processing 589
 - systems 594, 1033
- connectionist theories
 - of cognition 255
 - of perception 255
- connectionist theory 273, 1049
- connections 568
 - and symbols 568
- connectivity 476, 666, 1184
 - of the constraint graphs 1346
 - topological ~ 412
- CONNIVER, BUILD's implementation language 47
- CONNIVER, problem solving system 234
- conscious thought 933
- consciousness 932
 - anatomy of ~ 1056
 - biology of ~ 1056
 - evolution of ~ 1052
 - metaphysics of ~ 1052
- consensus
 - deriving ~ 1353
 - mechanism 1353
 - mechanisms, distributed ~ 1352
 - multiagent ~ 1353
- consequence
 - finding 32, 916
 - finding problem 916
 - relation, nonmonotonic ~ 890
- consequence relations 890
 - nonmonotonic ~ 575
 - preferential ~ 890
- consequences
 - of a set of constraints 157
 - of a set of events 1063
 - of reasoning about ignorance 449
- conservation laws 64, 1039, 1376
- conservative
 - monitoring 663
 - plan modification 1235
- consistency 348, 375, 461, 671, 684, 1138, 1231
 - adaptive ~ 1110
 - algorithm 529
 - algorithms 302
 - algorithms, network ~ 988
 - arc 354, 953
 - arc and path ~ 1357
 - assumption 92
 - based approach 684
 - checking 1196
 - conditions for ~ 671
 - constraint 393
 - enforcement, dynamic ~ 1231
 - enforcing global scene ~ 1271
 - enforcing techniques 1231
 - global ~ 693, 894, 1358
 - global notion of ~ 1138
 - handling 1388
 - heuristic 928
 - in networks of relations 97
 - joint ~ 1182
 - label ~ 527
 - local ~ 585, 894, 949, 1120
 - local notion of ~ 1138
 - maintenance 1249
 - methods, local ~ 354
 - model ~ 64
 - node ~ 934
 - of a database 671
 - of a set of constraints 1257
 - of a timegraph 1169
 - of circumscription 380, 511
 - of constraints with a knowledge base 1257
 - of defeasible databases 671
 - of inferences 1258
 - of justifications 1148
 - of models 1258
 - of proof systems 382
 - of temporal references 110
 - of the posterior probability 358
 - path ~ 354, 1357
 - problems, view ~ 479
 - proof by ~ 382
- consistency techniques 934
 - local ~ 1110
 - over finite domains 951
- consistency
 - testing ~ 671, 1197, 1338
 - truth-functional ~ 80
 - view of diagnosis 917
 - with other beliefs 1178
- consistency-based diagnosis 1178, 1397
- consistent 301, 338, 400, 925
 - databases, maintenance of ~ 894
 - experimental data 1376
 - hypotheses 1121

- interpretation 663
- knowledge base 1257
- consistent labeling 585
 - problem 250, 529, 585
- consistent
 - networks, large ~ 928
 - reasoning in the presence of inconsistency 1348
 - representation method, CR 1165
 - scenario 956
 - situation 630
 - theories 511
 - validation structure 896
 - with all global evidence 1358
 - with all local evidence 1358
 - world, maximally ~ 455
- consonant
 - approximation methods 1062
 - belief functions 651
- conspiracy number search 1066
- conspiracy numbers 447, 559
 - algorithm 559
 - for min–max search 447
- conspiracy required to change the root value 447
- constant depth 1187
- constants, problem-specific ~ 36
- constellations of shape tokens 691
- constituent phrases 595
- constrain search 206
- constrained
 - clauses 1068
 - Delaunay triangulation 572
 - empty clause 1068
 - language 1101
 - logic scheme 1068
 - logics 1068
 - optimization problem 279
 - random walk 655
 - resolution 1068
 - search 574
- constraining
 - a plan 958
 - heuristic search 56
 - interpretation space 663
 - search 115, 206, 242
- constraint 196, 440
 - consistency ~ 393
 - engine, geometric ~ 957
 - entailment 951
 - epipolar ~ 1270
 - force 456
 - gap, satisfiability ~ 1295
- constraint graph 302, 1102, 1110, 1140
 - dense ~ 539
 - sparse ~ 539, 1296
 - topology of the ~ 1300
- constraint graphs, connectivity of the ~ 1346
- constraint
 - language 353
 - logic programming 934, 948, 951
 - logic programming CLP 948, 951
 - manipulation 97
 - model 1265
 - monotonicity ~ 578
 - net, topology of the ~ 950
- constraint network 157, 420, 502, 585, 618, 632, 894, 954, 1120, 1125, 1140, 1350
 - algorithms 948
 - almost-hierarchical ~ 157
- constraint
 - on the environment 1210
 - on the trajectories 1158
 - posting 182
- constraint problem 462
 - in geometry 470
- constraint problems 1136, 1184
 - geometric ~ 957
 - hardest ~ 1184
 - interval ~ 928
- constraint processing enhancement schemes for ~ 539
- constraint propagation 403, 462, 502, 585, 951, 1295, 1341
 - algorithm 265
 - Boolean ~ 653
 - network 1310
 - rapid ~ 1299
- constraint
 - reasoning 950
 - refinement search 263
 - relations 1102
 - relaxation 618
- constraint satisfaction 2, 596, 632, 952, 953, 958, 988, 1102, 1120, 1245, 1292, 1306
 - algorithms 354, 1257
 - approach, linear ~ 1034
 - complexity of ~ 988
 - decomposition approach to ~ 1064
 - efficiency of algorithms for ~ 1064
 - geometric ~ 957
 - literature 1111
 - logic of ~ 948
 - networks 585
 - partial ~ 949
- constraint satisfaction problem 451, 688, 949, 953, 1122, 1343, 1346, 1355

- CSP 451, 934, 948, 1102, 1110, 1231, 1343
 - formalization 948
 - hypergraph of a ~ 1064
 - temporal ~ 632
- constraint satisfaction problems 97, 168, 302, 420, 539, 988, 1110, 1146, 1231, 1296, 1300, 1306, 1357
 - decomposing ~ 1064
 - random binary ~ 1296
- constraint satisfaction
 - search problems 1298
 - system ALICE 354
 - systems 950
 - techniques 532, 1357
- constraint
 - satisfiability 1295, 1297, 1299
 - semantics 1125
 - smoothness ~ 1001
 - solver 934
 - solving 951
 - suspension 296
 - systems geometric ~ 1029
- constraint theory 1068
 - model of a ~ 1068
- constraint tightness critical level of ~ 1296
- constraint violations 503
 - detection of ~ 503
 - [See also "constraints"]
- constraint-based
 - reasoning 947
 - scheduling 955
- constraint-posting approach 404
- constraints 182, 274, 293, 295, 302, 308, 336, 448, 480, 492, 664, 894, 914, 934, 949, 1039, 1077, 1119, 1125, 1180, 1231, 1242, 1260, 1289
 - allowed ~ 1355
 - anti-functional ~ 934
 - between circuit state variables 295
 - binary ~ 632
 - configuration ~ 220
 - consequences of a set of ~ 157
 - consistency of a set of ~ 1257
 - differences ~ 1257
 - disjunctive ~ 1357
 - domain ~ 668, 1189
 - domain-dependent ~ 1144
 - domain-specific ~ 1074
 - Euclidean or affine ~ 1283
 - externally imposed ~ 896
 - functional ~ 934
 - geometric ~ 1310
 - global ~ 279
 - image-based ~ 456
 - in a planner, antagonist ~ 336
 - in the form of equations 205
 - in the form of inequalities 205
 - inequality ~ 578
 - integrity ~ 1114
 - labeling ~ 169
- CONSTRAINTS, language for almost-hierarchical descriptions 157
- constraints
 - linear ~ 1034
 - metric ~ 1357
 - monotonic ~ 934
 - n-ary ~ 1140
 - networks of ~ 157, 618
 - of syntactic form 170
 - on deformable models 456
 - on geometry 376
 - on local surface orientation 194
 - on possible interpretations 104
 - on the matching of case arguments 308
 - processing of ~ 1357
 - propagation of symbolic ~ 201
 - propagation of ~ 112, 157, 360
 - quantitative ~ 1357
 - quantitative domain ~ 1357
 - reasoning with resource ~ 363
 - redundant ~ 957
 - representation of ~ 1357
 - resource ~ 668
 - restricted set of ~ 1355
 - semantics of ~ 934
 - set of allowed ~ 1122
 - shape ~ 204
 - solutions to a set of ~ 1257
 - sparse networks of ~ 420
 - temporal ~ 632, 1197
 - tightness of ~ 1300, 1346
 - time ~ 668, 1174, 1239
 - to general reasoning 1180
 - to represent the interactions between subproblems 182
 - tractable ~ 1122
 - unary ~ 632
 - violation 119
 - visual ~ 456
 - [See also "constraint"]
- constructing
 - 3D scene descriptions from images 478
 - a qualitative simulation 666
 - intelligent systems 1095
 - matching algorithms, tool kit for ~ 526
 - proofs for theorems, algorithm for ~ 4

- proofs for theorems of an axiomatic theory 4
- construction
 - of belief arguments 527
 - of deductive systems 374
 - of invariants for 3D objects 1271
 - of large impressive-looking programs 286
 - of world models 43
 - techniques 47
- constructive
 - problem-solving 342
 - problems 563
 - situations 189
- consultant, program as a ~ 93
- consultation by computer 446
- consultation program
 - for medical diagnosis 133
 - for medical treatment 133
 - knowledge-based ~ 978
- consultation system 1345
 - expert ~ 264
 - for multiple trauma management, TraumAID 2.0 1345
 - general ~ 264
- consulting programs 256
 - explaining expert ~ 256
 - creating expert ~ 256
- content
 - constraints 1100
 - of knowledge, reason about the ~ 178
 - reference 178
- contention, resource ~ 955
- context 116, 643, 682, 1074
 - adaptation to ~ 82
 - dependent 1211
 - model of ~ 125
 - of behavior 1166
 - of interpretation 1166
 - of previous experience 1025
 - on interpretation, influences of ~ 643
 - sensitive actions 1211
 - sensitive line finder 41
 - switching 351
 - unexpected ~ 135
- context-based caching 1155
- context-dependent
 - importance 76
 - user optimization preferences 1242
- context-free
 - grammar 1118
 - grammar parsers 1356
 - grammars 155
 - languages 1118
- context-sensitive responses 533
 - generating ~ 533
- contextual
 - constraints in sentence comprehension 595
 - factors 1058
- contextually relevant lexical components 1074
- contingent
 - information 625
 - knowledge 638
 - scene knowledge 532
- continual requirements for action 522
- continuity 295
- continuous
 - change 546, 1189
 - domain planner 1033
 - domains 1140
 - interaction with the environment 1274
 - interactions between quantities 658
 - probability distribution 122
 - process description 371
 - process-history of shape change 495
 - processes, modeling ~ 43
 - representational patterns 594
 - set operator 1086
- continuous speech 50
 - understanding 49
 - utterances 49
- continuous
 - time 640
 - time-varying parameters 293
 - variables 632
 - world change 1033
 - world features 1033
- continuum of gradual change, processes with a ~ 43
- contour 193
 - classification 480
 - configurations, image ~ 480
 - fragments 571
 - interpretation 480
 - occluding ~ 193, 1275
 - rotationally symmetric ~ 1026
 - shape from ~ 1026
- contours 480
 - intrinsic properties of ~ 262
 - simultaneous encoding of ~ 414
 - surface ~ 193
 - visual motion of ~ 1280
- contract
 - negotiation 234
 - net framework 234
- contracting
 - incentive ~ 1307
 - out actions 1351
- contraction 1254

- contractor agents 1307
- contracts between agents 1307
- contradicting information 449
- contradiction 925
- contradiction-elimination phase 653
- contradictions 566
 - detecting ~ 435
 - outright ~ 671
- contradictory information 1268
- contraposition 675
- contraposition weak form of ~ 675
- control 106, 234, 459, 1133, 1232, 1241
 - actions, trajectories of ~ 1241
 - adaptive ~ 50
- control architecture 668, 1161
 - blackboard ~ 327
 - flexible ~ 1073
- control
 - centralized ~ 337
 - component for the deduction rules 648
 - decision-analytic ~ 634
 - decisions 266, 634
 - deductive searches 46
 - design, nonlinear ~ 1113
 - errors 477
 - heuristics, domain-independent ~ 1123
 - induction ~ 459
- control information 185
 - domain-dependent ~ 507
- control, intelligent ~ 979, 1156
- control knowledge 136, 266, 552, 1193
 - EBL-style ~ 930
 - explicit representation of ~ 236
 - learning, search ~ 646
- control mechanisms
 - gaze ~ 613
 - transfer of ~ 234
- control
 - mode 1157
 - module 634
 - motion ~ 1232
 - of combinatorial search 112
 - of inference 507
 - of observer motion 1275
 - of perception 1165
 - of perceptual attention 1277
 - of robots 411
 - of search 668
- control parameter 1302
 - determining the complexity 1302
- control plans 1157
 - real-time ~ 1161
- control
 - policies, meta-level ~ 641
 - policy 634
- control problem 327, 634, 1165
 - meta-level ~ 1239
- control
 - programs 1228
 - real-time ~ 663, 1164
 - reasoning about ~ 177
 - redundancy ~ 459
 - robot ~ 667
 - search ~ 1240, 1242
 - speech understanding ~ 215
 - strategy 1123
 - structure 93, 106, 183, 211, 643, 1361
 - system 1161, 1228
 - theory 1164
 - tree searching 206
 - uncertainty 1232
 - uncertainty in ~ 667
 - variables, computer's ~ 54
 - viewpoint ~ 1275
- controlled
 - forward chaining 107
 - production 211
 - production system 211
- controller
 - intelligent ~ 1171
 - robot's intelligent ~ 1171
- controller's universal plan 1171
- controlling
 - backward inference 507
 - cooperating processes 199
 - cooperative problem solving 1173
 - cutoff bounds 650
 - forward chaining 107
 - inference 185
 - invocation 177
 - recursive inference 377
 - repeating inference 377
 - the amount of reasoning 1079
 - the invocation of new default rules 445
 - tree search 77
 - visual attention 1277
- conventional
 - game trees 1238
 - memory organization 590
 - rules of inference 382
- convergence 912, 1244
 - of a search, forcing ~ 164
 - of the Gibbs sampler 912
 - of the simulation 598
 - populations 1390
- conversational

- language comprehension 111
- power, extended ~ 269
- system, human ~ 269
- conversationally cooperative response 226
- conversion
 - from recursive paradigms to iterative paradigms 126
 - into a database 129
 - of knowledge from one representation into another 239
- convex sets, closed ~ 391
- cooking 1170
- Cooper 1175
- Cooper, Lynn A. 1048
- cooperating
 - agents 1177
 - local parallel processes 199
 - processes 199
- cooperation 603, 906
 - framework, general-purpose ~ 1173
 - horizontal ~ 906
 - hybrid ~ 906
 - principled model of ~ 1173
 - recursive ~ 906
 - tree ~ 906
 - under uncertainty 906
- cooperative activity, shared ~ 1351
- cooperative behavior
 - model of ~ 176
 - theory of ~ 226
- cooperative computation 1208
 - massively parallel ~ 273
- cooperative
 - information systems 1268
 - intelligent real-time control architecture CIRCA 1161
 - multi-agent distributed interpretation 1358
 - phenomena 1041
 - problem solving 1173
 - responses 226
- coordinate system 321, 569
- coordination mechanism 1352
- Cope, David 1325
- core
 - AI 600
 - gateway 1218
- corners, picture ~ 42
- corpus
 - analysis 1073
 - of knowledge 227
 - of training sentences 595
- correct 1230
 - assignment of parts of speech to words 1356
 - geometric reasoning 482
 - inference 379
 - planning system 1230
 - programs, recognition of ~ 172
 - spelling errors 190
 - system behavior 395
- correction 1071
- correctness 377, 379, 695, 1279
 - explanation of ~ 896
 - of a plan 958
 - of a program 316
 - of a revised diagnosis algorithm 528
 - of alpha-beta pruning 75
 - of digital hardware designs, program for proving ~, VERIFY 298
 - of nondeterministic programs 1
 - of plans 1248
 - of the universal attachment rule 1095
 - proof 163
 - theorems 654
- correlated feature vectors 1070
- correlation
 - automatic ~ 1387
 - image ~ 1387
 - methods 1270
- correlations 907
 - inter-feature ~ 556
 - statistical ~ 1378
- cost 634
 - computational ~ 1214, 1304
 - effectiveness 560
 - function 569, 965
 - measure 1306
 - minimization approach 569
 - of a derivation strategy, expected ~ 645
 - of a map 1037
 - of a solution graph 15
 - of an algorithm 277
 - of evaluation 1372
 - of scene labelling 688
 - of solving a conjunctive problem 323
 - of the rules 1069
 - optimality 650
 - problem-solving ~ 323
 - scaling computational ~ 1304
 - solution ~ 1305
 - to execute a plan 920
 - [See also "costs"]
- cost-based abduction 1034, 1069, 1391
- cost-independent search 1244
- costs
 - of the assumptions 1069
 - unit branch ~ 179

- [See also "cost"]
- counter-intuitive extension 450
- counterfactual 926
 - implication 372
- counterfactuals 372
 - complexity of ~ 926
 - multilevel ~ 163
 - nested to any level 163
 - single level ~ 163
- counterplanning 189
 - situations 189
 - strategies 171
- counting satisfying assignments of propositional languages 1245
- coupled
 - collection of problem solvers 234
 - dynamical systems 1158
- coupling
 - assertional and taxonomic information 904
 - close ~ 904
 - loose ~ 904
- covariance matrices 1067
- coverage
 - architecture's domain ~ 1368
 - tests 1192
- coverings, infinite variable ~ 462
- CPU time 280
- CR, consistent representation method 1165
- creating
 - a model of the world 973
 - abstract solution spaces 210
 - an intelligent program 141
 - expert consulting programs 256
 - landmarks 1232
 - models of systems 1265
 - plans 583
- creation of descriptions of system behavior 371
- creative
 - cognition 1323
 - destruction 919
 - mind 1316, 1317, 1319, 1320, 1321
 - operator 538
- creativity 525, 1320
 - engineering of ~ 1320
 - language ~ 1074
 - modelling ~ 1322
- credal level 1065
- credibility distribution 689
- credible explanatory hypotheses 1039
- credit assignment 522
- credulous
 - conclusions 898
 - extensions, language of ~ 898
 - reasoning 966
- crippling effects of large knowledge bases 1155
- criteria
 - for evaluating learning methods 188
 - for recognizing deep cases 76
- criterion of adequacy 913
- critic for identifying faulty rules 335
- critical
 - behavior in the computational cost of satisfiability testing 1304
 - level of constraint tightness 1296
 - phenomena 1304
 - ratio of constraints to variables 1301
 - subproblems 1231
 - value of the parameter 1405
 - values of uncertainty 1232
- criticalities, physical ~ 1153
- criticality of operator preconditions 1394
- critically constrained problems 1299
- cross-channel correspondence 202
- cross-linguistic variation 1080
- crossover 1304
 - bias 1244
 - operators 1244
- crossover point 1299, 1300
 - in random 3-SAT 1294
 - in satisfiability problems 1294
- crossover rates 1244
- crossword puzzle generator 78
- crossword puzzles 78
- cryptarithmic problems 63
- CS-QL 1165
- CSP
 - binary ~ 934
 - constraint satisfaction problem 420, 451, 934, 948, 1102, 1110, 1231, 1296, 1343
 - finite ~ 948
 - problem solving paradigm 1346
 - techniques for default reasoning 1343
 - tractable ~ 1343
- cubic
 - in the search depth 1305
 - sparsity constant ~ 929
- Culicover, Peter 1048
- cumulative default
 - logic 649, 1182
 - logic CDL 1148, 1182
 - logics 1148
 - reasoning 1182
- cumulative
 - logics 575
 - operation 890
- cumulativity 1182

- current set
 - of assumptions 146
 - of beliefs 146
- currently active database context for reasoning in
 - hypothetical situations 112
- cursive script reading ~ 414
- curvature 262
 - extrema 427
 - extrema, grammar based on ~ 427
 - surface ~ 195
- curve 193
 - space ~ 194, 440
- curved lines 62
- curved objects 139
 - description of ~ 96
 - recognition of ~ 96
- curved surfaces 192, 195, 484, 1077
 - objects with ~ 322
- curves 262
 - of the texture 283
 - physical ~ 193
- cut-off values 580
- cut-offs 122
 - search with ~ 77
- cutset
 - conditioning 626
 - decomposition 539
- CWA, closed-world assumption 485
- Cyc project 937
- Cyc system 937
- cycle behavior 371
- cycle-cutset 539
 - method 1146
- cycles, graphs with ~ 1054
- CycLing paper reviews 945
- CYPRESS system for synthesis of divide-and-conquer algorithms 330

- D**
- d-ply search with alpha–beta pruning 447
- D-S model 437
- D-S theory, Dempster-Schafer theory 437
- D-S theory of evidence 328
- DAG, directed acyclic graph 1069
- Dahl 216
- DAI
 - distributed artificial intelligence 603, 1173
 - foundations 604
 - research 604
 - systems 1173
- Dart 992
- DART, device-independent diagnosis program 297
- Darwin 1052
- Darwinism, neural ~ 505
- data analysis 23, 1363
 - conceptual ~ 188, 235
- data association
 - framework, Bayesian ~ 1067
 - problems, temporal ~ 1067
 - uncertainty 1067
- data
 - compression 670
 - correspondence uncertainty 1067
 - extraction 1073
 - flow 368
 - interpretation 1265
 - modeling 623
 - normalization 482
 - representations 238
 - retrieval requests for ~ 226
- data structure 114, 692
 - for a set of clauses 142
 - metagraph ~ 1169
 - passive ~ 337
- data structures 463, 582
 - for high-level cognitive tasks 592
 - topological ~ 1278
 - variable-sized recursive ~ 592
- data tokens 337
- data-change 695
 - approach 523
 - heuristics 523
 - hypothesis formation 131
 - model of computation 337
- data/hypothesis associations 237
- database 671
 - assertional ~ 268
 - associative ~ 112
 - consistency of a ~ 671
 - conversion into a ~ 129
 - DB 375
 - domains 226
- database expression 451
 - evaluating a ~ 451
- database
 - management 394
 - of assertions 394
 - problem solver's ~ 507
 - query system 216
 - relational ~ 1064
 - retrieval 645
 - sentence entailed by a ~ 671
- database systems 533, 623
 - interacting with ~ 533
 - research 623

- database
 - updates 395
- database updating
 - desiderata for ~ 1375
 - rational ~ 1375
- databases 301, 686, 1114
 - CAD ~ 1037
 - closed E-saturated ~ 338
 - defeasible ~ 671
 - evaluation of queries in ~ 338
 - Horn ~ 375
 - image ~ 1037
 - inconsistent ~ 671
 - medical ~ 129
 - predicate-calculus ~ 394
- dataflow
 - architecture highly-parallel ~ 337
 - architectures 337
 - diagrams 679
 - graph 337
- Datalog 948
- DATMI, theory for interpretation tasks 663
- datum 483
- Davis 1140
- Davis, Ernest ~ 942, 943, 944
- Davis-Putnam procedure 1299, 1304
 - in Loveland's form, DPL 1299
- DB, database 375
- DCG, definite clause grammar 155
- DDB, dependency-directed backtracking 962
- DDB strategies 962
- de Kleer
 - and Brown 359, 360, 361
 - and Williams 1040
 - Reiter and ~ 1040
- de re knowledge 1168
- dead end 958
 - search states 1231
- deadline 1399
- deadlock 919
- dealing with anomalies 525
- Dean 1227
- Dean, Thomas 1133
- debug
 - faulty hypotheses 681
 - student programs 172
- debugging 582
 - a model 1366
 - failures 1236
 - novice programs 544
 - picture drawing programs, automatic ~ 73
 - plans 583
 - skill 73
- system 172
- decentralization
 - of control 106
 - of information storage 106
- decentralized collection of problem solvers 234
- Dechter 1146
 - and Pearl 1146
- decidability 1233
 - of instance testing 1385
 - of L^{-2} 1379
 - of planning 1233
 - of subsumption 512
 - of the implication problem for belief 1151
 - results 1311
- decidable 1243
 - algorithm 301
 - deductive first-order reasoning 1311
 - form of first-order entailment 1151
 - problems 1162
 - with linear space 611
- deciding
 - formulas 80
 - satisfiability of an S5 formula 697
- decision 906, 1258
 - analysis 132, 207, 229
 - importance 238
- decision maker 1107
- decision making 189, 907
 - computer-aided medical ~ 133
 - intelligent ~ 20
 - knowledge 183
 - medical ~ 132
 - problem 1239
 - procedures 1090
 - properties 578
 - situations 229
 - time spent in ~ 1090
 - under time constraints 1239
 - under uncertainty 405, 557
- decision
 - operators 931
 - path selection 78
 - problem 575, 1405
- decision procedure 76, 466, 671, 679, 895, 934
 - partial ~ 466
 - probabilistic ~ 253
- decision process, economic ~ 1353
- decision processes
 - Markov ~ 1165, 1239
 - non-Markov ~ 1165
- decision
 - quality 1227
 - reasoning problems 1162

- rules 39
- structure 78
- theory 60, 625, 641, 1082, 1378
- decision tree 1308, 1399
 - heuristic ~ 7
 - induction 1308
- decision variables 578
- decision-analytic control 634
- decision-theoretic
 - advice 1082
 - representations for modeling decisions 1082
- decisions 905, 931, 1082
 - among problem states 557
 - control ~ 266
 - modeling ~ 1082
- declarative interpretation 239
- declarative knowledge 601
 - bases 500
 - representations 1386
- declarative
 - languages 211
 - logic 1119
 - programming languages 951
- decoder 50
- decoding linguistic ~ 50
- decomposable games 35
- decomposing
 - a problem 307
 - a scene 24
 - an interaction history 908
 - circuit modules 1007
 - complex mechanisms 665
 - constraint satisfaction problems 1064
 - domain knowledge 659
 - the vision process 200
- decomposition 307, 309, 954, 1341
 - approach to constraint satisfaction 1064
 - into subgoals 213
 - of an intelligent system 605
 - of qualitative histories 908
 - of quasi-algebraic sets 472
 - of the planning process 1361
 - scheme 632
- decompositions
 - feasible ~ 1007
 - ranking ~ 1007
- deduction 374, 453, 486, 1078, 1225, 1251
 - based on a set of characteristic models 1225
 - calculus 904
 - general-purpose ~ 1095
 - in a conditional logic 1057
 - in OIS 603
 - in probabilistic logic 1124
 - initial clauses of a ~ 10
 - logical ~ 635
 - method 1124
 - of relative likelihood conclusions 578
 - over logical formulas 1095
 - parsing as ~ 1059
 - parsing as non-Horn ~ 1078
 - principle, fundamental ~ 374
 - rules 648
 - sorted ~ 635, 1180
 - system, natural ~ 213
 - typed ~ 1180
 - with conditional typing theory 1180
- deductions
 - by resolution 10
 - internal ~ 524
- deductive
 - approach to automatic programming 140
 - calculus 904
 - consequence generating machine 18
 - first-order reasoning 1311
 - indecision 603
- deductive inference 602
 - processes 1361
 - techniques 601
- deductive knowledge
 - domain dependent ~ 166
 - new ~ 166
- deductive mechanism
 - for solving CSPs 451
 - general ~ 154
- deductive
 - planning 1361
 - power 5
 - question-answering system 46
 - reasoning 419, 1245
 - relationship 1178
- deductive rules 274
 - truth-preserving ~ 235
- deductive
 - searches, control ~ 46
 - synthesis 167
- deductive system 57, 635
 - for elementary set theory 127
- deductive systems 603
 - construction of ~ 374
- deductive viewpoint 451
- deductively
 - closed beliefs 1338
 - limited 1311
- deep case relations 308
- deep cases
 - as special modifiers 76

- criteria for recognizing ~ 76
 - in languages 76
- deep
 - cut-offs 122
 - goal nodes 1305
 - inferences in narrow domains 187
- deep pruning 615
 - conditions 1238
- deep structure 1136
 - in question-answering programs 16
 - of constraint problems 1136
 - of the written proof 88
- deepening, selective ~ 561
- deeper search pathology 253
- default
 - and autopoietic logic, logical equivalence of ~ 449
 - assumptions 151
 - assumptions of independence 1378
 - conclusions 638
 - expressions 682
 - extension 1138
- default inference 455, 586
 - rules 381
- default inferences 633
 - sanctioned by ~ 151
- default knowledge 381
- default logic 379, 445, 449, 450, 453, 603, 637, 649, 677, 922, 1092, 1097, 1138, 1142, 1148, 1182, 1191, 1222, 1365, 1384
 - cumulative ~ 649, 1148, 1182
 - main computational problem of ~ 1191
 - Reiter's ~ 379, 649, 1148, 1343
 - semantic foundations for ~ 1138
 - variants of ~ 1138
- default
 - minimal property of a ~ 638
 - principle 496
 - properties 455
 - property values 514
- default reasoning 151, 352, 353, 419, 444, 445, 450, 453, 455, 508, 514, 586, 633, 637, 638, 682, 1096, 1138, 1182, 1222, 1224, 1338, 1343, 1378
 - about spatial occupancy 1224
 - conditional theories of ~ 1097
 - implementation THEORIST 453
 - logic for ~ 151
 - normative conditional for ~ 1096
 - systems 638
- default rule 445
- default rules 586, 1096, 1378
 - nonnormal 450
- default statements 455
- default theories 586, 633, 1191
 - open ~ 1188
 - prioritized ~ 1288
 - propositional ~ 1343
- default theory 397, 449
 - extension of a ~ 1343
 - Reiter's ~ 639
- default value 308, 444
- defaults 282, 352, 397, 409, 625, 677, 682, 1182
 - applicability condition for ~ 649
 - as predefined possible hypotheses 453
 - binary ~ 637
 - expressiveness of nonnormal ~ 649
 - Horn ~ 586
 - justifications of nonnormal ~ 649
 - nonnormal ~ 352
 - normal ~ 352
 - priorities among ~ 649, 682, 1148
 - reasoning about ~ 449
 - to circumscription, translating ~ 397
- defeasible databases 671
 - consistency of ~ 671
- defeasible inheritance 550, 966
 - hierarchies 586, 637
 - multiple ~ 1205
 - nets 620
- defeasible knowledge 890
 - belief as ~ 1019
- defeasible
 - links 935
 - proofs 1081
 - provability 1081
 - reasoner, OSCAR automated ~ 1092
- defeasible reasoning 680, 913, 1092, 1096, 1097
 - argument-based approach to ~ 1092
 - argument-based ~ 680
 - based on arguments 680
 - implementation of ~ 680
 - problematic cases of ~ 1092
- defeasible
 - rules 680
 - sentences 671
- defining a communicative goal 329
- definite
 - clause grammars 155
 - clauses 459
 - Horn ground formulas 1117
- definition
 - instantiations 434
 - of causal ordering 1083
 - of operationality 443
 - of specificity 898

- definitional facilities 282
- definitions, problem space ~ 1004
- deformable models 456
- deformation 427, 691
 - classes 691
- deformations, psychologically meaningful ~ 427
- degenerate
 - cases 471
 - views 571
- degeneration of genetic algorithms 1244
- degradation of the quality of a decision 229
- degrees of belief 413, 597, 1245, 1378
- degrees of freedom 1153
 - analysis 957
 - internal ~ 1310
 - six ~ 392
- degrees
 - of human guidance 246
 - of nonlinearity 1372
- Delaunay triangulation 572
- delaying step-ordering decisions 1076
- delete lists 1233
- deleted-condition interactions 919
- deleting primitives 376
- deliberation
 - cost 634
 - scheduling 1090, 1239
- demands of an environment 1161
- demons, invocation ~ 112
- Dempster conditioning 391
- Dempster's rule
 - evaluation of ~ 619
 - for hierarchical evidence 416
 - of combination 577, 619, 696
 - of conditioning 1388
- Dempster-Shafer theory 437, 619, 1258
 - of evidence 328, 577
 - [See also "Shafer-Dempster"]
- Dempster-Shafer updating on uncertain evidence 391
- DENDRAL 128
 - expert system 959, 983
 - program 131
- Dennett, Daniel C. 1052
- denotation 14
 - concept of ~ 14
- dense constraint graph 539
- density method 215
- dependence 1005
 - of problem complexity 250
 - on time, predicate's ~ 669
- dependencies 964
 - among propositions 435
- dependency 1367
 - analysis 157
- dependency detection 1236
 - statistical ~ 1236
- dependency
 - hidden node for modeling ~ 1367
 - information 394
 - interpretation 1236
 - maintenance 190
 - of a plan on control uncertainty 1232
 - requirement 63
- dependency-directed backtracking 112, 146, 566, 653, 1380
 - DDB 962
- depiction 948
 - axioms 532
 - image ~ 532
 - mapping 532
 - relationships 532
- depth
 - constant ~ 1187
 - discontinuities 1284
 - information 393
 - limit 206
 - of clauses 1187
 - of nesting 1267
 - of search 555
 - of search trees 1299
 - of the conceptual hierarchy 514
 - range 1284
 - search ~ 207
 - search to a given ~ 77
- depth-first
 - algorithm 257
 - algorithm, incremental ~ 1192
 - backtrack search 1231
 - BnB, DFBnB 1305
 - branch-and-bound 1200
 - heuristic search 972
- depth-first iterative deepening
 - algorithm 331
 - algorithm, heuristic ~ 331
 - DFID 1202
 - search 535
 - search, refinements to ~ 535
- depth-first
 - null-window alpha-beta search 1374
 - search 331
 - search strategy 650
 - strategy 248
 - tree search 1342
- derivable formulas 649
- derivation 190

- for a solution 15
 - of a 3D model of a scene 478
 - of rules, automatic ~ 263
 - strategies optimal ~ 645
 - systems, linear ~ 647
- derivational analogy 520
 - algorithm 1093
 - analysis of ~ 1093
 - efficiency of ~ 1093
 - empirical studies of ~ 1093
- derivations, redundant and irrelevant ~ 21
- derived
 - beliefs 151
 - sequences 309
- deriving
 - a sentence 87
 - behavior from structure 293
 - consensus 1353
 - implications 119
 - sets of falsehood preserving inference rules 18
 - structure from behavior 1265
- Dershowitz 382
- des Rivières, Jim 1028
- Desain, Peter 1327
- describing
 - a communicative goal 329
 - an algorithm by its behavior on input 137
 - an event problem of ~ 76
 - assemblies, language for 159
 - drawings, program for ~ 59
 - structure and behavior 296
- description 73
 - attributes 1247
 - concept ~ 443
 - hierarchical ~ 68
- description identification 672
 - algorithm, Mellish's ~ 1192
 - problem 672
 - problem, algorithm for the ~ 672
- description in terms of contours 480
- description language 114, 433, 1385
 - antecedent ~ 1101
 - computational ~ 137
 - concept ~ 1101
 - domain ~ 668
 - environmental ~ 1278
 - for patterns, CODE 114
- description
 - logics 1361, 1379, 1385
 - of curved objects 96
 - of errors 81
 - of image features 201
 - of nonmonotonic systems 379
 - of Soar 609
 - refinement, incremental ~ 672
 - space 672
- description-forming operators 1339
- descriptions 84, 1379
 - action ~ 1223
 - concept ~ 114
 - indexical ~ 1168
 - logical ~ 1219
 - mathematical ~ 1219
 - of complex curved objects, generating structured ~ 96
 - of complex curved objects, generating symbolic ~ 96
 - of idealized line drawings 59
 - of natural grammars 1080
 - of objects concise ~ 139
 - of system behavior 371
 - of the external world 200
 - structural ~ 188
- descriptive concepts 347
 - for characterizing entities 347
 - high-level ~ 347
- descriptive
 - logic, DL 1379
 - power 1074
 - procedure for line drawings 59
 - properties 247
 - statement of the problem 119
- desiderata for database updating 1375
- design 295, 386, 387, 388, 389, 390, 582, 664, 1156
 - adaptation of a 520
 - automated ~ 392, 692
 - by derivational analogy 520
 - choices 1229
 - circuit ~ 295, 1341
 - combining multiple models of ~ 1341
 - descriptions 297
 - digital circuit ~ 1007
 - digital ~ 298
 - empirical system ~ 1373
 - expertise 295
 - final ~ 47
 - foundations for ~ 390
 - framework of SEEK 264
 - involving large searches 1341
 - involving parameter selection 1341
 - KERNEL's ~ 1079
 - knowledge 237
 - mechanical ~ 1341
 - mechanism ~ 915, 1352
 - methodology for GDD-based systems 1345

- model of ~ 1341
- of a competent program 205
- of an expert system 264
- of artificial agents 1207
- of BLAH 170
- of circuits 520
- of EBL systems 1004
- of graphics systems 532
- of integrated circuits 1346
- of intelligent learning environments 545
- of multi-agent systems 1160
- of natural-language interfaces 399
- of naval fleets 247
- of Odyssey 190
- of programs 14, 520
- of question-answering systems 16
- of representations 692
- of situated agents 1209
- of SME 526
- of the MYCIN system 93
- of three dimensional VLSI devices 247
- of training sets 515
- of vision systems 479, 532, 1289
- off-line ~ 1160
- on multiple domains 1341
- on multiple tasks 1341
- parameters 503
- design plans 520
 - modifying ~ 520
 - retrieving ~ 520
- design principles 113
 - biological ~ 1208
 - for concept teaching systems 113
- design, real-time system ~ 1227
- design strategies 330
 - for classes of algorithms 330
- design
 - system for circuit ~ 1341
 - systems 465
 - tradeoffs 463, 1229
 - [See also "designs"]
- design-automation community 297
- designer model ~ 64
- designers of a multiagent environment 1353
- designing
 - a machine translation system 1080
 - agents 1159
 - chemical syntheses 134
 - cooperating processes 199
 - expert systems 312
- designs, balanced incomplete block ~ 254
 - [See also "design"]
- Designworld 992
- desirability 1239
- desired
 - goal 392
 - minimization 346
- destination 121
 - frame 121
- destructive problems 563
- DETAIL, interactive feature of IMPLY 48
- detecting
 - contradictions 435
 - repeating cycles of processes 371
- detection
 - dependency ~ 1236
 - edge ~ 124
 - efficient ~ 274
 - error ~ 477
 - looming ~ 1274
 - of constraint violations 503
 - of motion from texture 283
 - of semantic errors 172
 - of stereo disparity surfaces 1276
 - of surface orientation from texture 283
 - statistical dependency ~ 1236
- determinants 473
- determinate function-free clauses 1187
- determinations 1007
 - of scope 677
- determiner
 - modifier's ~ 216
 - of a syntactic item 216
- determining
 - amounts from handwritten cheques 1100
 - consistency 1197
 - delivery point codes from addresses 1100
 - delivery point codes from handwritten addresses 1100
 - drug and dosage from handwritten drug prescriptions 1100
 - optical flow 197
 - similarity 584
 - surface orientation from a single view 195
 - surface shape 484
 - the behavior of a composite device from the generic behavior of its components 291
- deterministic
 - finite-state automata 1176
 - reasoning 132
 - sequential algorithms 585
 - strategies 242
- detour behavior in frogs 1208
- developable surfaces 195
- developing
 - autonomous agents through learning 1152

- program 316
- development of Soar 609
- developmental stages 427
- device behavior 993
 - causality in ~ 359, 361
- device
 - function 1272
 - independence 296
 - models, generation of ~ 1272
 - operating regions 295
- device-independent
 - diagnosis program DART 297
 - inference procedure 297
 - language 297
- DFBnB**
 - depth-first BnB 1305
 - depth-first branch-and-bound 1200
- DFID, depth-first iterative deepening 1202
- diagnoses
 - characterizing ~ 917
 - competing ~ 395
 - [See also "diagnosis"]
- diagnosing
 - diseased soybean plants 1071
 - multiple faults 396
 - rheumatic diseases 264
- diagnosis 297, 342, 396, 580, 588, 663, 664, 917, 948, 1175, 1196, 1265
 - abductive ~ 1178
 - abductive view of ~ 917
 - algorithm 395, 528
 - and treatment of the glaucomas 133
 - automated ~ 297, 465
 - Bayesian ~ 689
 - categorical reasoning in medical ~ 132
 - circuit ~ 413
 - consistency view of ~ 917
 - consistency-based ~ 1178, 1397
 - domains 1345
 - error rate 1143
 - fault ~ 296, 1156
 - for a system 917
 - from first principles 1040
 - goal-directed ~ 1345
 - iterative nature of ~ 396
 - kernel ~ 917
 - language error ~ 125
 - logic based ~ 684
 - medical ~ 405, 413, 1143, 1377
 - minimal ~ 917
 - model-based ~ 588, 917, 1178
 - of analog circuits 657
 - of errors, intention-based ~ 544
 - of errors system, PROUST 544
 - of hardware faults, automated ~ 372
 - probabilistic reasoning in medical ~ 132
 - program 297
 - real-time ~ 1399
 - Reiter's theory of ~ 528
- diagnosis system
 - implemented ~ for circuits 296
- diagnosis
 - theory of ~ 395, 528, 1040
 - tree 1399
 - [See also "diagnoses"]
- diagnostic
 - advice 964
 - classes 133
 - classification 689
 - completeness 1263
 - conclusions 133
 - expertise 689
 - methods 1196
 - performance 1377
 - probability 689
 - problem 395
- diagnostic procedure 396
 - domain independent ~ 396
 - incremental ~ 396
- diagnostic reasoning 296, 395, 989, 1196, 1345
 - framework 1345
- diagnostic tasks 684
- diagnostics of errors, exact ~ 172
- diagram
 - filter 62
 - location 154
- diagrammatic information 62
- diagrams 101, 666
- dialectically arguing modules 146
- dialog system 100
- dialogue 1362
 - algorithm 34
 - human ~ 1362
- dialogues 176
 - collaborative planning ~ 1362
- dictionary 308
 - access 78
 - based on concept coherence 308
 - construction, automated ~ 1371
 - for joint ventures 1371
 - for microelectronics 1371
 - for terrorism 1371
 - of concepts, domain-specific ~ 1371
 - structure 78
- difference sequence 307
- differences 307

- among concepts, learning method based on
 - the ~ 642
- between predicted and observed behavior 528
- between states 307
- constraints 1257
- different inexact reasoning models 906
- differential
 - analysis 465
 - and integral calculus 291
 - calculus 640
- differential equations 291, 359, 369, 612, 911
 - abstractions of ~ 369
 - piecewise linear ~ 1215
 - qualitative ~ 291, 293, 908
- differential
 - inclusion 911
 - qualitative analysis 570
 - quantitative analysis DQ 465
 - techniques, local ~ 1281
- difficult region
 - for search 249
 - in search space 249
- difficulty
 - computational ~ 1222
 - in planning 530
 - measure of problem ~ 407
- digital circuit 953
 - design 1007
- digital circuits 395, 662
 - troubleshooting ~ 396
- digital design 298
- Digital Equipment Corporation 220
- digital
 - hardware designs 298
 - images 321
 - logic 297
- digitalis therapy advisor 256
- digraph, colored ~ 1219
- Dijkstra's single-source shortest-path algorithm 965
- dimension 470
 - of a knowledge base 1257
 - of a query 1257
- dimension-independent description 1113
- dimensional
 - analysis 581, 679
 - representation 581
- dimensionality of search space 1372
- dimensionality-reduction 691
- dimensionless numbers 581
- diminishing utility, law of ~ 1218
- direct
 - a search, information to ~ 46
 - association between concepts 342
 - dependencies between propositions 368
 - inference 1378
- directed acyclic graph 368
 - DAG 1069
- directed
 - graph 6
 - labeled graphs 109
 - recursive labelnode hypergraphs 109
- directing
 - genetic search 961
 - search 211
 - search, pattern recognition applied to ~ 206
- direction-giving, topological ~ 1278
- directional
 - algorithms 162
 - arc consistency 1110
 - instructions, symbolic ~ 1278
 - path consistency 1110
 - search methods 1206
 - statistics 1026
- directions of change 293
- directly skeptical approach 620
 - to defeasible inheritance nets 620
- Dirichlet distributions 1396
- disambiguating networks 935
- disambiguation
 - lexical ~ 425
 - of ambiguous words 595
 - of local matches 202
 - structural ~ 425
- discernment, frame of ~ 577
- discontinuities
 - in surface orientation 480
 - motion ~ 154
- discontinuity boundaries 194
- discontinuity-preserving 572
- discourse 226, 445
 - capabilities 269
 - domain of ~ 630, 654
 - generation 1085
 - human ~ 445
 - representations 308
 - strategies 329
- discourse structure 1059
 - relations 1085
- discourse-level information 1060
- discover a principle 231
- discovering
 - new domain objects 246
 - new heuristics 246, 287
 - new operators 246
 - patterns in sequences of events 309
 - relationships 188

- discovery 537
 - empirical ~ 523
 - in chemistry, machine ~ 1039
 - machine ~ 1226, 1376
 - methods 523
 - of heuristics 247
 - of symmetries, mechanical ~ 98
 - process 1376
 - scientific ~ 309, 1376
- discovery system
 - AM 538
 - ARE 538
 - EURISKO 538
 - heuristic ~ 1237
- discovery systems
 - AI ~ 538
 - machine ~ 523
 - scientific ~ 538
 - self-refreshing ~ 538
- discovery, ubiquity of ~ 115
- discrepancy, explain the ~ 395
- discrepancy-driven refinement 918
- discrete action assumption 1033
- discrete Bayesian
 - belief network 1005
 - networks 1397
- discrete probability distribution 122
- discrete relaxation 585
 - Haralick's ~ 168
 - Mackworth's ~ 168
 - Ullman's ~ 168
 - Waltz's ~ 168
- discrete texture 484
- discrete-event dynamics 1171
- discriminate among competing hypotheses 1399
- discrimination
 - mechanism 524
 - tree 268
- disease
 - classifications 133
 - models 237
- diseased soybean plants, diagnosing ~ 1071
- disjointness of temporal intervals 1169
- disjunction 687
 - infinitary ~ 1379
 - internal ~ 460
- disjunction-free default theories 1343
- disjunctions 383, 580
 - of assumptions 352
 - of literals 653
 - of nodes, encode ~ 352
 - of PA-relations, binary ~ 1169
- disjunctive
 - basis of a knowledge base 1264
 - concepts 335
 - constraints 1357
 - knowledge base 645
 - normal form 309
 - rationality 675
- disparity 273
 - information, extraction of ~ 202
 - information, processing of ~ 202
 - surfaces, detection of stereo ~ 1276
- dispersion-based existential misconceptions 654
- display
 - generation 376
 - problem in geometry 470
- disprovable tasks 64
- DISPROVER, interactive model analysis tool 64
- dissector, image ~ 41
- dissipative systems 551
- distal access 590
- distance
 - Hamming ~ 903
 - measure between formal object representations 1037
 - measure, tunable ~ 1037
 - ratio 565
 - signature coding technique 254
- distinct leaf values 674
- distinguishing shapes 691
- distorted data 1186
- distorting effects of projection 192
- distortion 192
 - minimax ~ 243
 - of a shape 495
- distortions
 - interaction ~ 1186
 - perspective ~ 1269
 - photometric and geometric ~ 1276
- distributed
 - algorithm 221
 - algorithms 1249
 - algorithms for belief revision 413
- distributed artificial intelligence 603, 604
 - DAI 1173, 1174
- distributed
 - consensus mechanisms 1352
 - expert systems 906
 - interpretation 1358
- distributed knowledge 697
 - operator 697
- distributed
 - negotiation mechanism 1174
 - operating system, Arachne ~ 221

- planning 1208
 - problem solving 234, 603
 - processing model 595
- distributed representation
 - of bindings 594
 - of symbolic structures 594
- distributed representations, recursive ~ 592
- distributed sensing system 234
- distributed systems 1168
 - of computers 1352
- distribution
 - of a belief network 912
 - of goal nodes 905
 - of hard graph coloring problems 1184
 - of information 1218
 - of problems 1288
 - of problems observed ~ 1033
 - task ~ 1174
- distributions
 - of computational cost 1304
 - of error random variables 179
 - theory of ~ 484
- disturbances, propagating ~ 359
- diversification of the temporal ontology 546
- divide-and-conquer
 - algorithms 330
 - paradigm 126
- division algorithm, real-number ~ 57
- DL, descriptive logic 1379
- DNA
 - structure from segmentation data 131
 - structures inferring ~ 131
- DNF 1187
 - concepts, k-~ 460
- domain
 - ambiguity 622
 - axioms 630, 1211
 - closure assumption 1262
 - constraint approach to qualification 448
- domain constraints 668, 1189
 - qualifying ~ 448
- domain
 - coverage, architecture's ~ 1368
 - dependence 953
 - [See also "domain-dependent"]
- domain
 - description language 668
 - expert 503, 964
 - independence 93
- domain independent 1341
 - diagnostic procedure 396
 - general purpose problem solving techniques 1386
- planning 1380
 - shell abstraction of VEXED EVEXED 1341
 - [See also "domain-independent"]
- domain
 - individuals 1223
 - knowledge 190, 478, 503, 514, 659, 953, 1039, 1193, 1277
 - model 256
 - modeling 679
 - of discourse 630, 654
 - of theorems deducible from certain formulas, infinite ~ 275
 - perspective 533
 - principles 256
 - problems 327
 - representations 1380
 - requirements 1161
 - rules 184
 - size 507
- domain specific
 - failure theories 1380
 - knowledge 226, 478
 - tuning 1386
 - [See also "domain-specific"]
- domain theories 659, 684, 1135
 - expressive ~ 1380
 - incomplete ~ 1007
- domain theory
 - approximate ~ 1071
 - Horn-clause ~ 1071
 - imperfect ~ 1071
- domain-dependent
 - axioms 374
 - constraints 1144
 - control information 507
 - deductive knowledge 166
 - knowledge 166, 500, 561
 - rules 374
 - [See also "domain dependence"]
- domain-independent 507, 561, 1341
 - algorithm, tractable ~ 1103
 - conjunctive planning 404
 - control heuristics 1123
 - diagnostic procedure 396
 - EBL algorithm 1123
 - general purpose problem solving techniques 1386
 - goal interaction 919
- domain-independent planning 1117, 1233, 1380
 - program 274
 - research 404
 - system 668
- domain-independent shell abstraction of VEXED,

- EVEXED 1341
- [See also "domain independent"]
- domain-level explanations 583
- domain-specific
 - constraints 1074
 - dictionary of concepts 1371
 - feature 557
 - heuristics 247
 - knowledge 248, 663, 668
 - knowledge-acquisition tools generating ~ 1193
 - optimizations 953
 - problem characteristics 953
 - search control 519
 - search control knowledge 522
 - terms 679
 - [See also "domain specific"]
- domains 894
 - infinite ~ 275
 - stochastic ~ 1239
 - with concurrency 1189
 - with inadequate theories 584
 - with intractable theories 584
 - with nondeterminism 1189
 - with ramifications 1189
 - with weak theories 584
- dominance algebra 1238
- door locks 665
- dorsal fins of fishes 691
- double phase transition 1184
- downward inheritance 966
- downward refinement 1150
 - property, DRP 1150
- doxastic logic 1086
- Doyle, McDermott and ~ 150, 303, 494
- DP, dynamic programming 1164
- DP procedure, Davis-Putnam procedure 1304
- DP search 1304
- DP-based reinforcement learning methods 1164
- DPL, Davis-Putnam procedure in Loveland's form 1299
- DQ
 - analysis 465
 - differential qualitative analysis 465
- draw poker 3
- drawing programs, picture ~ 73
- Dreyfus, Hubert L. 410, 1331, 1332, 1333, 1334, 1335
- Dreyfus, Stuart E. 410
- DRLH, directed recursive labelnode hypergraph 109
- drosophila of AI 670
- DRP
 - downward refinement property 1150
 - testing ~ 1150
- drugs, hazardous ~ 1370
- dual
 - categorical-associative model 66
 - form 1403
 - model 66
 - representations 1181
 - search 1186
 - space 205
- duality
 - between curvature extrema and symmetry structure 427
 - between problem representations and optimal schemata 961
- Duda
 - et al.'s scheme 186
 - Hart and Nilsson 186, 366, 683
- duplication 1260
- duration 25
- dyadic predicates 1379
- dynamic
 - attention 1289
 - backward reasoning systems 563
 - changes of the knowledge base 563
 - consistency enforcement 1231
- dynamic construction
 - of control plans 1157
 - of quantitative belief arguments 527
 - of real-time control plans 1161
- dynamic
 - decision structure 78
 - dependencies between parameters 1289
 - environment 1067, 1173
 - hiding of portions of knowledge 1155
 - logic 395, 969, 1243
 - manipulation of heuristics 3
 - map of traffic 234
 - network 1289
- dynamic programming 920, 1164, 1308
 - DP 1164
- dynamic reasoning 563
- dynamic search
 - control 1380
 - rearrangement 1110
- dynamic
 - situation 1157
 - symbol structures in a connectionist network 590
- dynamic tracking
 - robustness in ~ 1289
 - sensitivity in ~ 1289
- dynamic

- uncertain environment 1241
 - variable binding 613
 - dynamic world 1104, 1289
 - modeling 1067
 - planning in a ~ 281
 - dynamical
 - creation of descriptions of system behavior 371
 - critical phenomena 1304
 - dynamical systems 540, 551, 1113, 1176
 - automatic analysis of ~ 540
 - coupled ~ 1158
 - identification 1176
 - in phase space 1113
 - theory 1158
 - understanding system, MAPS 1113
 - dynamical theories 292
 - dynamically
 - changing model accuracy 918
 - formulated 182
 - modifiable 1186
 - modify search control 1242
 - propagated 182
 - dynamics 1171, 1211
 - chaotic ~ 661
 - complex ~ 661
- E**
- E-saturated databases, closed ~ 338
 - EAR, elementary theory of addition on the real numbers 31
 - earliest/latest possible start time windows 1231
 - easy and hard instances 1405
 - easy-hard transition 1302
 - easy-hard-easy
 - complexity transition 1302
 - pattern 1303
 - phase transition 1199
 - problem difficulty 1295
 - Ebcioğlu, K. 1328
 - EBG
 - algorithms 1094
 - explanation-based generalization 1094
 - EBL 1380
 - algorithms 525
 - algorithms, traditional ~ 1123
 - and problem solving, integrating ~ 519
 - classical ~
 - explanation-based learning 519, 552, 930, 1004, 1123
 - extension to ~ 955
 - method 519
 - system 1004
 - EBL systems
 - design of ~ 1004
 - proofs used by ~ 930
 - EBL techniques 955
 - EBL*DI algorithm 1123
 - EBL-style control knowledge 930
 - EBT, example-based translation 1216
 - ecology of computation 676
 - econometrics 359
 - economic decision process 1353
 - economics 360, 492
 - economist's approach to system behavior 361
 - ECWA, extended closed-world assumption 485
 - Edelman, Gerald M. 505, 1056
 - edge 1137
 - edge detection 124
 - using Walsh functions 124
 - edge fragments 102
 - 3D ~ 1310
 - edge
 - labelling 302
 - memories 695
 - removal 1350
 - edges 376, 481
 - enhancing ~ 24
 - picture ~ 42
 - Edmonds' algorithm, standard ~ 8
 - EDR
 - error detection and recovery 477
 - strategies 477
 - education 1016
 - effect
 - of knowledge on belief 638
 - refinement 178
 - effective
 - algorithms for communicative choice 1362
 - branching factor 1200
 - consensus mechanism 1353
 - explanation 690
 - effective interaction 269, 1174
 - of computers 1352
 - effective
 - language behavior 1362
 - mechanical speech understanding 49
 - organization of data 954
 - effective problem-solving
 - behavior 234, 1386
 - by a society of experts 106
 - effective
 - task representations in the design of programs 14
 - use of knowledge 504

- effectiveness
 - heuristic ~ 1292
 - of PRODIGY's EBL method 552
- effects
 - action ~ 1223
 - of actions 274, 1163
- efficiency 1410
 - average ~ 1018
 - computational ~ 955
 - of algorithms for constraint satisfaction 1064
 - of an algorithm 547
 - of BURIDAN 1240
 - of factoring polynomials 86
 - of finding refutations 21
 - of hierarchical problem solving 1150
 - of perimeter search 1128
 - of planners 1076
 - of planning 896, 1235
 - of problem solvers 681
 - of search 6
 - of SL-resolution 21
 - of the alpha-beta algorithm 99
 - of the alpha-beta pruning algorithm 261
 - on-line ~ 1264
 - transformations on production systems, theory of ~ of 211
- efficient
 - agreements 1174
 - algorithm 1026
 - basis for a query language 1264
 - coding schemes 515
 - compositional modeling 1272
 - computation in the theory of evidence 1062
 - detection 274
- efficient disjunctive basis 1264
 - of a knowledge base 1264
- efficient
 - general purpose planning 404
 - inference 1219
 - instance recognition 443
 - learning 521, 1214
 - method for cost-based abduction 1034
 - probabilistic inference 553
 - problem-solving routines 1350
 - programs 238
 - query answering 1257
 - reasoning 1212, 1381
 - retrieval 1070
 - searching 115
 - stochastically more ~ 179
 - synthesis 238
- efficiently computable iconic representations 1274
- effort limit 206
- EL set of rules 112
- elaboration of implied roles 595
- elastic interpolation 495
- elastically deformable object models 456
- electric encyclopedia 608
- electrical
 - circuit behavior, qualitative models of ~ 545
 - circuits 545
 - engineers 294
 - networks, synthesis and analysis of ~ 157
- electricity transportation management 1173
- electrodynamics 295
- electromechanical devices 1272
- electronic circuits 294, 296, 1196
- element
 - addition 126
 - removal 126
- elementary
 - functions, universal set of ~ 1055
 - number theory 101
 - set theory 127, 247
 - theory of addition on the real numbers, EAR 31
- Eleusis card game 309
- eliminating
 - combinatorics 1111
 - local inconsistencies 97, 302
 - quantifiers in EAR 31
 - varying predicates 699
- elimination 904
 - Loveland's model ~ 21
 - model ~ 90
 - redundancy ~ 963
- elite genetic algorithms 1387
- elitist reproduction scheme 1387
- Elman, Jeffrey 1046
- EM
 - algorithm 1410
 - expectation maximization 1363
- embedded system 1164
- embedding
 - default logic 1365
 - intelligence 178
 - of explanations 170
- emotions, cognitive structure of ~ 694
- emperor's new mind 932
- empirical analysis 264
 - of terminological representation 1116
- empirical
 - approaches in NLP 1364
 - comparisons 215
 - data 954, 1225
 - discovery 523

- inquiry, AI as ~ 607
- learning system 1071
- method for determining 'must-not'
 - conditions, Winston's ~ 163
- methods 519
- rule induction 580
- science 1287
- empirical studies
 - of CLASSIT 518
 - of derivational analogy 1093
 - of PROUST 544
- empirical
 - symbolic approach to natural language
 - processing 1364
 - system design 1373
- empirically
 - justified mechanisms 1360
 - motivated 1082
- empty clause 9
- enabling-condition interaction 919
- encode disjunctions of nodes 352
- encoder networks, three-layer auto-associative ~
 - 592
- encoding information 524
- encoding knowledge 177, 178
 - in machine-usable form 140
- encoding
 - of contours, simultaneous ~ 414
 - of proof theory 1365
 - problem space ~ 930
 - schemes, solution ~ 1244
- encounter, rules of ~ 1353
- endgames 562
 - path lengths of 5-men ~ 562
- endings in chess, king and pawn ~ 280
- endoscope guidance system 1367
- energy, flows of ~ 1196
- enforcing global scene consistency 1271
- engineer's
 - approach to system behavior 361
 - knowledge 659
- engineering 357, 360, 1083, 1287
 - automated ~ 992
 - discipline 628
 - domain 1113
 - of creativity 1320
 - thermodynamics 659
- English 1080
 - data base query system 216
 - dialog 100
 - dialogue 111
 - input 111
 - language 25
- enhance man's mental capabilities 115
- enhancement schemes for constraint processing 539
- enhancing
 - edges 24
 - the disparity surface 1276
- entailed
 - by a conditional knowledge base, assertions ~
 - 890
 - by a database, sentence ~ 671
 - probability interval 1124
- entailed sentence 1124
 - probability range of an ~ 1124
- entailment 671
 - conditional ~ 682
 - constraint ~ 951
 - first-order ~
 - logical ~ 348
 - minimal ~ 150
 - of a query by a knowledge base 1264
 - probabilistic logical ~ 348
 - testing ~ 671
- entrenchment 1096
 - epistemic ~ 1081, 1139
 - of expectations 1096
- entropy
 - maximum ~ 514
 - minimum ~ 588
- enumerable, recursively ~ 913, 1081
- enumerated set of solutions, pre-- 342
- enumerating
 - assumptions 296
 - the elements of a collection 140
- enumerations 126
 - ordered set ~ 126
- environment 55, 431, 477, 521, 524, 1155, 1166,
 - 1174, 1176, 1177, 1232, 1236, 1307,
 - 1352, 1378
 - adapting to an ~ 1159
 - changing ~ 507
 - computational ~ 1160
 - containing obstacles 392
 - continuous interaction with the ~ 1274
 - demands of an ~ 1161
 - dynamic ~ 1067
 - dynamic uncertain ~ 1241
 - inherent patterns of interaction in an ~ 1211
 - interaction ~ 1352
 - model 1211
 - multiagent ~ 1353
 - procedural model of the agent's ~ 1211
 - properties required by an agent 1210
 - recognizing the ~ 1269
 - representations of the ~ 521

- robot interaction with the ~ 411
- specialization to an ~ 1210
- [See also "environments"]
- environmental
 - cues 613
 - description language 1278
 - regularities 357
- environments 522, 1236
 - adapting ~ 1159
 - agents' interactions with their ~ 1207
 - changing ~ 1161
 - cluttered ~ 574
 - complex ~ 1186
 - dynamic ~ 1173
 - interaction ~ 1352
 - large unstructured ~ 1278
 - negotiation ~ 1352
 - real-world ~ 1161
 - smart ~ 1153
 - stabilization of ~ 1159
 - unpredictable ~ 1173
 - [See also "environment"]
- envisionment 293
 - method 293
 - partial ~ 908
 - space 908
- envisionments 573
- enzyme segmentation data, restriction ~ 131
- epipolar
 - constraint 1270
 - geometry 1270
 - parameterization 1275
- epistemic
 - adequacy 1005
 - base of basic sentences 1154
- epistemic entrenchment 651, 1038, 1081, 1139
 - preorder 1081
- epistemic logics 931, 1168, 1213
 - extension of standard ~ 931
- epistemic
 - notions 426
 - queries, theory of ~ 1142
 - state 1178
- epistemological science of common sense 1314
- epistemology 237, 428, 977
 - and cognition 428, 429
 - of a rule-based expert system 977
- epsilon-transformation 1305
- EQUAL, circuit analysis program 294
- equality 549
- equational
 - logic 314, 473
 - proof systems 382
- equations
 - algebraic and differential ~ 359
 - characterizing processes by ~ 1083
 - interconnections of ~ 360
 - order of magnitude ~ 657
 - structure of ~ 295
- equi-specificity relation 680
- equilibrium
 - analysis 1218
 - interdependent variables in ~ 359
- equivalence classes 1040
 - of arguments 680
- equivalence
 - expressive ~ 1234
 - of default and autoepistemic logic 449
 - of explanation-based generalization and partial evaluation 467
 - of languages 1234
 - of reasoning forwards and backwards 563
- equivalence relations 57, 307
 - on terms 463
 - valid ~ 463
- equivalence rule 1198
- equivalent
 - behavior 1210
 - minimal network 1122
 - transformation 1403
- equivalential calculus 275
- erroneous
 - evaluation functions 558
 - features 452
- error 1136
 - bounds 1397
- error detection 477
 - and recovery EDR 477
- error
 - distribution 179, 587
 - gradients 1367
 - growth 232
 - measure of the ~ 521
 - model ~ 477
 - probabilities 558
 - rate diagnosis 1143
 - rates 432
 - recovery 477
 - tolerance 612
- errors 81, 558
 - as random variables 179, 232
 - description of ~ 81
 - exact diagnostics of ~ 172
 - frequency of occurrence of ~ 558
 - identification of ~ 81
 - mechanical and sensory ~ 1278

- perceptual ~ 1176
- positional and orientational ~ 1278
- rotational and translational ~ 1278
- tolerance for ~ 1362
- vertex-position ~ 279
- escaping from local minima 515
- ESP reduction 1234
- essential theoretical aspects of theories 1360
- estimate of the light source direction 321
- estimated states 1171
- estimates
 - attached to game positions 243
 - of all nodes in the tree 558
 - probability distribution ~ 1340
 - variability of ~ 912
- estimating
 - error rates 580
 - posterior probabilities 1397
 - shape from shading 321
 - topography of natural terrain 569
- estimation 587
 - from multiple cues 1284
 - of optical flow 1281
 - of surface orientation 1026
 - of surface topography 569
 - of the acidity of chemical solutions 657
 - of the probability of winning 452
- estimator 587
 - heuristic ~ 56
- Etherington 1191
 - and Reiter 1404
 - Mercer and Reiter 345
- Euclidean
 - constraints 1283
 - space, robot moving in ~ 1283
 - traveling salesman, two-dimensional ~ 1405
- EURISKO
 - architecture of ~ 246
 - discovery system 538
 - language of ~ 247
 - learning by discovery program 246, 247
 - program 227, 287
- evaluating
 - a database expression 451
 - competing search algorithms 1372
 - design tradeoffs 1229
 - evolutionary algorithms 1372
 - HOD expressions 664
- evaluating learning
 - from examples 1247
 - methods 188
- evaluating the probability that a propositional expression is true 1245
- evaluation 625
 - cost of ~ 1372
 - criteria 188
 - criterion best-first ~ 171
 - evaluation function 30, 138, 207, 229, 241, 452, 555, 556, 1342
 - generating an ~ 452
 - learning 452
 - linear ~ 452
 - nonmonotonic weighted ~ 965
- evaluation functions 253, 558
 - heuristic ~ 547
 - non-order-preserving ~ 1342
 - SCAC method for constructing ~ 165
- evaluation
 - goals 1372
 - of a counterfactual 926
 - of chemical synthesis 134
 - of intermediate repair results 1242
 - of predicates 915
 - of queries in databases closed-world ~ 338
 - of satisfiability testing procedures 1293
 - partial ~ 1004
 - polynomial used by Samuel, linear ~ 52
- evaluations 560
- evaluator, static-board ~ 447
- evaluators, knowledgeable static ~ 52
- EVAR, extra vehicular activity retriever 1171
- event 632, 1263
 - and state tokens 1246
 - horizons 412
 - types 1246
- event-based model 1250
 - of belief update 1250
- event/state concept coherence 308
- events 466, 1104
 - calculus of ~ 1189
 - concurrent ~ 496, 1189
 - in the real world 65
 - sequences of ~ 309
 - temporal separation between ~ 1236
 - with nondeterministic effects 1189
- everyday reasoning 401
- EVEXED, domain independent shell abstraction of VEXED 1341
- evidence 626, 696, 1104, 1175, 1263, 1358
 - approximation method in the theory of ~ 1062
 - as a mapping from probability functions to probability functions 696
 - asynchronous ~ 1358
 - belief as ~ 696
 - body of ~ 5

- Dempster's rule for hierarchical ~ 416
- global ~ 1358
- item of ~ 366
- local ~ 1358
- multiple ~ 358
- mutual independence of each piece of ~ 358
- new ~ 366
- piece of ~ 358, 626
- sparsity of ~ 1366
- subsequent ~ 394
- supporting a hypothesis 358
- theory of ~ 1062
- uncertain ~ 391
- evidence-gathering process 437
- evidential context 680
- evidential reasoning 132, 328, 344, 400, 437, 626, 1005
 - in belief networks 626
 - informal models of ~ 328
 - management of ~ 328
 - managing ~ 996
- evidential updating
 - Bayesian ~ 391
 - non-Bayesian ~ 391
- evolution 339
 - of consciousness 1052
 - of mechanical systems 640
 - qualitative ~ 911
- evolutionary
 - algorithms 1372
 - perspective 1208
- evolving representation of an event 595
- exact algorithm 553
 - for computing probability in Bayesian networks 1366
- exact
 - cheapest path 248
 - diagnostics of errors 172
 - inference 924
 - probabilities 1396
 - value propagation 950
 - values 547
- exaggerated
 - behavior 570
 - system 570
- exaggeration 570
- example generation 1192
- example-based translation 1216
- EXCALIBUR, program for planning and reasoning with processes 973
- exception
 - condition, production rules with an ~ 363
 - handling 473
- exceptionally hard problems 1184
- exceptions 671
 - to the rules 1368
- excessive
 - crossover rates 1244
 - reexpansion of nodes 650
- exchanger with infinite flow rate 570
- exchanges in chess, analysis of ~ 77
- exchanging secrets, protocol for ~
- exclusion of a point from an interval 1197
- exclusive-or operator 363
- exclusive-read exclusive-write parallel random access machine 1102
- exclusivity 186
- executability, action ~ 1223
- executable
 - code 316
 - deduction process 925
 - specification language Sceptic 1360
- executing generalized robot plans 36
- execution 178, 1239
 - cost 634
 - events, unexpected ~ 1242
 - of a plan, monitoring the real-world ~ 36
 - strategy 973
 - time 1232
 - time state of the world 1240
 - traces 1236
- exemplar-based approach 584
- exemplars, indexing ~ 584
- exhaustive 186
 - assumptions 683
 - invocation 178
 - model-driven approach 131
- exhaustive search 210, 1270
 - strategy 257
 - to a given depth 77
 - with cut-offs 77
- exhaustivity 186
- existence
 - of objects 654
 - of queries with an exponential number of answers 1222
 - of situations axiom 1183, 1224
 - representations of ~ 636
- existential
 - almost ~ 1403
 - formulas 1403
 - misconceptions 654
 - quantification, complexity of ~ 687
 - quantifier 12, 401
 - theories 511
- exogenous events 1104

- expand a node 266
- expanding nodes 965
- expansion of a node 277
- expectation 116
 - failure 1397
- expectation maximization 1363
 - EM 1363
- expectation
 - of the number of solutions 1300
 - ordering 1038
 - relations 1038
 - sets 1038
 - [See also "expectations"]
- expectation-evoking 445
- expectations 1038, 1166, 1258
 - in nonmonotonic reasoning 1038
 - of object trajectory 1289
 - theory of ~ 1096
 - [See also "expectation"]
- expected complexities 250, 252
- expected complexity
 - of recognition in cluttered environments 574
 - of recognizing isolated objects 574
- expected cost 507
 - estimates 634
 - of a derivation strategy 645
 - of a goal 634
 - of the search 1259
- expected line of play 1344
- expected number
 - of processed schemata 1072
 - of terminal nodes scored 99
- expected
 - observations 1067
 - utility 634, 1288, 1399
 - value 266
 - world state 896
- expected-utility paradigm of decision theory 1378
- experimental
 - agent for ICU monitoring, Guardian 1157
 - agents 1157
 - deductive system SYMEVAL 374
 - design 1297
 - evidence 1039
 - logic 374, 1081
 - story understanding system 233
- expert circuit
 - analyst 295
 - analyzers 112
- expert consultation system 264
 - for diagnosing rheumatic diseases 264
- expert
 - consulting program system, XPLAIN 256
 - critiquing systems 446
 - database systems 623
 - domain ~ 503
 - generic knowledge of a domain ~ 368
 - human ~ 515
 - human play 230
 - expert knowledge 237, 264, 515, 689
 - representation of ~ 907
- expert
 - problem-solving programs 210
 - reasoning 132
- expert system 328, 563, 911
 - ABEL 679
 - ACCORD 679
 - CADUCEUS 679
 - classification ~ 1143
 - DENDRAL 959, 983
 - design of an ~ 264
 - for diagnostic advice during colon endoscopy 964
 - for dynamic systems
 - for scientific hypothesis formation 959
 - for the analysis of carbon-13 263
 - HASP 679
 - KNACK 679
 - knowledge bases 264
 - Meta-DENDRAL 983
 - MYCIN 237, 683
 - NEOMYCIN 679
 - PROSPECTOR 683
 - reasoning 679
 - rule-based ~ 237, 977
 - SEEK 264
 - TEIRESIAS 679
 - XPLAIN 679
- expert systems 186, 210, 236, 291, 305, 306, 342, 503, 507, 533, 679, 683, 689, 690, 912, 964, 975, 982, 1082, 1111, 1143, 1258
 - builders of ~ 227
 - design of ~ 312
 - distributed ~ 906
 - generating ~ 503
 - in medicine, PIP, MYCIN, INTERNIST, CASNET 132
 - interacting with ~ 533
 - [See also "experts"]
- expert-modeled rules 264
- expert-type knowledge base system GARI 336
- expertise
 - human ~ 410
 - Interactive transfer of ~ 141
- experts 106, 907
 - effective problem-solving by a society of ~

- 106
- [See also "expert"]
- explaining
 - dependence 1005
 - expert consulting programs 256
 - how devices behave 291
 - observations 1250
 - plans that fail 583
 - programs 256
 - the behavior of composite systems 294
 - the discrepancy between the observed and
 - correct system behavior 395
- explanation 690, 1175, 1178
 - abductive ~ 1381
 - acceptance criteria 525
 - as a problem-solving process 690
 - based search control rule learning framework
 - 1380
 - capability 170
 - case-based approach to ~ 525
 - closure 1262
 - computational model of ~ 690
 - containing a given hypothesis 1222
 - facilities 690
 - for a given set of observations, best ~ 1034
 - inference to the best ~ 1059
 - MAP ~ 1069
 - of beliefs 527
 - of correctness 896
 - of decisions 1082
 - patterns 525
 - strategies 1082
 - structure 170
 - theory of ~ 291, 1145
 - [See also "explanations"]
- explanation-based generalization 465, 467, 1094
 - of partially ordered and partially instantiated
 - plans 1094
- explanation-based learning 443, 519, 525, 552, 579,
 - 646, 930, 955, 1007, 1135, 1288
 - algorithm 1123
 - EBL 519, 552, 930, 1004, 1123
 - extension of ~ 1007
 - plausible ~ 955
 - systems 645
 - technique VBL 1007
 - theory of ~ 930
- explanation-based systems 443
- explanation-evoking 445
- explanation-transformation operators 1123
- explanations 1082
 - abductive ~ 916, 1222
 - candidate ~ 1006
 - causal ~ 1144
 - conditional ~ 1250
 - domain-level ~ 583
 - for observations 971
 - generating ~ 1222
 - generating causal ~ 1272
 - learning by completing ~ 378
 - of beliefs 146
 - of program actions 146
 - plausible ~ 955
 - predictive ~ 1178
 - preference ordering on ~ 1178
 - reasoning about ~ 1338
 - [See also "explanation"]
- explanatory
 - capacity 211
 - hypotheses credible ~ 1039
 - motivations 430
- explication of program bugs 544
- explicit
 - belief 421
 - consequences 441
 - knowledge 581
 - meta-communication 269
 - representation of control knowledge 236
- exploiting irrelevancies 1410
- exploration 115
- exploratory-corrective domains 1345
- exploring the environment 1176
- exponential
 - average time 248
 - complexity 179
 - growth 1403
 - memory requirement 965
 - problems 407
 - run times 1018
 - scaling of the average search cost 1184
 - time 249, 405, 697, 1222
 - time decision procedure 466
 - tree search 331
 - [See also "exponentials"]
- exponentially
 - hard 413
 - large time 249
 - sized solutions 1234
 - small 249
- exponentials 40
 - [See also "exponential"]
- expositive properties 363
- expressing
 - a relation as a Horn theory 954
 - domain knowledge 953
 - uncertainty 557

- expression
 - source-matching ~ 1216
 - target-matching ~ 1216
 - expressions 57
 - goal state position ~ 69
 - logically equivalent ~ 374
 - expressive
 - action representation 1228, 1248, 1380
 - domain theories 1380
 - equivalence of planning formalisms 1234
 - fragment 895
 - languages 625, 1162, 1264
 - expressive power 449, 1234, 1246
 - of semantic networks 84
 - expressively equivalent under ESP reduction 1234
 - expressiveness 464
 - of logics 1379
 - of nonnormal defaults 649
 - of standard propositional STRIPS 1234
 - relative ~ 1379
 - expressivity, metric and interval ~ 1290
 - EXPTIME-completeness 1389
 - extended causal theories 621
 - extended closed-world assumption 485
 - ECWA 485
 - extended
 - conversational power 269
 - genetic algorithm 1152
 - language 282
 - logic of belief 549
 - order-sorted resolution 904
 - person-machine interface 269
 - prediction problem 454, 464, 640
 - use 135
 - extending
 - knowledge 524
 - reinforcement learning 1165
 - the ATMS 352
 - theories empirically 246
 - extensibility 188
 - extensible deductive system 127
 - extension
 - anomalous ~ 450
 - counter-intuitive ~ 450
 - of a default theory 1343
 - of a predicate 488
 - extension of explanation-based learning 1007
 - extension
 - of pointwise circumscription 1403
 - PED 1007
 - to classical first-order logic 455
 - to EBL 955
 - extensional interpretations 682
 - of default expressions 682
 - extensions
 - of classifier systems 522
 - to conventional network notation 84
 - to REF 2
 - external
 - environment 55
 - events 281
 - memory, very large ~ 44
 - states, identification of ~ 1165
 - world 200
 - externally imposed constraints 896
 - extra-mathematical properties of physical systems 658
 - extra-vehicular activity retriever EVAR 1171
 - extracted features 139
 - extracting features 414
 - extracting information 1155
 - from 3D images 24
 - from a proof 12
 - from a scene 1277
 - extracting
 - knowledge from a semantic network 337
 - qualitative behaviors 1113
 - extraction data ~ 1073
 - information ~ 1371
 - of disparity information 202
 - of knowledge 524
 - of knowledge from the environment 524
 - patterns 1371
 - procedure for proofs 12
 - processes 1277
 - extranuclear kinds of predicates 636
 - extraordinarily hard problems 1295
 - extremal boundaries 194
 - extreme perturbations 570
 - extrinsic forces 456
- F**
- faces 376
 - factorable relations 688
 - factoring
 - operation 10, 67
 - polynomials, efficiency of ~ 86
 - factorization 688
 - scheme, heuristic ~ 86
 - of multivariate polynomials with integer coefficients 86
 - times of polynomials 86
 - factual sentences 1178
 - failing components, set of ~ 917
 - failure

- candidates 396
 - causes of ~ 583
 - driven dynamic search control 1380
 - negation as ~ 375, 486, 1142
 - probabilities 588
 - theories, domain specific ~ 1380
- failures
 - due to multiple faults 396
 - plan ~ 583, 973
- faithful modular translation of default logic into
 - autoepistemic logic 1365
- false conclusions, undoing ~ 136
- falsehood preserving
 - inference rules 18
 - rules, completeness of ~ 18
- family of all extensions approach to defeasible
 - inheritance nets 620
- fanout 99
- Farmer, J. Doyne 1134
- fast parallel
 - constraint satisfaction 1102
 - inference 966
- faster reasoning 1225
- faster-than-linear probabilistic retrieval 1070
- Faugeras 1283
- fault
 - diagnosis 296, 1156, 1196
 - intolerant 1362
 - tolerant tasks 1362
- faulty
 - components 588
 - components of a diagnosis 917
 - data 663
 - data hypotheses 663
 - hypotheses, debug ~ 681
- faulty plans 583
 - repairing ~ 973
- faulty rule 1071
- faulty rules
 - critic for identifying ~ 335
 - potentially ~ 1071
- faulty system 1040
- FCSP, finite CSP 948
- feasibility
 - action ~ 1223
 - of assessment 1258
 - of computations 1258
- feasible
 - algorithms for geometric reasoning 470
 - decompositions 1007
 - mechanisms 665
 - relations 956
 - solution 27
 - times 632
- feature
 - constraints 1310
 - domain-specific ~ 557
 - extraction 139
 - fractal-related ~ 565
 - grouping 1271
 - measure 1037
 - networks 273
 - of a variable 594
 - of the value of a variable 594
 - organization 139
 - selection 241
- feature space 241, 273
 - sparse in ~ 1070
- feature vectors 614, 1274
 - correlated ~ 1070
 - probing ~ 1070
 - [See also "features"]
- feature-based
 - induction 1370
 - methods 1370
- featured points 440
- features 283
 - automatic and optimal combination of ~ 452
 - irrelevant ~ 1121
 - minimal and sufficient subset of ~ 1121
 - model ~ 1274
 - of a syntactic item 216
 - of the task domain 521
 - pairs of sensed ~ 1310
 - toleranced ~ 483
 - [See also "feature"]
- feedback 360, 361, 545
 - analysis 295
 - loops, causal ordering around ~ 360
 - paths 294
 - second moment ~ 587
- Feigenbaum, E.A. 270, 271, 608
- FIDE's 50-move rule 562
- fields 473
- fifteen puzzle 241, 331, 534, 972, 1018
- fifth generation 270, 271
- FIG, incremental natural language generator 923
- figural completion 1260
 - natural ~ 1260
- figural continuity 202
- filter diagram ~ 62
- filtering 121
 - algorithm, Waltz's ~ 104, 302, 934
 - linear frequency domain ~ 24
 - out values 1068
 - techniques, Waltz ~ 950

- final
 - design 47
 - state of a system 371
- find a line segment 41
- FIND program, Hoare's ~ 57
- finding
 - a consistent scenario 956
 - a line segment 41
 - a most preferred model 586
 - a path in a graph 1359
 - adequate models 1144
 - an optimal plan 919
 - minimum cost merged plans 920
 - patterns in a network 337
 - proofs 535
 - the feasible relations 956
- finite
 - belief base 1254
 - characterization of cumulative default logic 1182
 - CSP 948
 - default theory 1343
 - domains 934, 951
 - interpretations 1201
- finite precision 482
 - arithmetic 482
- finite set
 - of hypotheses 471
 - of polynomial equations 471
- finite-size scaling 1301, 1304, 1405
 - methods 1405
- finite-state assumption 215
- finitely many pinpoints 1403
- Finke, Ronald A. 1323
- first fundamental form 484
- first-order
 - causal theories 621
 - circumscription 346, 385
 - conditional logic 409, 455
 - entailment 1151
 - equations 382
 - formula 488, 1403
 - induction 1370
 - inference 895
 - jk-clausal theories 1201
 - knowledge bases 1151, 1311
 - language 385, 1162
 - languages, hierarchy of ~ 1036
 - first-order logic 1, 80, 314, 315, 395, 409, 426, 455, 508, 532, 669, 686, 895, 913, 916, 1119, 1162, 1223
 - for naming 1168
 - proof procedures for ~ 21
 - satisfiability of formulas in ~
 - sentences of ~ 356
 - sorted ~ 669, 692
 - validity of formulas in ~ 1
- first-order
 - logical language 282
 - logics of probability 597
 - modal logic 1168
 - model theory 453
 - predicate calculus 5, 10, 18, 19, 22, 67, 213, 314, 575, 948, 1379
 - predicate calculus, FOPC 1379
 - predicate calculus heuristics 86
 - predicate logic 1246
 - probabilities 1396
 - property 470
 - range-restricted clausal theories 1201
 - reasoning 1311
- first-order representation
 - of plans 430
 - of stories 430
- first-order
 - resolution logic theorem prover 17
 - terms 282, 463
 - theorem-proving methods 314
- first-order theory 314, 1403
 - of the real numbers 470
- fit between an agent and its environment 1158
- five puzzle 158
- fixation point 1284
- fixed axis
 - assumption 222
 - mechanisms 573, 665
- fixed points 494, 612
 - [See also "fixed-point"]
- fixed predicates 516, 699
 - implementing ~ 516
- fixed-depth minimax algorithms 1374
- fixed-point
 - definition 1138
 - nonmonotonic logics 922
 - [See also "fixed points"]
- fixed-valence tree 592
- FIXPOINT, stabilizing an environment program 1159
- FL, language 687
- Flakey, mobile robot platform 1241
- flattening representation change 1201
- flexibility 188
- flexible control architectures 1073
 - for parsing 1073
- floating
 - conclusions 620

- predicates 699
- floor plan design 158
- FLORA learning system 673
- Flores, F. 386, 387, 388, 389, 390
- flow
 - analysis, network ~ 1391
 - of causation 445
 - optical ~ 1000
 - rate 570
 - shop scheduling problem 650
 - structures 1196
 - velocity 197
 - [See also "flows"]
- flowchart 132, 679
- flows
 - of energy 1196
 - of information 1196
 - of mass 1196
 - [See also "flow"]
- Floyd–Naur explication of program semantics 57
- fluctuations in difficulty 1136
- fluents 599
 - propositional ~ 599
- fluid
 - dynamics 660
 - models 1221
 - regulation devices 658
- focus of attention 170
- FOCUS-1 learning algorithm 1121
- FOCUS-2 learning algorithm 1121
- FOL system for formal reasoning 152
- FOPC, first-order predicate calculus 1379
- forbidden regions 476
- forced motions of rigid objects 38
- forces 495
- Ford, Kenneth M. 1130
- foreign language 125
 - teaching system 125
- foreseen side-effects 548
- forethought 246
- forgetting, structural learning with ~ 1214
- formal
 - AI systems 1225
 - basis of reasoning consistently in the presence of inconsistency 1348
 - characterization of the utility problem 1386
 - characterizations of causality 359
 - derivations 549
 - description of counterfactual implication 372
 - foundation for knowledge representation 282
 - framework for EDR strategies 477
 - grammar 427
 - inference rule of universal attachment 1095
 - information processing model 94
 - formal logic 31, 628
 - in AI, role of ~ 628
 - formal
 - number theory 1055
 - object representations, distance measure between ~ 1037
 - proof in symbolic logic 88
 - proofs into English, translation of ~ 88
 - formal reasoning 640, 1180
 - in continuous time 640
 - mechanized ~ 152
 - formal semantics 622, 1086, 1268
 - for mutual belief 1086
 - formal
 - signal processing models 1186
 - specification 316, 1082
 - formal systems 445, 1036
 - intractability of ~ 379
 - nonmonotonic ~ 419
 - formal
 - temporal reasoning 454, 464
 - theories of action 496
 - formal theory 295
 - for plan merging 920
 - of causal reasoning 1145
 - of knowledge and action 1163
 - formal transformations 1210
 - formalism, Montague's ~ 116
 - formalisms
 - concept description ~ 1385
 - nonmonotonic ~ 516, 1384
 - of common-sense reasoning 445
 - formalistic modes of expression 602
 - formalization
 - of commonsense reasoning 1191
 - of discrete-event dynamics 1171
 - of graph theory 434
 - of logic programs 922
 - of planning from second principles 1361
 - of the problem of automatic selection of models 1144
 - formalize reasoning about the evolution of physical systems 640
 - formalizing
 - common sense 1313
 - common-sense reasoning 699
 - inheritance 514
 - recognition 514
 - formally sound 1082
 - formation
 - model ~ 479
 - of a procedure 137

- of appropriate goals 1345
 - of hypotheses 55
 - theory ~ 287
- formative history 357
- formatting
 - text ~ 1085
 - transformations 129
- forming theories empirically 246
- formula manipulation 40
 - in logic 31
- formula-based representation 1225, 1381
- formulas
 - in first-order logic 1
 - of FOPC 1379
- formulate hypotheses 1039
- formulation
 - of problems 55
 - plan ~ 189
 - sorted ~ 1180
 - typed ~ 1180
- Forrest, Stephanie 1041
- forward chaining 62
 - rule 101
- forward
 - checking 168, 250
 - in time, reasoning ~ 630
 - propagation 1367
 - pruning 30
 - reasoning 112, 1145
 - search 563
 - simulation 1397
- forward-chained reasoning 563
- foundation
 - for inheritance 898
 - for knowledge representation 282
- foundational issues in DAI 603
- foundations
 - for commonsense models 291
 - for DAI 604
 - of AI 600
 - of ILP 1187
 - of mathematics 247
- four-valued semantics 501
- fovea 1274
 - targeting, top-down ~ 1274
- fractal
 - geometry 565
 - measures 565
- fractal surface 565
 - model 364
- fractal-related feature 565
- fragment formulation problem, model ~ 1265
- fragments
 - model ~ 659
 - of first-order logic 1162
 - of translation examples, combination of ~ 1216
- FRAIL
 - frame language 425
 - objects, well-formed ~ 425
- frame axiom 450
 - in nonmonotonic logic 450
- frame language 593
- FRAIL 425
- frame
 - of discernment 577
 - oriented style of programming 190
- frame problem 83, 441, 448, 454, 458, 464, 1130, 1183, 1189, 1224, 1262
 - in artificial intelligence 458
 - [See also "frames"]
- frame representation 136, 187
- frame-driven dialog system 100
- frame-structured knowledge representation 190
- framed knowledge 136
- frames 120, 187, 514
 - hypothesized ~ 121
 - in language comprehension 136
 - in the space of situations 599
 - number of ~ 440
 - of reference 268
 - of the same solving power 83
 - transfer ~ 121
 - [See also "frame"]
- Franco 929
- free
 - logics 636
 - space 572
- frequencies in data sets 964
- frequency
 - domain filtering, linear ~ 24
 - of occurrence of errors 558
 - of satisfiability, average ~ 1301
 - weights, qualitative ~ 1377
- Freud 1052
- Freuder, Mackworth and ~ 354
- Freuder's synthesis algorithm 529
- frictional forces 47
- FRINGE learning algorithm 1121
- fringe of the search tree 905
- frogs 1208
- front end processing 1166
- front end signal processing 1186
- front ends for probabilistic context-free grammar parsers 1356
- frontier node of lowest cost 965

- fruitful topics of investigation 246
 - FT, functional transformations 538
 - full cognitive map 431
 - full information 1352
 - about preferences 1353
 - full problem space 689
 - full-width searches 560
 - fully
 - expressive languages 625
 - introspective first-order knowledge bases 1311
 - universal representation 1290
 - function
 - substitution 247
 - symbols 1233
 - values, abrupt changes of ~ 1204
 - function-free non-recursive clause 1187
 - functional
 - approach to knowledge representation 282
 - constraints 934
 - notation 1141
 - functional programming 467
 - automatic ~ 1195
 - inductive ~ 1195
 - functional
 - relations among variables 1083
 - relationships 188
 - roles for intentions, Bratman's three characteristic ~ 548
 - symbols 375
 - transformation (FT) 538
 - functionalities 653
 - functionality 282
 - functionally reflexive 9
 - axioms 9
 - systems 9
 - functioning of working memory within Soar 1360
 - functions 118, 119
 - functors 425
 - fundamental
 - deduction principle 374
 - form, first ~ 484
 - matrix 1270
 - reasoning tasks 956
 - fusing a default value with a piece of information 444
 - fusion in belief networks 368, 626
 - future, ability to predict the ~ 1104
 - future queries, requirements of ~ 954
 - fuzzy
 - logic 1112, 1258
 - map for metric information 268
 - fuzzy sets 1030
 - of formulas 1112
- G**
- G-algorithm 1165
 - G2, real-time expert system tool 1196
 - GA, genetic algorithm 655, 1390
 - GAI, program for segmentation problems 131
 - Gabbay 575
 - gain 291
 - estimates 294
 - game
 - model, probabilistic ~ 243
 - nonpathological ~ 229
 - of checkers 52
 - of Othello 452, 1344
 - Pearl's ~ 229
 - game playing 452
 - algorithm 56
 - computer ~ 56
 - programs 240, 243, 261, 1374
 - techniques, AI ~ 230
 - game position
 - conflicting criteria for a ~ 1238
 - multiple criteria for a ~ 1238
 - game
 - positions, estimates attached to ~ 243
 - previously solved ~ 35
 - representation of a ~ 35
 - game searching algorithms 240
 - pathology in ~ 243
 - game searching procedures 162
 - game
 - theoretical value 1066
 - theory 1352
 - game tree 143, 162, 674, 1107
 - deeper searching in a ~ 229
 - pathology 1107
 - search 253, 1238, 1374
 - search algorithms, parallel ~ 674
 - searching 422
 - game trees 207, 229, 253, 384, 558, 1066
 - conventional ~ 1238
 - minimax ~ 362
 - min-max ~ 447
 - random ~ 1344
 - searching ~ 75
 - searching, min/max ~ 422
 - with probability nodes 257
 - game
 - with continuous terminal values 162
 - with WIN-LOSS terminals 162
 - games 247

- board ~ 3
- causes of pathology in ~ 229
- decomposable ~ 35
- homomorphism-like structures in ~ 35
- homomorphisms between ~ 35
- involving chance but no concealed information 257
- n-person ~ 1194
- perfect-information ~ 615
- positional ~ 35
- similarity of ~ 35
- two-person ~ 1340
- two-player ~ 1344
- two-player zero-sum ~ 1107
- gap satisfiability, constraint ~ 1295
- Gärdenfors 651, 1038
 - and Makinson 1038, 1057
 - rationality postulates 678
- GARI, expert-type knowledge base system 336
- Gaussian
 - derivative filters 1281
 - derivative spatial filters 1274
 - sphere 265
- gaze control mechanisms 613
- GCWA, generalized closed world assumption 375
- GDD
 - goal-directed diagnosis 1345
 - reasoner 1345
- GDD's formalism 1345
- GDE, general diagnostic engine 396, 1040
- GDN, goal dependency network 347
- gearboxes 665
- Gelernter, Rochester, Hansen and Loveland 4
- gene cloning experiments 182, 183
- general
 - branch and bound 278
 - common-sense reasoning ability 937
 - compilation problem 1227
 - consultation system 264
 - diagnostic engine, GDE 396, 1040
 - domain theory 659
- General Electric Corporate Research and Development 479
- general
 - intelligence 609
 - perception system 1277
 - problem solver 692
 - purpose inference systems 895
 - reasoning 1180
 - scene understanding 1277
 - space planner program GSP 39
 - topology 48
- general-purpose
 - cooperation framework 1173
 - deduction 1095
 - defeasible reasoner 913
 - knowledge representation systems 625
 - programming language 1228
 - representation services 625
- generalised
 - quiescence search algorithm 560
 - rippling 974
 - [see also "generalized"]
- generalization 188, 227, 459
 - abilities 521
 - algorithms 1094
 - as search 212
 - explanation-based ~ 465, 467
 - from examples 212
 - learning techniques 3
 - of alpha-beta and SSS* search 362
 - of FCSP 948
 - of similarity networks 1263
 - performance 1121
 - plan ~ 1129
 - rules 188, 235
 - strategies 525
- generalizations
 - abstract ~ 584
 - maximally specific conjunctive ~ 188
- generalized
 - AND/OR graph 87
 - autoepistemic expansions 1154
- generalized closed world assumption 375
- GCWA 375
- generalized
 - cones 195
 - Holland schemata 961
 - ordering constraint 440
 - probability function 696
 - STRIPS plan 36
 - subsumption 459
 - [See also "generalised"]
- generalizing
 - obstacle cancellations 579
 - or specializing rules 264
 - partially ordered partially instantiated plans 1094
 - the number of entities in a situation 579
 - transformations 235
- generate
 - initial hypotheses 681
 - test and debug, GTD paradigm 681
- generating
 - a consulting program 256
 - a correction 1071

- an evaluation function 452
 - causal explanations 1272
 - defaults 1182
 - domain-specific knowledge-acquisition tools 1193
 - expert systems 503
 - explanations 1178, 1222
 - extensions in Reiter's default logic 1222
 - hard random formulas 1293
 - hard satisfiability problems 1293
 - heuristic advice 420
 - meaningful programming problems 71
 - meta-interpreters for argumentation systems 1194
 - models of visual objects 383
 - natural-language text 329
 - proofs procedures for 12
 - structured descriptions of complex curved objects 96
 - symbolic descriptions of complex curved objects 96
- generation
 - discourse ~ 1085
 - macro ~ 576
 - natural language ~ 65, 564
 - of a multimodal presentation 1058
 - of a plan, automatic ~ 153
 - of a program, automatic ~ 153
 - of causal explanations 545
 - of device models 1272
 - of goal hierarchies, automatic ~ 402
 - of hierarchical partially ordered plans, automatic and interactive ~ 274
 - of hypotheses 376
 - of multisentence texts 1085
 - of natural language output 418
 - of proofs in English, automatic ~ 88
 - of summaries 1373
 - of two-dimensional arrangements 39
 - plan ~ 1129, 1235
 - syntax for ~ 923
 - test-pattern ~ 951
- generative
 - capacities, representation with ~ 1196
 - computer-assisted instruction 71
- generator
 - decisions 564
 - incremental ~ 923
 - natural language ~ 923
- generic arc-consistency algorithm 934
 - AC-5 934
- generic behavior 291
 - of individual components of a device 291
- generic
 - knowledge of a domain expert 368
 - object classes 201
 - predictions 260
 - surface description 480
 - variable and value heuristics 1346
- Genesereth, Michael R. 489, 490
- GENESIS, genetic algorithm 1306
- genetic algorithm
 - extended ~ 1152
 - GA 655
 - GENESIS ~ 1306
 - optimisation 1244
- genetic algorithms 522, 655, 961, 1072, 1244, 1306, 1387, 1390
 - degeneration of ~ 1244
- genetic
 - operators 1244
 - paradigm 655
 - pedigrees 912
 - search 961
- genial understander system, GUS 100
- Gentner's structure-mapping theory of analogy 526
- Gentzen 575
- geographic objects 532
- geographical data 1405
- geologic interpretation 681
- geometric
 - algorithms 474, 482
 - approach to error detection 477
 - computations 1113
 - concepts 1217
- geometric constraint
 - engine 957
 - problems 957
 - satisfaction 957
 - systems 1029
- geometric
 - constraints 957, 1310
 - constructions 473
 - description 1271
 - distortions 1276
 - entities 957
 - flexibility 456
 - information 1113
 - interferences 1153
- geometric interpretation 480
 - of image contours 480
- geometric
 - invariance approach to object recognition 1271
 - knowledge 479
 - measure 1037

- measurements 195
- methods of reasoning 661
- model 475, 565
- models 667
- properties 691
- geometric reasoning 392, 468, 470, 477, 478, 479, 482, 1153
 - method 1217
 - method, soundness of ~ 1217
- geometric
 - relationship 193, 483
 - representations 479
 - restrictions 193
 - stereo 569
 - structure 482
 - theorem proving 1217
- geometrical
 - constraints on lines 1283
 - constructions 473
 - models of the view bifurcation set 571
 - properties, representing ~ 472
 - shapes, line drawings of ~ 59
 - structures 691
- geometry 62, 376
 - epipolar ~ 1270
 - fractal ~ 565
 - of projective blending surfaces 481
 - of view space 571
 - probabilistic ~ 572
 - relation 471
- geometry statement 471, 472
 - to be proved 471
- geometry theorem
 - machine 4
 - proving 469, 471, 472
- German 76, 1080
- gestalt 273
 - parameter network 273
 - parameters 273
- Gibbs
 - distribution 598
 - sampler 912
 - sampling 598
 - sampling simulation procedure 907
- Gibson, Elizabeth L. 960
- GK, logic of knowledge and justified assumptions 922
- glasses 1304
- glaucomas, diagnosis and treatment of ~ 133
- global
 - binocular combination rules 202
 - consideration of conflicts 958
 - consistency 693, 894, 1358
 - constraints 279
 - coordination 1157
- global decomposition 571
 - of the space of camera positions 571
- global
 - evidence 1358
 - interpretation 551
 - knowledge 73
 - labeling 169
 - notion of consistency 1138
 - optimization, intractability of ~ 1288
 - physical behavior 492
 - restrictions 1385
 - scene consistency enforcing ~ 1271
 - search paradigm 951
 - solutions 950, 1102
 - surface reconstruction 1275
 - visual exploration 1275
- globally coherent model 894
- globally optimal
 - allocations 1227
 - element 1288
- gloss contour 193
- Gluck, Mark A. 1049
- Glymour 366, 683
- Go-Moku 1066
- goal 1240
 - as worth function 1285
 - common ~ 1307
 - communicative ~ 329, 1058
 - decompositions 544
 - dependency network, GDN 347
- goal hierarchies
 - automatic generation of ~ 402
 - automatic learning of ~ 402
- goal interactions 519, 919
- goal nodes 6, 905
 - optimal ~ 1305
- goal
 - of artificial intelligence 108
 - of an actor, inferring the ~ 130
 - partition, interpretable ~ 7
- goal state 69, 232
 - position expressions 69
- goal value 634
 - [See also "goal"]
- goal-based analysis 171
- goal-directed
 - actions 130
 - active perception 1171
 - diagnosis 1345
 - diagnosis, GDD 1345
- goal-expectation 171

- goal-oriented approach 347
- goal-satisfying model 19
- goals
 - agent's ~ 548
 - necessitation rule for ~ 1243
 - of a questioner 226
 - of achievement 1239
 - of an actor 130
 - of classification 347
 - of maintenance 1239
 - of programs knowledge of the ~
[See also "goal"]
- goal-subgoal structure 213
- Gödel's formula 932
- Gödel's incompleteness theorem 932
 - automatic proof of ~ 1055
 - SHUNYATA's proof of ~ 1055
- Gödel's sentence 1255
- Goguen 382
- Goldman, A.I. 428
- good figures 1260
- Gordon and Shortliffe 416
- Gottlob 1365
- Gottlob's translation 1365
- governing equations, system of ~ 1113
- GPS, problem solving method 576
- graded preferences 1241
- gradient ascent, local ~ 907
- gradient descent
 - learning 521
 - method 1367
 - procedures 521
- gradient
 - gray level ~ 321
 - space 102, 196, 205, 279
- gradual change, processes with a continuum of ~ 43
- graft 114
- graft data structure 114
- grammar
 - based on curvature extrema 427
 - context-free ~ 1118
 - for circuit functions 294
 - formal ~ 427
 - meaning and ~ 967
 - of a language 215
 - process-based ~ 427
- grammars 28
 - context-free ~ 155
 - definite clause ~ 155
 - for natural language 216
 - in logic expressing ~ 155
 - natural ~ 1080
 - type 0 ~ 87
 - type 0 string ~ 94
- grammatical notation transition network ~ 28
- grammatically biased learning 1101
- grandisol insect pheromone ~ 134
- grandmother cell 590
- granularity, levels of ~ 659
- graph 15, 118, 232, 376, 1196, 1202, 1359
 - algorithms 1359
 - automorphism 254
 - bipartite ~ 1143
 - blocking ~ 1153
- graph coloring 1298
 - problems 1184
- graph
 - connectivity 1184
 - constraint ~ 302, 1102, 1110, 1140
- graph construction 80
 - resolution procedure 80
- graph
 - directed ~ 6
 - finding a path in a ~ 1359
 - history interaction problem 1340
- GRAPH, interactive programming system 434
- graph
 - linking processes and structures 679
 - oriented view of abstraction 1359
 - parsing algorithm 582
 - pattern 1219
 - planar ~ 302
- graph representation 1175, 1219
 - of problem spaces 930
- graph resolution system 648
- graph search 6, 1342
 - heuristic ~ 1034
 - methods 1342
 - schemes, implicit ~
with A* 1342
- graph
 - searching methodologies 1034
 - shortest path in a weighted ~ 8
- graph structure 1122
 - restricted ~ 1355
- graph theoretic algorithms 434
- graph theory 140, 434, 530
 - bibliography 434
 - [See also "graphs"]
- graph-based
 - or structural representation and reasoning
1370
 - reasoning 1370
 - representation 1370
- graph-circuits algorithm 167
- graph-theoretic characterization of truth-functional

- consistency 80
 - graphical
 - analysis 119
 - depictions of continuous functions of two variables 193
 - manipulations of the network 578
 - programming-language-independent representation for programs 582
 - graphical representations 661
 - for probabilistic relationships 578
 - graphics generation, natural language and ~ 1058
 - graphics systems
 - design of ~ 532
 - implementation of ~ 532
 - specification of ~ 532
 - graphs
 - connection ~ 142
 - directed acyclic ~ 368
 - directed labeled ~ 109
 - implicit ~ 1389
 - of models 660
 - partitioned into chains 1169
 - random ~ 254
 - randomly generated ~ 1253
 - refutation ~ 80
 - regular ~ 254
 - representation of programs by ~ 172
 - resolution ~ 10
 - strongly regular ~ 254
 - undirected ~ 626
 - with cycles 1054
 - [See also "graph"]
 - Gray coding 383
 - gray level gradient 321
 - gray value
 - corners 417
 - derivatives 1281
 - gray-scale images 393
 - greatest fixpoint 1086
 - GREC, unlimited memory version of MREC 1342
 - greedy
 - algorithms 1121, 1253
 - heuristics 460, 1121
 - hill-climbers 1372
 - greedy-like approximation algorithms 1253
 - Greek 76
 - Green, J. 161
 - grid coding 24
 - Gröbner basis
 - algorithm 471
 - computations 471
 - method 1217
 - Grosz and Sidner 1351
 - ground formulas 1117
 - Horn ~ 1117
 - ground
 - literals 1117
 - TWEAK 1234
 - groundable clauses 301
 - group
 - action, complex ~ 1351
 - choice mechanism 1353
 - of agents 697
 - selection, neuronal ~ 505
 - grouped into objects 273
 - grouping 273, 347, 393
 - observed entities into conceptual classes 347
 - growing min-max game trees 447
 - growth function 460
 - gruence, optimal ~ 1387
 - GSP
 - performance of ~ 39
 - program, general space planner 39
 - GTD
 - generate test and debug 681
 - paradigm 681
 - Guardian, experimental agent for ICU monitoring 1157
 - guessing 183
 - Guha, R.V. 937, 938, 939, 940, 941, 944
 - guidance
 - of search control 487
 - system, endoscope ~ 1367
 - guide
 - its behavior 246
 - search, heuristic function to ~ 6
 - guided concept-formation 246
 - guided search 952
 - heuristically ~ 8
 - guiding
 - diagnosis 588
 - inductive proofs 974
 - search 1340
 - GUS
 - frame-driven dialog system 100
 - Genial Understander System 100
- ## H
- Halpern
 - and Moses 1089
 - Ladner and ~ and Moses 1267
 - Hamming distance 903
 - Han and Lee 529
 - hand tools 96
 - hands-off manager 1171

- handwritten
 - addresses, determining delivery point codes from ~ 1100
 - cheques, determining amounts from ~ 1100
 - drug prescriptions, determining drug and dosage from ~ 1100
 - text, interpreting ~ 1100
- Hanks and McDermott 450, 455
- Hanna, Ritchie and ~ 287
- Hansen, Gelernter, Rochester, ~ and Loveland 4
- Haralick and Lee 417
- Haralick's discrete relaxation 168
- hard
 - graph coloring problems 1184
 - instances of the traveling salesman problem 1405
 - problem instances 972
- hard problems 637, 1136, 1294, 1296
 - exceptionally ~ 1184
 - narrow range of ~ 1303
- hard
 - random 3-SAT problems 1299
 - satisfiability problems, generating ~ 1293
 - search problems, intrinsically ~ 1298
- hard unsatisfiable
 - problems 1199
 - subproblem 1199, 1295
- hard-easy phase transition 1199
- hardest
 - constraint problems 1184
 - problems, prediction of the location of the ~ 1296
- hardness of approximate reasoning 1245
- hardware faults, automated diagnosis of ~ 372
- Harman, G. 424
- Harnish, R. Michael 1048
- HARPY, speech understanding system 117
- Hart
 - Duda, ~ and Nilsson 186, 366, 683
 - Nilsson and Raphael 92
 - Nilsson and Raphael, A* algorithm of ~ 215
 - Nilsson and Raphael algorithm 8
- hashed associative memory 614
- hashing function 614, 1070
- HASP, expert system 679
- having to know an exception 638
- Hayes, J.E. 258
- Hayes, McCarthy and ~ 20, 454
- Hayes, Patrick J. 1130
- Hayes' histories notation 454
- Hayes-Roth 188
- Hayes-Roth, F. 305, 306
- Hayes-Roth, R. 144
- hazardous drugs 1370
- head-driven parsing 1118
- HEARSAY-ii, problem solving system 234
- heat exchanger 570, 581
- heavy pruning 1308
- Heckerman 1263
- height of a tree 248
- Henderson, Mohr and ~ 457, 529, 688, 934, 1125
- Herbrand expansion 31
- Hertz, John A. 1044
- Hessian matrix 195
- heterogeneous
 - agents 1353
 - transformation 906
- heuretics 227, 247
- heuristic 45, 342, 914
 - accuracy 1237
 - actions 1242
 - adequacy 1005
 - advice generating ~ 420
 - algorithm 920, 929
 - association 342
 - backjumping ~ 1231
 - branching factor 1200
 - classification 342, 584, 976
 - consistency ~ 928
 - control structure 47
 - decision tree 7
 - depth-first iterative-deepening algorithm 331
 - discovery system 1237
 - effectiveness 1292, 1298
 - estimates 179, 232, 914
 - estimator 56
 - evaluation functions 547
 - evaluations 1266
 - factorization scheme 86
 - for branch and bound 1391
 - for guiding inductive proofs 974
- heuristic function 6, 215
 - accuracy of ~ 6
 - to guide search 6
- heuristic
 - functions 242
 - graph search 1034
 - greedy ~ 460
 - guidance 115
 - information 95, 242, 362
 - knowledge 45, 232, 237
 - limit ~ 26
 - min-conflicts ~ 952
 - MU ~ 634
 - ordering rules 323
 - preferences 378

- heuristic problem solving 17
 - paradigm for ~ 17
 - program 2
- heuristic
 - programming techniques 86
 - repair method 952
 - rule refinement algorithm 1143
 - rules 115
 - scene description system 29
- heuristic search 2, 6, 19, 21, 37, 56, 134, 158, 215, 235, 242, 246, 251, 277, 392, 547, 580, 650, 965, 972
 - algorithm 487, 1266
 - algorithms 92, 534, 1018, 1389
 - best-first ~ 331
 - efficiency 1128
 - method 2
 - parallel ~ 1018
 - procedures 278
 - real-time ~ 547
 - strategy 370
 - under conditions of error 56
- heuristic
 - static evaluator 52
 - strategies 172, 183, 189
 - techniques 60
 - theorem-prover 37
 - theorem-proving 22
 - tree search algorithm 929
 - values 547
- heuristically
 - determined decision structure 78
 - guided search 8
- heuristics 3, 22, 40, 115, 118, 180, 184, 227, 247, 250, 423, 432, 436, 475, 538, 581, 959, 1055, 1231, 1249, 1306, 1399
 - admissible ~ 1237
 - as production rules 3
 - automatic construction of SHUNYATA's ~ 1055
 - bottom-up ~ 260
 - characterization of ~ 53
 - component interaction ~ 1272
 - data-driven ~ 523
 - domain-independent control ~ 1123
 - dynamic manipulation of ~ 3
 - first-order predicate calculus ~ 86
 - for automatic theorem proving in mathematics 13
 - for automatic theorem proving in set theory 13
 - for planning 1386
 - for scheduling 1386
 - greedy ~ 1121
 - hypothesizing new ~ 3
 - in automatic theorem proving 13
 - in automatic theorem proving, reduction ~ 13
 - in problem solving 53
 - in production rule form 3
 - induction ~ 383
 - learning ~ 3
 - machine learning of ~ 3
 - nature of ~ 227, 246
 - network-based ~ 420
 - omitted ~ 287
 - Polya ~ 53
 - problem-solving program ~ 3
 - refinement ~ 442
 - reliance placed on ~ 6
 - search control ~ 668
 - value ordering ~ 1346
 - variable ordering ~ 1346
 - variable/value ordering ~ 1231
 - weight placed on ~ 6
 - with logarithmic precision 232
- Hewitt's open information systems semantics, OISS 604
- hidden
 - causes 368
 - entities, conjecturing ~ 1039
 - information 1165
- hidden node 1367
 - for model dependency 1367
- hidden
 - nodes 1367
 - state tasks 1165
 - variable method 482
 - variables 894, 907
 - vertices 322
- hiding of portions of knowledge 1155
- hierarchical construction of belief 315
- hierarchical description 68, 582
 - of a plausible design of the program 582
- hierarchical
 - descriptions, language for almost ~ 157
 - evidence, Dempster's rule for ~ 416
 - hypothesis space 328, 996
 - logics, multilanguage ~ 1036
 - nonlinear planning 896
 - organization of geometric knowledge 479
 - partial order planner 973
 - planners 182
 - planning 51
 - plans 274, 621
- hierarchical problem solving 1150
 - efficiency of ~ 1150

- hierarchical
 - shape vocabulary 691
 - structures 502
 - version of the PRODIGY problem solver 1103
- hierarchically
 - organized problem spaces 242
 - related hypotheses 328
 - structured program 330
- hierarchies 622
 - abstraction ~ 407, 1150
 - ABSTRIPS-style ~ 1150
 - action-based ~ 1399
 - defeasible inheritance ~ 637
 - in planning, abstraction ~ 1394
 - inheritance ~ 586, 622, 1262
 - nonmonotonic inheritance ~ 898
 - nonmonotonic ~ 898
 - nonmonotonicity of ~ 1205
 - representational ~ 383
- hierarchy
 - abstraction ~ 914, 1103
 - arithmetical ~ 1081, 1139
 - brain-gatekeeper-user ~ 1218
 - goal ~ 402
 - of abstraction spaces 51
 - of AIS niches 1157
 - of ATP-methods 214
 - of concepts 514
 - of first-order languages 1036
 - of hypotheses 344
 - of relaxed models 914
 - of specifications for subproblems 330
 - taxonomical ~ 904
 - visual processing ~ 1273
- high
 - degrees of redundancy 648
 - frequency components of a surface 569
 - level language approach to automatic programming 140
 - level reasoner 154
 - management costs of SSS* 384
 - storage needs 384
 - virtual resolution 613
- high-level
 - cognitive tasks 592, 594
 - descriptive concepts 347
 - memory structures 260
 - reasoning algorithms 1204
 - representations 1204
 - symbolic description 1113
- higher level
 - belief 421
 - program 110
- higher order
 - derivative constraints 664
 - derivative expressions 664
 - rule characterization of heuristics 53
 - rules 53
- highly-parallel
 - dataflow architecture 337
 - information-processor 38
- HIGHPOINT algorithm 1150, 1394
- Hildreth 417
- hill-climbers, greedy ~ 1372
- hill-climbing
 - algorithm, probabilistic ~ 1288
 - search 1288
 - search algorithm 593
 - strategy 919
- Hinton, Geoffrey 1046
- histories notation, Hayes' ~ 454
- history
 - of AI 1287
 - of circumscription 1020
 - of science 523
- HITECH
 - chess machine 555, 1340
 - chess program 493
 - implementation of ~ 493
- hitting sets, minimal ~ 1040
- Hoare's FIND program 57
- Hobbs 636
- Hobbs' basic formalism 636
- HOD, higher order derivative 664
- Hogg, Williams and ~ 1296
- Holder constant 565
- Holland, John H. 537
- Holland schemata 961
 - generalized ~ 961
- Holland's result on implicit parallelism 1072
- Holyoak, Keith J. 537
- homing 1269
 - algorithm for ~ 1269
- homogeneity 484
- homogeneous
 - diagnoses 1040
 - equivalence relations 463
 - representation 1290
- homogenizing variable 481
- homomorphic transformations 906
- homomorphism-like structures 35
- homomorphisms 158
 - between games 35
- Honing, Henkjan 1327
- Hookway, C. 339

- Hopfield networks 1185
- horizontal cooperation 906
- Horn
 - abduction, probabilistic ~ 1005
 - and Schunck 417
 - approximation to a relation 954
- Horn approximations 1225
 - of empirical data 1225
 - reasoning with ~ 1381
- Horn clause
 - abduction 1005
 - domain theory 1071
 - specifications 308
 - theories 511
- Horn clauses 459, 680
 - conjunction of ~ 926
- Horn
 - databases 375
 - defaults 586
 - expressions, reasoning with ~ 1381
- Horn formula 1355
 - in propositional logic 1355
- Horn
 - formulae 1105, 1245
 - functions, minimization of ~ 1105
 - ground formulas 1117
 - knowledge bases 1105
 - production rule base 1105
 - satisfiability propositional ~ 585
- Horn theories 1225, 1245
 - large ~ 1225
 - propositional ~ 586
- Horn
 - theory 954
 - type sentences 671
- Horty, Thomason and Touretzky 620
- Horty, Touretzky, ~ and Thomason 1404
- Horvitz 1227
- Hough transform 574
- Huberman, B.A. 676
- Huet and Hullot 382
- Huet and Oppen 382
- Huffman and Mackworth 102
- Huffman, Kanade and ~ 205
- Huffman–Clowes
 - label set 169
 - labelings 156
- Hullot, Huet and ~ 382
- human
 - accent strategies, model ~ 1060
 - action 548
 - binocular combination, processes of ~ 202
 - chess master's search tree 164
 - classification 347
 - collaborator 104
 - commonsense reasoning 677
 - communication 269, 1364
 - computer interaction 1386
 - concept learning 113, 518
 - conversational system 269
 - dialogue, inefficiency of ~ 1362
 - discourse 445
 - expert 141, 515
 - expertise 410
 - experts 584, 906
 - eye 154
 - figure animation 1166
- human guidance 104
 - degree of ~ 246
- human
 - handwriting 414
 - information processes 23
 - intelligence 610, 1172
 - intuition 410
 - intuitive notions 357
 - knowledge 100, 524
 - memory retrieval 596
 - mental capabilities 115
 - motion perception 289
 - notions of object similarity 1037
 - observers 130
 - organization of knowledge 82
- human perception 59, 1077
 - of structure from motion 222
 - of visual similarity 1037
- human
 - perceptual judgments 364
 - personality traits process model of ~ 171
 - play, expert ~ 230
 - problem solving 666, 1011
 - programming knowledge 140
 - reasoning 189, 284, 285, 401, 1141
 - society, model of ~ 1218
 - stereopsis 202
 - task performance 269
 - theorem provers 62
 - thinking 933
 - understanding of phenomena 1083
- human vision 200, 495
 - recognition in ~ 393
- human visual
 - perception 1260
 - segmentation 1037
- humans, beliefs of ~ 421
- human–computer interfaces 933
- Hunt, Earl B. 85

- Hunt, Quinlan and ~ 37
 - hybrid
 - algebra 658
 - algorithms 1135
 - best-first extension algorithm 1344
 - cooperation 906
 - knowledge representation systems 904
 - hybrid learning
 - methods 1135
 - system 1135
 - system, KBANN 1135
 - hybrid
 - PE/EBL systems 1004
 - reasoning 635, 1095
 - representations 635
 - hypergraph 1064
 - of a constraint satisfaction problem 1064
 - of a relational database 1064
 - directed recursive labelnode ~ 109
 - hyperpyramid representation 1276
 - hypotheses 50, 59, 296, 631, 1101, 1187, 1229
 - about intelligence 115
 - consistent ~ 1121
 - credible explanatory ~ 1039
 - formation of ~ 55
 - generate initial ~ 681
 - generation of ~ 376
 - hierarchically related ~ 328
 - hierarchy of ~ 344
 - independent ~ 1005
 - plausible ~ 246
 - preference for simpler ~ 460
 - proving an observation by assuming ~ 1034
 - hypothesis 121, 366, 1263
 - Bayesian multiple ~ 1067
 - hypothesis formation 959
 - data-driven ~ 131
 - model-driven ~ 131
 - hypothesis
 - generating machine 18
 - of independence 964
 - posterior probability of an ~ 358
 - simplification routine 460
 - space 437, 580
 - space, hierarchical ~ 328, 996
 - testing non-parametric ~ 1363
 - tree 1067
 - verification 1271
 - hypothesized frames 121
 - hypothesizing
 - matches of objects 201
 - new heuristics 3
 - hypothetical
 - sentences 1178
 - situations 112
 - hypothetico-deductive point of view 5
- I**
- i-th smallest element algorithm 167
 - i.d.e.-adequacy 913
 - IAGO
 - champion Othello program ~ 230
 - implementation of ~ 230
 - Othello program 556
 - performance of the Othello program ~ 230
 - IBM 7575 robot arm 1278
 - iconic representations 1274
 - ICU
 - intensive care unit 1157
 - monitoring 1157
 - ID, iterative-deepening 1200
 - ID3, learning algorithm 1121, 1247
 - IDA* 650, 1018
 - search 1128
 - parallel version of ~ 1018
 - IDA*–CR, bounded suboptimal cost variation of ~ 650
 - IDA*–CRA algorithm 650
 - ideal
 - nonmonotonic logic 925
 - skepticism 1205
 - ideally
 - rational agent 303
 - rational agent's reasoning about his own beliefs
 - beliefs
 - 303
 - skeptical conclusion 1205
 - identifiability 954
 - identification 1265
 - description ~ 672
 - of abstractions 1144
 - of approximations 1144
 - of chattering variables, automatic ~ 664
 - of critical subproblems 1231
 - of errors 81
 - of external states 1165
 - of program bugs 544
 - of states 1232
 - system ~ 1176, 1265
 - identifying
 - causes 435
 - constraints 503
 - faulty rules, critic for ~ 335
 - the current position 1269
 - the sources of contradictions 435

- uncertainty 1340
- identity in epistemic logic 1168
- idiomatic phrases 111
- idioms 111
- IDPS, SIMD parallel algorithm 1018
- if/then associations
 - uniform set of ~ 237
 - weakly structured set of ~ 237
- ignorance 394
 - chronological ~ 464
 - reasoning about ~ 449
- ill structured problems 44
- ill-constrained 478
- ill-modelled processes 1171
- illumination 24
- ILP
 - constructed logical theory 1370
 - foundations of ~ 1187
 - inductive logic programming 1187, 1370
- image 192, 194, 197, 198, 283, 565
 - acquisition, coarse-to-fine ~ 1284
 - analysis 195, 480
 - axioms 532
 - boundaries, intrinsic ~ 273
 - brightness ~ 1001
 - changing ~ 289
 - contour configurations 480
 - contours 480
 - coordinates 484, 1274
 - correlation 1387
- image data 357, 456, 569
 - structures 1274
- image
 - databases 1037
 - depiction 532
 - description ambiguity in ~ 532
 - dissector 41
 - domain knowledge 532
 - feature 201
- image features
 - description of ~ 201
 - interpretation of ~ 201
 - measurements of ~ 201
 - prediction of ~ 201
- image formation 480
 - process 204, 478
- image
 - intensities 102, 357
 - intensity 195
 - intensity ~ 273
 - interpretation 532, 585
 - intrinsic ~ 273
 - labelling 199
 - matching 1270, 1387
 - observables 1026
 - of a scene 322
 - parts 199
 - plane 1279, 1281
- image processing 1387
 - engine 1278
 - hardware 255
- image
 - processor, pipeline ~ 1274
 - projection 265
 - projective ~ 481
 - queries 532
 - range ~ 1310
 - regions in an ~ 60
 - regularities 204
 - sequence 197, 203, 1280
 - sequences, interlaced and non-interlaced ~ 1281
 - space 54, 83
 - synthesis 532
- image understanding 398, 469, 479, 585
 - algorithms 255
 - [See also "images"]
- image-based
 - constraints 456
 - object recognition 571
- image-irradiance equation 196
- image-space representation 83
- images 456, 478
 - interpreting perspective ~ 262
 - motion between ~ 1270
 - multiple ~ 1283
 - multiple complex ~ 376
 - of curved surfaces 195
 - of naturally textured surfaces 565
 - of objects 54
 - of two-dimensional shapes 383
 - retinal ~ 200
 - searching ~ 1172
 - stereo ~ 1276
 - time-varying ~ 456
 - uncalibrated ~ 1270
 - [See also "image"]
- imagine an event and belief, ability to ~ 1025
- imaging
 - low resolution ~ 613
 - transformation 1271
- immediate sensory inputs 1165
- immense search space 115
- impedance 294
- impediments to universal preference-based default theories 633

- imperative semantics 73
- imperfect
 - causal theory 1104
 - domain theory 1071
 - input data 29
 - line data 29
- imperfectly
 - predictable interaction 1209
 - understood domains 1368
- implausible paths 227
- implement
 - cognitive models 1360
 - refinement 178
- implementation
 - code 1251
 - details 1360
 - iterative ~ 241
 - language, CONNIVER 47
 - level 524
 - of a compositional modeling system 1272
 - of a concept of likeness 1037
 - of a cooperation framework 1173
 - of a state-space learning system 241
 - of a theorem-proving program 22
 - of a visual attention model 1273
 - of an active vision system 1274
 - of an Othello program 230
 - of defeasible reasoning 680
 - of Dempster's rule 416
 - of graphics systems 532
 - of hierarchical nonlinear planning PRIAR 896
 - of HITECH 493
 - of IAGO 230
 - of Odyssey 190
 - of open-ended natural language processing systems 1074
 - of pn-search 1066
 - of self-reflective systems 1251
 - of Theorist 971
 - of vision systems 532
 - provably correct ~ 532
 - structure 282
 - techniques 140
- implementations
 - of geometric algorithms 482
 - of the polytree algorithm 626
 - parallel ~ 932, 1111
 - practical ~ 1353
 - serial ~ 932
- implemented algorithm
 - for model composition 659
 - for the three-dimensional movers' problem 392
- implemented
 - approximation to an ideal planner 1033
 - circumscriptive theorem prover 508
 - diagnosis system for circuits 296
 - learning system 383, 579
 - model-based vision system 201
 - prototype tutor system for foreign languages 125
 - system for learning from precedents 231
- implementing
 - a nonmonotonic TMS 566
 - abstract algorithms 140
 - counterfactual implication 372
 - default reasoning 352
 - fixed predicates 516
- implicate/implicant 917
- implicates 1301
- prime ~ 916
- implication 301, 549
 - certainty of the ~ 363
 - counterfactual ~ 372
 - problem for belief 1151
- implicational constraint relations 1102
- implications 119
- implicit
 - and explicit belief 421
 - belief 1213
 - communication 269
 - graph search schemes 1054
 - graphs 1389
 - knowledge, representation of ~ 111
 - negative information in databases 301
 - one-way coercion of representation 473
 - parallelism 1072
 - preference 1145
- implicitly defined goals 522
- IMPLY, natural-deduction-like theorem proving technique 48
- importance, context-dependent ~ 76
- imprecise
 - assessments 1258
 - determinations of scope 677
 - input probabilities highly ~ 1377
 - observations 1338
 - probabilities 1258, 1377, 1396
 - of a diagnostic probability 689
 - of inferences 1396
 - of knowledge components 689
- impressive-looking programs 286
- improvement model ~ 64
- improving
 - accuracy 1368

- efficiency of planning 896
- in-between-ness relation 469
- in-place sorts 126
- inadequate
 - measures 625
 - theories 584
- incentive contracting 1307
- incidence
 - logic of temporal ~ 546
 - structure, position-free ~ 279
- incident illumination 195
- inclusion, differential ~ 911
- inclusiveness 1260
- incompatible
 - assumptions 925
 - hypotheses 631
- incomplete 916
 - backjumping heuristic 1231
 - data 663, 1396
 - domain theories 1007
 - inferences 693
- incomplete information 394, 485, 518, 1104, 1174, 1352
 - logics of ~ 149
 - reasoning with ~ 363
- incomplete
 - knowledge 673, 693, 956, 1163
 - quantitative information 657
 - search trees 447
 - temporal information 956
 - theories 1101
- incompletely specified pre-orderings 1057
- incompleteness
 - of closed nonrecursive circumscription 511
 - of linear resolution with merging and C-ordering 32
- incompleteness theorem
 - automatic proof of Gödel's ~ 1055
 - Gödel's 932
 - SHUNYATA's proof of Gödel's ~ 1055
- inconsistencies 97, 671, 958
 - between justifications of nonnormal defaults 649
 - in the agent's beliefs 1348
 - local ~ 302
 - removing ~ 896
- inconsistency 345, 511, 1185, 1348
 - for universal formulas 345
 - of a set of clauses 213
 - reasoning with ~ 1348
- inconsistent 496, 928
 - assignment 952
 - balance assumptions 1221
 - databases 671
 - information 351
 - knowledge 925
 - plan 336
 - set of premisses 925
- incorporation
 - of non-explicit knowledge into algorithms 45
 - of pre-existing structure 47
- incorrect inferences 1367
- increasing knowledge 555
- incremental
 - approach to intelligence 605
 - building of complete intelligent creatures 605
- incremental concept formation 518
 - model, CLASSIT 518
- incremental
 - concept-learning 686
 - depth-first algorithm 1192
 - description refinement 672
 - generator 923
 - interpretation 643
 - modifications 376
 - negamax algorithm 558
 - plan modification 896
 - planning process 1058
 - process 535
- incremental program
 - analysis 238
 - transformation 1195
- incremental
 - random game trees 1344
 - reconstruction of 3D scenes 376
 - simulations 49
 - updating method 962
- indecision 394
- indefinite
 - knowledge 956
 - temporal information 956
- indefinitely many cycles of retracting and reinstating conclusions 913
- independence 681, 1258, 1378
 - assertions, asymmetric ~ 1263
 - assumption 186, 304, 366
 - conditional ~ 1263
 - of each piece of evidence, mutual ~ 358
 - of the relevance 358
 - of the syntax 1268
- independent
 - alternatives 266
 - and parallel activity producers 605
 - conditionally ~ 1367
 - domain ~ 1341
 - failure probabilities 588

- hypotheses 1005
- identically distributed random variables 122
- information processing units 605
- processing elements 337
- spatial frequency 202
- subproblems 182
- theory formation 246
- independently occurring errors 558
- indeterminacy 394
 - clauses with bounded ~ 1187
 - in a clause 1187
 - of evaluating a UTC 1011
- indeterminate forms in mathematical analysis 40
- index a library of object models 1271
- indexical
 - descriptions 1168
 - knowledge 1163
 - nature 449
 - reference 613
- indexing
 - case ~ 1368
 - exemplars 584
 - knowledge 177
 - problem 1361
 - strategies 525
- indifference
 - principle of ~ 1378
 - to irrelevant information 1378
- indirect
 - speech acts 176
 - strategy 206
- indistinguishability tests 11
 - Turing-like ~ 34
- individual belief 1198
 - modal logic, system of ~ 1198
 - monotonicity rule of ~ 1198
- individual
 - plans 1351
 - productions, match of ~ 1111
 - rationality 1353
- individualization of instruction 71
- individually motivated heterogeneous agents 1353
- inducing
 - belief 1178
 - degrees of belief 1378
- induction 184, 459, 537
 - as search 184
 - control 459
 - decision tree ~ 1308
 - empirical rule ~ 580
 - feature-based ~ 1370
 - first-order ~ 1370
 - heuristics 383
 - inductionless ~ 382
 - induction mechanisms 524
 - for extending knowledge 524
- induction
 - of definite Horn clauses 459
 - of relational concepts 163
 - principles 1114
 - principles of ~ 524
 - problem 163
 - rule ~ 1143
 - semantics of ~ 5
- inductionless induction 382
- inductive
 - bias 460, 1121
 - functional programming 1195
- inductive inference 5, 686
 - complete systems of ~ 5
 - semantics of ~ 5
 - systems 5
 - systems, relative completeness of ~ 5
- inductive knowledge 65
- inductive learning 188, 1185
 - conceptual ~ 673
 - methodology of ~ 235
 - theory of ~ 235
- inductive logic
 - nonmonotonic ~ 1201
 - programming 1187, 1201, 1370
 - programming, ILP 1187, 1370
- inductive
 - predicate logic 55
 - proof 382, 974
 - reasoning 145, 374
 - search spaces 459
 - systems 519
 - theorems 974
- inductively defined objects 382
- inefficiency of human dialogue 1362
- inequalities 292, 469, 658
 - linear ~ 26
- inequality
 - algebra 658
 - constraints 483, 578
 - provers 341
- inertial theories 464
- inexact reasoning 437, 683
 - algebraic structures of ~ 906
 - Bayesian scheme for ~ 683
 - models 906
- inexactly defined goals 522
- infamous frame problem 464
- infeasible mechanisms 665
- infer additional values 190

- inference 61, 185, 309, 514, 537, 908, 1074, 1104, 1258, 1263
 - abductive ~ 1059
 - about quantities 403
 - algorithm 433, 553, 1263
 - analogical ~ 436
 - approximate ~ 924
 - capabilities 623
 - classical monotonic ~ 1384
 - combinatorics of ~ 507
 - common-sense nonmonotonic ~ 372
 - conditioning for ~ 1253
 - control of ~ 507
 - controlling backward ~ 507
 - conventional rules of ~ 382
 - correct ~ 379
 - direct ~ 1378
 - efficient ~ 1219
- inference engine 375, 500
 - connectionist ~ 1185
- inference
 - exact ~ 924
 - fast parallel ~ 966
 - first-order ~ 895
 - in defeasible inheritance nets 620
 - in the Cyc project 937, 938, 939, 940, 941, 944
 - inductive ~ 5, 686
 - intractability of ~ 1384
 - mechanisms 61, 419, 639, 1311
 - methods 679
 - modeling 679
 - modes in reasoning 147
 - natural language ~ 65
 - network 527
 - non-monotonic ~ 1384
 - of 3D shape 1077
 - of deterministic finite-state automata from sequences of input/output pairs 1176
 - of Turing machines from sample computations 33
 - pattern frequency 1219
 - patterns 1219
 - performing ~ 591
 - plausible ~ 616
 - probabilistic ~ 689, 924, 1175
- inference problem 699
 - compilable ~ 1384
- inference problems 323, 507, 1385
 - anaphoric ~ 65
 - mechanical ~ 49
 - procedure 297, 377, 396, 578, 890
 - processes 1361
 - recursive ~ 377
 - relations, nonmonotonic ~ 1038, 1057
 - repeating ~ 377
 - representations network ~ 379
 - rule 208
- inference rules 235, 347, 427, 465, 648, 1124, 1251
 - acquisition of new ~ 141
 - default ~ 381
 - falsehood preserving ~ 18
 - nonmonotonic ~ 649, 1404
- inference
 - rules of ~ 22, 135, 435, 904
 - rules, truth preserving ~ 18
 - schemes 403
 - strategies, backward ~ 507
 - structure 342
 - subjective ~ 358
- inference system 142
 - Shapiro's model ~ 686
- inference systems 895
 - logical ~ 374
 - pattern directed ~ 144
 - resolution-based ~ 324
 - rule-based ~ 366
- inference
 - techniques, deductive ~ 601
 - to the best explanation 1059
 - tools 625
 - tree 1277
- inferences 187, 419, 666, 692, 1258, 1338
 - by nonmonotonic TMSs 566
 - causal ~ 524
 - chain of ~ 309
 - common-sense ~ 445
 - computational efficiency of deriving ~ 363
 - default ~ 633
 - imprecision of ~ 1396
 - in probability logic 1112
 - incomplete ~ 693
 - incorrect ~ 1367
 - intuitive ~ 591
 - nondeductive ~ 65
 - of default properties 455
 - ordering of ~ 1193
 - precision of ~ 363
 - rational ~ 591
 - sanctioned by default 151
 - subsumption ~ 1339
 - terminological ~ 433
- inferencing
 - algorithm for ~ 699
 - rule-based ~ 398
- inferential

- capabilities of hybrid systems 1095
- capacity 1362
- complexity 1362
- component 46
- interpretation steps 643
- knowledge 236
- inferentially complete 1263
- inferred behavior 298
- inferring
 - 3D structures 456
 - an agent's plan 1006
 - DNA structures 131
 - kinematic properties 573
 - planar surface shape 565
 - properties of plans 1223
 - surfaces from images 198
 - the behavior of the composite device from
 - knowledge of the components 396
 - the goal of the actor 130
 - the mechanism of a chemical reaction 1226
 - the positions of bodies 69
- infinitary disjunction 1379
- infinite
 - domain of theorems deducible from certain
 - formulas 275
 - domains 275
 - iterations 1140
 - line 483
 - nontrivial models 1201
 - number of possible interpretations 1260
 - plane 483
- infinite precision
 - domain 482
 - precision objects 482
- infinite
 - representations 1290
 - search spaces 37
 - sequence of similar subgoals 377
 - set of distinct behaviors 664
 - variable coverings 462
- infinitely many primitive propositions 1267
- infinity of possible interpretations 203
- influence of unreliable information 673
- influences
 - of context on interpretation 643
 - qualitative ~ 578
- informal
 - judgmental rules 227
 - models of evidential reasoning 328
- information 121, 1178
 - about higher-order derivatives 664
 - about preferences 1353
 - about three-dimensional shape 102
 - abstraction of visual ~ 203
 - assertional ~ 904
 - asymmetric ~ 1307
 - available to an agent 1378
 - complete ~ 1174
 - complexity 1177
 - concealed ~ 257
 - concerning other agents 1352
- information content 1118
 - of scene labels 169
- information
 - contingent ~ 625
 - contradicting ~ 449
 - contradictory ~ 1268
 - control ~ 185
 - diagrammatic ~ 62
 - discourse-level ~ 1060
 - distribution of ~ 1218
 - extracting ~ 1155
 - extraction 1371
 - flows of ~ 1196
- information for speech understanding
 - acoustical and phonological ~ 49
 - syntactic semantic and pragmatic ~ 49
- information
 - format 129
 - from 3D images 24
 - from a scene, extracting ~ 1277
 - full ~ 1352
 - geometric ~ 1113
 - heuristic ~ 242, 362
 - hidden ~ 1165
 - hiding 473
 - incomplete ~ 485, 518, 1104, 1174, 1352
 - incomplete quantitative ~ 657
 - inconsistent ~ 351
 - integration problem 1289
- information invariants 1177
 - in robotics 1177
- information
 - irrecoverable ~ 1155
 - irrelevant ~ 518
 - lacking ~ 1307
 - language-comprehension ~ 187
 - language-independent ~ 1080
 - lexical ~ 1074
 - metric ~ 268, 632, 1278
 - missing ~ 1165
 - modal ~ 1088
 - negative ~ 485, 486
 - partial ~ 303, 1124
 - potentially relevant ~ 44
 - probabilistic ~ 1112

- problem-solving ~ 187
- processes, human ~ 23
- information processing 415
 - complex ~ 1023
 - in machines 332
 - in minds 332
 - model, formal ~ 94
 - of disparity 202
 - problems 200
 - problems, tractable ~ 108
- information
 - processor, spatially-oriented ~ 38
 - qualitative and quantitative ~ 1357
 - qualitative temporal ~ 956
 - quantitative ~ 666
 - quantity 158
 - radiometric ~ 569
 - reasoning with incomplete ~ 363
 - redundant ~ 1350
 - reliable sources of ~ 925
 - requirements for robot tasks 1177
 - retrieval 12, 1073
 - retrieval of ~ 268
 - routing 1273
 - semantic ~ 60, 213, 1060, 1074
 - shading ~ 569
 - shape ~ 195
 - source 1135
 - sources, unreliable ~ 673
 - statistical ~ 597, 1378
 - storage 106
 - structure 158, 514
 - symbolic ~ 115, 666
 - symbolic or numerical ~ 1283
 - syntactic ~ 1060
- information system 190, 603
 - semantics 603
- information
 - taxonomical ~ 904
 - temporal ~ 408, 632, 1088, 1169
 - terminological ~ 625
 - theory 396
 - to direct a search 46
 - to guide a tree search 384
 - tolerance ~ 483
 - topological ~ 268
 - two-way transfer of ~ 234
 - uncertain subjective ~ 186
 - user-supplied ~ 22
- information-minimal belief revision model 962
- information-processor, highly-parallel ~ 38
- information-theoretic
 - heuristic 1399
- ideas 1247
- informational content of an agent's computational states 1209
- informed
 - model 362
 - stochastically more ~ 179
- informing 931
- inherent complexity 530
 - of a product 1153
- inherent patterns of interaction in an environment 1211
- inherently sequential 585
- inheritance 514, 898, 966, 1074, 1378
 - cautious form of ~ 966
 - defeasible ~ 550, 966
 - downward ~ 966
 - graph 1205
- inheritance hierarchies 586, 622, 1262
 - defeasible ~ 637
 - multiple ~ 1404
 - nonmonotonic ~ 898, 1205
 - with exceptions 622
- inheritance
 - multiple ~ 473, 514
 - multiple defeasible ~ 1205
 - nets, defeasible ~ 620
 - network, ambiguous ~ 966
 - networks 379
 - networks, acyclic ~ 966
 - nonmonotonic ~ 935, 1404
 - nonmonotonic multiple ~ 935
 - notion, Touretzky's ~ 966
 - path-based ~ 898
 - problems 514
 - property ~ 308
- inheritance reasoning 550
 - multiple ~ 966
- inheritance
 - skeptical theory of ~ 550
 - specification 935
- inheritance theories
 - multiple ~ 898
 - theory of ~ 898
- inheritance theory
 - algorithm 550
 - theory of ~ 898
 - true skeptical ~ 898
 - upward ~ 966
 - with exceptions, multiple ~ 550, 1404
 - work, comparative ~ 898
- inherited properties, propagating ~ 935
- initial
 - clauses of a deduction 10

- configurations 665
- hypotheses, generate ~ 681
- plan, loosely constrained ~ 336
- initial specification 316, 330
 - of the model 400
- initialization for the method of conditioning 644
- innate principles of induction 524
- inner measure 696
- input data 210
 - imperfect ~ 29
- input
 - probabilities, highly imprecise ~ 1377
 - relevances 358
 - strategies 22
- input–output
 - behavior 1176
 - behavior, paranoid 11
 - pairs, sequences of ~ 1176
 - production system examples 79
 - specification 167
- inputs 137
- insect pheromone grandisol 134
- insertions 73
- instabilities, numerical ~ 957
- instance
 - recognition 443
 - spaces 460
 - testing 1385
- instances of a concept, number of ~ 1385
- instantiated nodes 1367
- instantiating models 309
- instantiation 378
 - of a Bayesian network 598
 - of vague words 595
- instantiationless match 1111
- instantiations, definition ~ 434
- instinctive behavior 1208
- instruction 1132
 - language ~ 125
 - level simulation 662
- instructional
 - system 545
 - text 239
- instructions 137, 1166
 - with side effects 70
- integer
 - arithmetic 158
 - linear programming problem, 0–1 ~ 1034
 - program 1391
- integrated circuits 295
 - design of ~ 1346
- integrated
 - partial parser, IPP 260
 - pattern-matching and parsing 111
 - processing and understanding of signals IPUS 1186
- integrating
 - diagnostic reasoning with planning and action 1345
 - diverse representation and reasoning methods 1095
 - EBL and problem solving 519
 - logical deduction and sortal deduction 635
 - planning and control 1241
 - rule-based and similarity-based reasoning 1181
- integration 1228
 - of information 1268
 - of multiple sensor observations 1067
 - of planner and controller 1228
 - of shape information 587
 - of vision systems 1289
 - of weighted knowledge bases 1268
 - techniques 1095
- integrity constraints 686, 1114
- intelligence 115, 600, 605, 932
 - architectural requirements for ~ 932
 - architecture for general ~ 406
 - artificial ~
 - [See “artificial intelligence”, “AI”]
 - as approximation to the knowledge level 1011
 - behaviorist ~ 1172
 - embedding ~ 178
 - general ~ 609
 - human ~ 610, 1172
 - hypotheses about ~ 115
 - in machines 933, 1011
 - in people 1011
 - intuition in ~ 20
 - machine ~ 258
 - modeling ~ 106, 1172
 - natural ~ 103
 - non-logical reasoning in ~ 20
 - study of ~ 610
 - without representation 605
- intelligent
 - activity 606
 - agency 1104
 - agent 266, 1011, 1172, 1209, 1241, 1378, 1399
 - artifact 628
 - autonomous systems 1161
- intelligent backtracking 1295
 - schemes 1231
- intelligent behavior 115, 406, 606

- concept-free ~ 606
- intelligent
 - computer programs 148
 - connection of perception to action 320
- intelligent control 327, 979
 - of computational simulations 1156
- intelligent
 - controller 1171
 - creatures 605
 - decision-making 20
 - design of training sets 515
 - generator 670
 - interfaces 623
- intelligent learning environments 545
 - design of ~ 545
- intelligent
 - numeric simulation 612
 - order for resolving conflicts 958
 - paradigm 343
- intelligent program
 - analysis 81
 - creating an ~ 141
- intelligent
 - programs 110
 - pruning strategy 1067
 - real-time control architecture 1161
 - robot reactions 36
- intelligent systems 435, 602, 610, 616, 932, 1149, 1264
 - adaptive ~ 1157
 - constructing ~ 1095
 - decomposition of ~ 605
 - text-based ~ 1149
 - uncertainty in ~ 1062
- intelligent tutoring 543
 - systems 325, 326, 465, 617
- intelligent use of space 1170
- intended interpretation 125
- intensional
 - formalisms 636
 - knowledge base updating 686
 - logic 116
- intensionality 116
- intensity
 - changes 289
 - data 273
 - image 273
 - image ~ 195
 - measurements 195
 - pattern 289
 - representations 200
- intensive care unit, ICU 1157
- intention 548
 - in utterances 176
- intention-based diagnosis of errors 544
- intentions 281, 968, 1166
 - agent's ~ 548
 - Bratman's three characteristic functional roles for ~ 548
 - communicative ~ 1085
 - in communication 968
 - joint ~ 1173
 - of a questioner 226
 - to another agent, agents' ~ 1351
- inter-agent distance 1358
- inter-feature correlation 452, 556
- inter-object contact 47
- inter-variable compatibility 250
- interacting
 - goals 70, 183
 - pairs of parts 665
 - subproblems 182
 - with a constantly changing world 973
 - with database systems 533
 - with expert systems 533
- interaction 269, 573, 1158
 - agent-environment ~ 1158
 - and agency 1207
 - between induction redundancy and change 459
 - bidirectional ~ 1186
 - distortions 1186
 - effective ~ 269
 - enabling-condition ~ 919
 - environment 1352
 - goal ~ 919
 - history 908
 - human computer ~ 1386
 - imperfectly predictable ~ 1209
 - in an environment, inherent patterns of ~ 1211
 - of agents 1173, 1174
 - of computers 1352
 - of knowledge 233
 - patterns of ~ 1211
 - problem, graph history ~ 1340
 - rules 1353
 - rules of ~ 1352
- interaction with an environment 1209
 - continuous ~ 1274
 - robot ~ 411
- interactions 681
 - agent/environment ~ 1161
 - among influences 578
 - among system modules 1079
 - deleted-condition ~ 919

- of knowledge belief sensing acting and time 1171
 - of parts 665
 - parts ~ 1153
 - rule ~ 1338
 - sociopathic ~ 1143
 - theory of ~ 658
 - with their environments, agents ~ 1207
 - within linear systems 908
- interactive
 - acquisition of procedural knowledge 643
 - advice 264
 - commands 48
 - feature in theorem provers 48
 - generation of hierarchical partially ordered plans 274
 - knowledge-based assistants 1007
 - music systems 1326
 - process 234
 - processes, simultaneous ~ 43
 - program 134
- interactive programming 434
 - system, GRAPH 434
- interactive theorem prover 57
- interactive transfer of expertise 141
 - of knowledge 141
- intercity distances 1302
- interconnections 298
 - of components 360
 - of equations 360
- interdependent variables in equilibrium 359
- interesting features of interactions 658
- interface
 - between LF and PQL 1088
 - extended person-machine ~ 269
 - protocol 353
 - systems 269
- interfaces, transportable natural-language ~ 399
- interfacing with the ATMS 353
- interference
 - of symbolic structures 594
 - of the axioms encoding observations with minimization 1183
- interim minimax values 1066
- interlace technique 1281
- interlaced image sequences 1281
- interleaved planning-realization regime 564
- interleaving planning and execution 547
- interlingual approach, parameterized ~ 1080
- interlingual machine translation 1080
 - system, UNITRAN 1080
- intermediate
 - parallelism 953
 - problems 307
 - repair results evaluation of ~ 1242
 - shapes 495
- intermediate-level vision 273
- internal
 - deductions 524
 - degrees of freedom 1310
 - disjunction 460
 - language 55
 - machine representations for concepts 114
 - representation 1165
 - representations of the environment 521
 - structure of an assembly product 1153
- INTERNIST expert system in medicine 132
- interpersonal commitments 548
- interpolate surface orientations 265
- interpolating
 - smooth surfaces 194
 - three-dimensional data 572
- interpolation, elastic ~ 495
- INTERPRET, scene description system 29
- interpretable goal partition 7
- interpretation 104, 192, 193
 - acoustic signal ~ 1186
 - as abduction 1059
 - consistent ~ 663
 - context of ~ 1166
 - contour ~ 480
 - data ~ 1265
 - declarative ~ 239
 - distributed ~ 1358
 - domains 681
 - geologic ~ 681
 - image ~ 532, 585
 - incremental ~ 643
 - influences of context on ~ 643
 - model-theoretic ~ 116
 - natural language ~ 1088
 - of 3D textures 587
 - of a constraint theory 1068
 - of an image 532
 - of an unknown utterance 215
 - of assumptions 683
 - of C-13 spectral data of unknown compounds 263
 - of compound nominals 1059
 - of computer programs 333
 - of curved surfaces 484
 - of image features 201
 - of line drawings 42
 - phase of scene analysis 104
 - problem 193
 - procedural ~ 116, 239

- process 643
- semantic ~ 425, 636
- space 663
- tasks 663, 1067
- text ~ 1073
- tree 1310
- interpretation-guided segmentation 104
- interpretations 301
 - alternative ~ 663
 - conditional ~ 643
 - of events 461
 - of regions 104
 - ordering among ~ 678
 - plausible ~ 1186
 - preferred ~ 532
- interpreter 101
 - for a language for describing assemblies 159
 - for applying transformations to representations 158
- interpreters, agent ~ 931
- interpreting
 - a shared action representation 1228
 - aerial photographs 376
 - an image curve 440
 - extended texts 1073
 - handwritten text 1100
 - handwritten text, computational theory for ~ 1100
 - line diagrams as pictures of three-dimensional scenes 14
 - line drawings as three-dimensional surfaces 194, 999
 - noisy sensor data 1387
 - non-3-D line drawings 1260
 - perspective images 262
 - pictures of polyhedral scenes 42
 - problem representations 961
 - text 1059, 1100
- interpretive
 - partial evaluator 91
 - system 91
- interruptibility 1227
- intersect in edges 481
- intersection
 - manifolds 392
 - of two linked lists 140
- intersections
 - number of ~ 283
 - of drawings 59
- intersegment discourse relations 1085
- interstate behavior 291
- interval 669
 - algebras 1290
 - arithmetic 950
 - interval constraint 632
 - problems 928
 - satisfaction systems 950
- interval
 - disjointness 1197
 - expressivity 1290
 - labeling systems 950
 - labels 403, 1140
 - networks, randomly generated ~ 928
 - propagation 950
 - temporal logic based planner 1211
 - theories 621
- interval-based
 - approach to temporal reasoning, Allen's ~ 693
 - framework 956
- intervals
 - of time 394
 - permitted ~ 632
- interviews
 - with an artificial paranoia model 11
 - with real patients 34
 - with the paranoia simulation model 34
- intonational
 - emphasis 1060
 - prominence predicting ~ 1060
- intractability 631
 - for a concept language 687
 - of circumscription 1384
 - of default logic 1384
 - of domain independent planning 1380
 - of formal systems 379
 - of global optimization 1288
 - of inference 1384
 - of model selection 1272
 - of non-monotonic reasoning 1384
 - of pair algebras with infinite representations 1290
 - sources of ~ 1144
- intractable 433, 466, 567, 586, 631, 1076, 1144, 1245, 1311
 - branching 664
 - computationally ~ 433, 966
 - planning 1117
 - problem 966
 - theories 584
 - behavior 291
- intrinsic
 - image boundaries 273
 - image network 273
 - images 273
 - properties of contours 262

- texture statistics 587
- intrinsically hard search problems 1298
- introspect
 - ability to ~ 1311
 - their own code 1251
- introspection 1311
 - negative ~ 461
- intuition 1220
 - human ~ 410
 - in intelligence 20
 - in reasoning 20
- intuitions, clash of ~ 622
- intuitive
 - concepts of causality 359
 - explanation 1082, 1083
 - inferences 591
 - minimization 346
 - notion of causation 464
 - plausibility judgements 401
 - properties 1223
 - qualitative reasoning 294
 - reasoning 294
 - semantics 1378
- intuitively correct answer 630
- invariance 1271
- invariant
 - assertions 316
 - descriptions 1271
 - measurements 1271
 - under projection 262
- invariants for 3D objects, construction of ~ 1271
- inventing a hypothesis 1141
- invention 115
 - of memory 652
- inventory of syntactic constructions 923
- inverted mappings 140
- invocation
 - controlling ~ 177
 - cycle 178
 - demons 112
 - exhaustive ~ 178
 - of new default rules 445
- involuntarily activated processes 43
- IPP, integrated partial parser 260
- IPUS, architecture for integrated processing and understanding of signals 1186
- irrecoverable information 1155
- irreducibility 912
- irreducible
 - factors of a polynomial 86
 - joint intentions 1351
- irredundant knowledge base 645, 1105
- irregular tree 972
- irrelevance 682
 - exploiting ~ 1410
 - in Bayesian networks 1410
- irrelevant
 - attribute 1247
 - clauses 1295
 - data 522
 - derivations 21
 - features 1121
- irrelevant information 518
- indifference to ~ 1378
- irreversible
 - irregular problem type 45
 - regular problem type 45
- is-a hierarchies 473
- island nodes, set of ~ 370
- island-driven parsing 1118
- islands of perfection 1232
- isolated objects 574
- isomorphisms 158, 596, 698
 - of genetic algorithms 961
- isotropy 587
 - principle, weak ~ 1026
 - weak ~ 1026
- item of evidence 366
- iteration 106
 - control structure 106
- iterative
 - broadening 905
 - circuit array 38
 - constraining 336
- iterative deepening 965, 1200, 1266, 1337
 - A* 972
 - algorithm, depth-first ~ 331
 - algorithm IDA* 650
 - optimality of ~ 1202, 1337
 - perimeter search algorithms 1266
 - search 650, 1066
 - search, depth-first ~ 535
 - strategies 1202
- iterative
 - depth-first branch and bound algorithm
 - IDA*–CR 650
 - epsilon-transformation 1305
 - implementation 241
 - interaction 1345
 - loops 316
 - nature of diagnosis 396
 - paradigms 126
 - planner 336
 - refinement routines 1239
 - revision 1242
 - training procedures 590

version spaces 1192
Iwasaki and Simon 360

J

Jackendoff, R. 367
Jacobian 612
Jacobs, Paul 1149
Japan's computer challenge to the world 270, 271
Jeffrey's rule 1338
Jeroslow 1081
job sequencing problems 1342
job shop scheduling 1231, 1346
 constraint satisfaction problem 1231
 CSP 1346
 problem 27
 search space 1346
Johnson 683
join association, arbitrary ~ 695
join-dependencies, satisfaction of ~ 1064
joining smoothly two primary surfaces 481
joins 451
joint activity 1173, 1351
joint intentions 1173
 irreducible ~ 1351
joint
 probability distribution 578, 1358
 responsibility model 1173
 ventures domain, specific dictionary for ~ 1371
jointed objects
 motion of rigid and ~ 222
 structure of ~ 222
 three-dimensional structure of ~ 222
Jouannaud and Kounalis 382
JTMS framework 1249
judgements
 expressed in natural language 1258
 intuitive plausibility ~ 401
judgmental rules, informal ~ 227
junction 1137
 dictionary 139
 labeling 322
junctions, picture ~ 42
justification 1142, 1258
 and defeat 1092
justifications 112, 435, 653, 1182
 consistency of ~ 1148
 manipulating ~ 351
 nonmonotonic ~ 352
 of nonnormal defaults 649
 of the code 256
 TMS ~ 450

justified

assumptions, logic of ~ 922
facts 680

justifying

computational actions 641
plans 1129

K

k-CNF 1187
 concepts 460
k-consistency algorithm, optimal 529
k-DNF concepts 460
k-move rule 562
k-optimal strategy 562
k-SAT 1304
k-satisfiability 1304
K45 modal logic 1267
KAISSA, chess playing program 77
KAM suite of computer programs for complex dynamics 661
KAMP, computer system 318
Kanade and Huffman 205
Kanatani 1026
Kanatani's Buffon transform 587
KANDOR system 433
Kant 636
Kapur 382
Kapur, Narendran and Zhang 382
Katsuno and Mendelzon, KM 1250
Kautz, Vilain and ~ 632
KBANN, hybrid learning system 1135
KD45 modal logic 1220, 1267
Keng and Yun 1346
kernel
 diagnosis 917
 formulation 1180
KERNEL, text understanding system 1079
KERNEL's
 architecture 1079
 design 1079
Kerschberg, Larry 623
Kiczales, Gregor 1028
Kim and Pearl, polytree algorithm of ~ 626
Kim and Pearl's algorithm 1366
kinematic
 analysis algorithm 665
 function 915
 function of pairs of parts 573
 goals 915
 interactions 573
 pairs 573
 properties 573

- simulation 957
- kinematics 573, 915
 - computational ~ 665
 - of a mechanism 665
 - of subassemblies 665
 - qualitative ~ 915
 - representations for ~ 666
- kinetic phenomena from statistical physics 1304
- king and pawn endings in chess 280
- KING, knowledge intensive generator 418
- Kirousis and Papadimitriou 1137
- kitting robot 1211
- KL-ONE family 904
 - of knowledge representation systems 904
- KL-ONE
 - frame language 593
 - knowledge representation system 433
 - logic computing system 501
 - representation system 1116
- KM
 - postulates 1250
 - theory of belief update 1250
- KNACK, expert system 679
- knapsack problem, 0/1 ~ 650
- Knoblock, ALPINE algorithm of ~ 1150
- knowing
 - that 1151, 1311
 - who 1151, 1311
- knowledge 138, 327, 336, 426, 493, 500, 638, 660, 667, 689, 1011, 1014, 1019, 1348
 - about algorithms 1141
 - about elementary symbolic programming 140
 - about programming constructs 57
 - about relations between events 693
 - about the refinement process 442
 - about the world 29, 890
 - abstract ~ 418
- knowledge acquisition 141, 442, 960, 1007, 1242
 - language 503
 - language SALT 503
 - lexical ~ 1364
- knowledge
 - acquisition of ~ 504, 959
- knowledge acquisition
 - system 459
 - system, Candide 643
 - tool 503, 679
 - tools, generating domain-specific ~ 1193
- knowledge
 - algorithmic ~ 82
 - and action, formal theory of ~ 1163
- knowledge and belief 1019
 - logics of ~ 697
- model for ~ 1154
- knowledge
 - as justified true belief 1019
 - assertional ~ 625
 - background ~ 1101
 - background and contingent ~ 638
- knowledge base 164, 178, 183, 369, 442, 503, 563, 593, 638, 682, 686, 1105, 1143, 1155, 1193, 1249, 1257, 1338, 1350, 1381
 - Ace ~ 418
 - assertional ~ 904
 - basis of a ~ 1264
 - Boolean function of a ~ 1105
 - chemical reaction ~ 134
 - clausal ~ 904
 - conditional ~ 890
 - consistent ~ 1257
 - construction 1272
 - dimension of a ~ 1257
 - disjunctive ~ 645
 - for boolean circuit design 1007
 - irredundant ~ 645, 1105
 - large ~ 177
 - management 398
 - models of a ~ 1105
 - of rules 263
 - optimal ~ 1105
 - propositional ~ 678
 - refinement 442, 1071
 - revising a ~ 1096
 - revision 678, 926
 - sociopathic ~ 1143
 - system GARI, expert-type ~ 336
 - systems 1348
 - updating 686
 - [See also "knowledge bases"]
- knowledge based system 211
 - [See also "knowledge-based"]
- knowledge bases 107, 282, 435, 1264
 - declarative ~ 500
 - expert system ~ 264
 - first-order ~ 1151, 1311
 - Horn ~ 1105
 - manipulation of ~ 398
 - merging multiple ~ 1268
 - redundant ~ 645
 - rich ~ 1378
 - statistical ~ 1378
 - transporting ~ 1116
 - weighted ~ 1268
 - [See also "knowledge base"]
- knowledge
 - being justified true belief 1019

- belief as defeasible ~ 1019
- caching 1155
- chunked ~ 280
- coarse ~ 693
- common ~ 697
- commonsense ~ 942, 943, 944, 946, 1205
- commonsense algorithmic world ~ 82
- compilation 524, 1245, 1288, 1301
- components, imprecision of ~ 689
- conceptual ~ 418
- contingent scene ~ 532
- control ~ 136, 266, 930
- conversion of ~ 239
- corpus of ~ 227
- de re ~ 1168
- decision-making ~ 183
- default ~ 381
- defeasible ~ 890
- design ~ 237
- distributed ~ 697
- domain ~ 478, 503, 659, 953
- domain dependent ~ 166, 500, 561
- domain specific ~ 226, 248, 478, 663, 668
- effective use of ~ 504
- embedded in a program 177
- encoding ~ 177, 178
- engineering 1368
- engineers 690, 1082
- expert ~ 237, 264, 515
- explicit ~ 581
- explicit representation of control ~ 236
- extending ~ 524
- extraction of ~ 524
- extraction program, STATIC 930
- from a semantic network, extracting ~ 337
- gap 555
- geometric ~ 479
- global ~ 73
- heuristic ~ 45, 232, 237
- hiding of portions of ~ 1155
- human ~ 100, 524
- human organization of ~ 82
- human programming ~ 140
- image domain ~ 532
- implicit ~ 111
- in a shape representation 691
- in machine-usable form, encoding ~ 140
- in mathematics 500
- in program synthesis 70
- in the form of production rules 164
- incomplete ~ 693, 956, 1163
- incomplete and uncertain ~ 673
- inconsistent ~ 925
- indefinite ~ 956
- indexical ~ 1163
- indexing 177
- indexing ~ 177
- inductive ~ 65
- intensive 418
- intensive generator, KING 418
- interaction of ~ 233
- interactive acquisition of procedural ~ 643
- into algorithms, non-explicit ~ 45
- large number of chunks of ~ 177
- learned ~ 1363
- learning search control ~ 646
- knowledge level 209, 524, 986
- systems 1011
- theories 600
- knowledge
 - lexical ~ 923
 - linguistic ~ 111, 418
 - logic of ~ 922, 1019, 1220
 - machine models of ~ 933
 - manipulation mechanism 1074
 - mechanizing temporal ~ 110
 - minimal ~ 1089, 1142
 - modal logics of ~ 697
 - objective ~ 1163
 - of a domain expert, generic ~ 368
 - of a domain, theoretical ~ 1135
 - of agents 1163
 - of cause and effect 82
 - of maps 532
 - of structure and behavior 296
 - of the components 396
 - of the goals of programs 172
 - of the scene 1283
 - of the world, background ~ 1033
 - of three-dimensional objects 393
 - operator, distributed ~ 697
 - operators 931
 - organization of ~ 82
 - pattern ~ 493
 - physical ~ 111
 - pre-programmed ~ 538
 - prerequisites 1163
 - principle of AI 607
 - prioritization of ~ 524
 - probabilistic ~ 1005
 - problem background ~ 235
 - procedural control ~ 211
 - procedure for minimizing ~ 1089
 - processing 563
 - program synthesis ~ 126
 - propositional ~ 1185

- prototypical ~ 236, 975
 - real world ~ 136, 187
 - reason about the content of ~ 178
 - reason with uncertain ~ 348
 - reasoning and action in classical AI 604
- knowledge representation 93, 116, 136, 190, 282, 320, 342, 409, 473, 503, 553, 585, 611, 625, 629, 636, 964, 1074, 1151, 1154, 1185, 1220, 1263, 1272, 1288, 1294, 1311, 1339, 1348, 1377, 1381, 1384, 1404
 - formalisms 636
 - in artificial intelligence 553
 - language 937, 1339
 - language LLiLOG 904
 - method 618
- knowledge, representation of ~ 55, 418
- knowledge representation
 - scheme 1345
 - semantics for ~ 601
- knowledge representation system 1339
 - for mathematics, Ontic 1042
 - KL-ONE 433
 - NIKL 512
- knowledge representation systems 94, 486, 904
 - hybrid ~ 904
- knowledge
 - representation, terminological ~ 567
 - representing ~ 907, 1225, 1262
 - retrieval 177
 - scene domain ~ 532
 - search control ~ 955, 1004
 - social ~ 111
 - source, KS 178
 - sources 130, 407
 - sources of ~ 233
 - sources, unreliable ~ 1185
 - specification of ~ 233
 - state description program, PAS-I 23
 - static ~ 561
 - strategic ~ 57, 237, 242
 - structural ~ 237
- knowledge structures 418, 525, 1074
 - of words in context 1074
- knowledge
 - support ~ 237
 - syntactic ~ 923
 - systems 983
 - task domain ~ 190
 - task-specific ~ 376, 959
 - terminological ~ 625
 - to control tree searching 206
 - uncertain ~ 964, 1263
 - underlying ~ 45
 - versus search 232
 - world ~ 923
- knowledge-based
 - analysis 206
 - artificial neural networks 1135
 - assistant, Odyssey 190
 - assistants 1007
 - automatic programming 140
 - consultation program 93, 978
 - deliberation 1241
 - learning 1101
 - methods 1364
 - natural language processing 1371
 - NLP systems 1371
 - problem-solving experts, communicating ~ 106
 - program 183
 - systems 141, 514, 937, 938, 939, 940, 941, 944, 1193
 - [See also "knowledge based"]
- knowledge-engineering 1371
 - environment 1193
- knowledge-guided system 139
- knowledge-intensive 519
- knowledge-level analysis of belief base operations 1254
- knowledge-poor 519
- knowledge-relative-to-assumptions, belief as ~ 1019
- knowledgeable
 - program 555
 - static evaluators 52
- known
 - object models 29
 - reference objects to guide search 1277
- Knuth and Moore 122
- Knuth-Bendix completion procedure 314
- Kolaitis and Papadimitriou 1403
- Kolmogorov axioms for probability 696
- Korf's learning-real-time-A* algorithm 1164
- Korf's taxonomy 1076
 - of subgoal collections, extension of ~ 1076
- Kounalis, Jouannaud and ~ 382
- Kowalski 216
 - Colmerauer and ~ 155
- Kramer, Glenn 1029
- Kraus 890
 - Lehmann and Magidor 925
- Kripke, S. 1243
- Kripke structure 1154
- Kripke's possible world semantics 1243
- Krogh, Anders S. 1044

- Kueker 385
 Kuiper's QSIM algorithm 911
 Kulikowski, Casimir A. 312, 1084
- L**
- label
 consistency 527
 propagation 653
 set, Huffman–Clowes ~ 169
 [See also "labels"]
- labeled graphs, directed ~ 109
- labeling a line-drawing image 322
- labeling a picture graph 169
 knowledge required for ~ 169
- labeling 1102
 a 2D line drawing of a 3D object 1102
 algorithms 479
 analysis of a scene 169
 consistent ~ 585
 constraints 169
 for the trihedral world, Waltz ~ 156
 Huffman–Clowes ~ 156
 image ~ 199
 information 322
 problem 1137
 procedure for the Origami world 156
 scene ~ 199
 scheme 1102
 systems, interval ~ 950
- labelnode hypergraphs, directed recursive ~ 109
- labels
 interval ~ 403
 numerical ~ 199
 symbolic ~ 199
 [See also "label"]
- laboratory medicine 580
- laboriously serializable subgoals 1076
- lacking information 1307
- Ladner 1267
- Ladner and Halpern and Moses 1267
- Laird 610
- Laird, John 402
- Lakemeyer, Levesque and ~ 1213
- Lakoff, George ~ 439
- lambda calculus 969
- landmark
 approach 1232
 point 293
 regions 1232
 values 911
- landscapes 104
- Langley's rule-learning program 335
- Langton, Christopher G. 1134
- language 575, 1057
 ALCHEM 134
 analyser 155
 analysis 135, 155
 antecedent description ~ 1101
 BASIC ~ 239
 behavior, effective ~ 1362
 biases 460
 CLASP representation ~ 1339
 comprehender 82
 comprehension 82, 111, 136, 187
 computational description ~ 137
 computer ~ 342
 computer models of ~ 74
 concept description ~ 1101
 CONNIVER implementation ~ 47
 constrained ~ 1101
 constraint ~ 353
 constructs 1180
 creativity 1074
 description 155
 description ~ 114, 433, 1385
 device-independent ~ 297
 domain description ~ 668
 environmental description ~ 1278
 error diagnosis 125
 expressive ~ 1264
 extended ~ 282
 first-order ~ 385
 first-order logical ~ 282
 FL⁻ 687
 for almost-hierarchical descriptions 157
 for combinatorial problems ALICE 119
 for describing assemblies 159
 for dynamical theories 292
 for examples 137
 for expressing representations 158
 for unified planning and control 1228
 general-purpose programming ~ 1228
- language generation
 systems 1373
 theory of ~ 318
- language
 in action 969
 instruction 125
 knowledge acquisition ~ 503
 knowledge representation ~ 904, 937, 1339
 learning, child ~ 365
 logical ~ 935
 model of ~ 125
 natural ~ 401
 OBJ 473

- of conclusion sets, restricted ~ 1404
 - of credulous extensions 898
 - of determinate function-free clauses of
 - constant depth 1187
 - of EURISKO 247
 - of path-based inheritance 898
 - of the first-order theory of the real numbers
 - 470
 - of time chance and action 1223
- pac-learnable ~ 1187
- perception 414
- phenomena 1364
- plan query ~ 1088
- probabilistic model of ~ 1364
- production 418
- programming ~ 934
- PROLOG ~ 239
- propositional ~ 890, 1005
- query ~ 1264
- recognition 111
- references to time in ~ 25
- representation ~ 188, 567, 1005
- restriction 1162
- restrictions 625
- rule ~ 112
- specification ~ 1185, 1360
- state description ~ 94
- terminological ~ 567, 625
- theory based on planning 318
- transforming ~ 414
- understander 135
- understanding 100
- system 135
- use, normal ~ 135
- [See also "languages"]
- language-comprehension information 187
- language-free deep conceptual base 61
- language-independent information 1080
- language-specific
 - phenomena 1080
 - problems 260
- languages
 - concept ~ 687
 - concept description ~ 1162
 - context-free ~ 1118
 - declarative ~ 211
 - declarative programming ~ 951
 - equivalence of ~ 1234
 - first-order ~ 1162
 - for specifying cognitive models 1360
 - fully expressive ~ 625
 - modeling ~ 679
 - multiple distinct logical ~ 1036
 - procedural ~ 211
 - propositional ~ 1162, 1245
 - query ~ 1361
 - terminological ~ 1339
 - with limited numbers of variables 1379
 - with self-reference 315, 426
 - [See also "language"]
- Lankford 382
- large
 - AI programs 178
 - amounts of noise 1377
 - branching factors 1305
 - consistent networks 928
 - Horn theories 1225
 - knowledge base 177
 - number of chunks of knowledge 177
 - problem spaces 242
 - scenes 1284
 - search spaces 37, 1346
 - signal behavior 295
 - unstructured environments 1278
- large-scale
 - constraint satisfaction problems 952
 - lexical learning system ARIOSTO2-LEX
 - 1364
 - neural networks 1214
 - open systems 603
 - problems 1136
 - scheduling problems 952
- Laske, O. 1328
- last player theorem 207
- Latin 76
- Latombe, J. C. 174
- LAURA, system to debug student programs 172
- law of diminishing utility 1218
- laws
 - of physics 581, 932
 - social ~ 1160
- layered control structure 183
- lazy evaluation 1266
- LC, local conditioning 1366
- leaf values, distinct ~ 674
- LEAP, learning apprentice for digital circuit design
 - 1007
- learn
 - by discovery 287
 - parameters 1280
- learnability 383, 954
 - results PAC-- 1201
- learnable, PAC-- 1201
- learned
 - knowledge 1363
 - values 547

- learning 82, 86, 121, 414, 525, 537, 539, 579, 595, 600, 1123, 1152, 1294, 1363
 - ability of EBL 1380
- learning algorithm 1121
 - FRINGE ~ 1121
 - ID3 ~ 1121
 - mutual-information-greedy ~ 1121
 - simple-greedy ~ 1121
 - weighted greedy ~ 1121
- learning algorithms 460, 613, 1176, 1247
 - FOCUS-1, FOCUS-2 1121
- learning
 - algorithms for behavior ~ 903
 - algorithms for parameter ~ 1410
 - algorithms for system identification problems 1176
- learning apprentice for digital circuit design 1007
 - LEAP 1007
- learning apprentice programs 1007
- learning
 - architecture 634
 - automatic ~ 185
 - back-propagation ~ 515
 - backgammon 515
 - Bayesian ~ 452, 556
 - behavior 613
 - Boltzmann machine ~ 907
 - Boolean concepts 1121
 - by completing explanations 378
 - by creatifying transfer frames 121
- learning by discovery program
 - AM 246
 - EURISKO 246, 247
- learning
 - by observing 1007
 - by trial and error 903
 - by understanding analogies 436
 - capabilities 634, 1159
 - child language ~ 365
 - classifications by example 432
 - classifier system 1152
 - cognitive ~ 55
 - composite moves 576
 - computer systems 1084
 - concept ~ 212, 460, 584, 672, 1219
- learning concepts 383, 1187
 - from examples 1247
- learning
 - conceptual inductive ~ 673
 - connectionist ~ 515, 907
 - control rules 1007
 - curves for ID3 1247
 - data, speedup ~ 1363
 - dynamics 1176
 - efficiency strategies 319
 - efficient ~ 1214
 - efficient strategies 576
- learning environments 542
 - intelligent ~ 545
- learning
 - evaluation function ~ 452
 - explanation patterns 525
 - explanation-based ~ 552, 579, 955, 1004, 1288
 - [See also "EBL"]
 - framework 460, 1380
- learning from examples 79, 378, 1247
 - algorithms for ~ 673
- learning from exercises, theory of ~ 231
- learning from precedents
 - and exercises 231
 - theory of ~ 231
- learning
 - from search failures 1380
 - generalized robot plans 36
 - gradient-descent ~ 521
 - grammatically biased ~ 1101
- learning heuristics 3
 - for planning 1386
 - for scheduling 1386
- learning
 - human concept ~ 518
 - in Bayesian networks 1410
 - in connectionist networks 1185
 - in mathematically-based domains 579
 - inductive ~ 188
 - knowledge-based ~ 1101
 - lesson ~ 378
 - logic programs 1101
 - machine 311
 - machine ~ 246, 287, 310, 504, 517, 522, 686, 1111, 1135, 1187, 1306, 1386
 - maximum-likelihood ~ 907
- learning method
 - based on the differences among concepts 642
 - case-based ~ 1242
 - [See also "learning methods"]
- learning methodology 1380
- learning methods 1363
 - conventional concept ~ 1219
 - evaluating ~ 188
 - hybrid ~ 1135
 - reinforcement ~ 1164
 - speedup ~ 1363
 - [See also "learning method"]
- learning

- models 432
- network ~ 515
- new domain objects 247
- new heuristics 247
- of a Boolean function 1214
- of goal hierarchies, automatic ~ 402
- of heuristics, automating the ~ 3
- of large-scale neural networks 1214
- of modular structured networks 1214
- one subprocedure per lesson 378
- ordering from failure 1231
- PAC-- 1187
- performance 460
- problem solving strategies 576
- learning problems 1121
 - unsupervised ~ 907
- learning procedures 521, 595, 907, 1055, 1185
 - connectionist ~ 521
 - machine ~ 52
- learning
 - process 518, 673
 - production systems from examples 79
- learning program 319, 432, 584
 - concept ~ 113
 - POLYFACT 86
 - rule-- 335
 - SIERRA 378
- learning
 - propositional knowledge 1185
 - Q ~ 903
 - real-time ~ 1164
 - reinforcement ~ 903, 1152, 1165
 - representations of unknown logic formulas 1185
 - rote ~ 246
 - search control knowledge 646
 - shape models 383
 - similarity-based ~ 642
 - spatial representations 1176
 - speed-up ~ 1288
 - statistical ~ 1386
- learning strategies 545
 - multiple ~ 519
 - structural ~ 188
- learning structural descriptions 235
 - from examples 188
- learning structures of visual patterns 642
- learning system 241, 459, 613, 1101, 1135, 1288
 - COMPOSER 1386
 - concept ~ 1101
 - empirical ~ 1071
 - FLORA 673
 - implemented ~ 383, 579
 - lexical ~ 1364
 - machine ~ 526
 - SWALE 525
- learning
 - tasks 1165
 - technique, analytical ~ 955
- learning techniques 903
 - connectionist ~ 1135
 - generalization ~ 3
- learning
 - the syntax and semantics of a language from the same data 595
 - theories 1201
 - theory, computational ~ 1288
 - to track visual motion 1280
 - unbiased ~ 378
 - version of an algorithm 547
 - weak method for ~ 319
 - with forgetting, structural ~ 1214
- least
 - cost set 1034
 - exceptional worlds 455
 - median of squares, LMedS 1270
 - specific abductive explanation 916
- least-commitment strategy 183
- Lee, Han and ~ 529
- Lee, Haralick and ~ 417
- left-to-right depth-first algorithm 257
- legged agent 1158
- Legoland scenes 1137
 - line drawings of ~ 1137
- Lehmann, Kraus, ~ and Magidor 925
- lemmas 21
- Lenat 287
- Lenat, D.B. 305, 306, 608, 937, 938, 939, 940, 941, 944
- Lenat's
 - AM discovery system 538
 - AM program 286
 - EURISKO discovery system 538
- length 262
- LET commands 239
- letter
 - recognition 14
 - segmentation 414
- level
 - of description 664
 - of local consistency 894
 - of precision 657
- levels of granularity 659
- Levesque
 - and Brachman 625
 - and Lakemeyer 1213

- Brachman and ~ 433
- et al. 1351
- Levesque, Hector 1142
- Levesque's
 - axiomatization of only knowing 1256
 - logic 421
- Levine, D.S. 1045
- lexical ambiguity resolution 1074
- lexical components 1074
 - of words and phrases 1074
- lexical
 - concepts 1074
 - data 1364
 - disambiguation 425
 - information 1074
 - items 1074
- lexical knowledge 923
 - acquisition 1364
 - representation 1074
- lexical
 - learning system 1364
 - properties 1074
- lexical semantics 1074
 - level 1080
 - of words 1074
- lexicographic priority mechanisms 633
- lexicon 226, 1074, 1100
 - computational ~ 1074
 - development 1073
- Leyton 495
- LF, logical form, semantic representation for
 - natural language interpretation 1088
- LIBRA, implementation of an automatic
 - programming framework 238
- libraries 1361
- library
 - model fragment ~ 1272
 - of model fragments 1265
 - of object models, index a ~ 1271
 - of representation schemes 692
- life, artificial ~ 1134
- Lifschitz 1089
- Lifschitz, V. 1313
- Lifschitz's pointwise circumscription 1403
- light source
 - coordinate system 321
 - direction 321
- Lighthill, James ~ 58
- likelihood
 - conclusions 578
 - logic to reason about ~ 405
- likely
 - patterns 493
- solution difficulty 1306
- world states 1239
- limit
 - assumption 1096
 - cycles 612
 - heuristic 26
- limit theorems
 - computer proofs of ~ 26
 - of elementary calculus 26
- limit values 40
- limitations
 - of a knowledge base 183
 - resource ~ 1151
- limited
 - agents, resource ~ 1362
 - beliefs 1311
 - default logics 637
 - numbers of variables, languages with ~ 1379
 - positional analysis 30
 - problem domain 62
 - rationality 641
 - reasoning 421, 1151, 1311
 - theory of types 26
- limiting
 - backtracking 1394
 - recursive 1081
- limits
 - automatic computation of ~ 40
 - in mathematical analysis 40
- Lin and Shoham 1089
- Lin, Fangzhen 1142
- line data, imperfect ~ 29
- line drawings 156, 193, 194, 571, 999, 1137, 1260
 - analysis 59
 - complexity of ~ 169
 - in terms of surfaces, model for understanding ~ 156
 - interpretation of ~ 42
 - non-3-D ~ 1260
 - of geometrical shapes 59
 - of Legoland scenes 1137
 - of trihedral scenes 1137
 - scene represented as ~ 29
- line
 - elements 1260
 - finder, context sensitive ~ 41
 - segment, finding a ~ 41
 - sharing 1260
- line-drawing interpretation 205
- line-labeling 322
- linear
 - algebra 279
 - attributes 460

- complexity 407
- constraint satisfaction approach 1034
- constraints 1034
- derivation systems 647
- evaluation function 452
- expected time 248
- format 10
- frequency domain filtering 24
- inequalities 26, 31, 1257
- order 1110
- pattern-matching algorithm 167
- plans, multiple ~ 920
- program relaxation 1391
- linear programming 31
 - problem 279
 - problem, 0–1 integer ~ 1034
- linear
 - regression analysis 964
 - relationship 358
- linear resolution 21, 916
- refutations 142
- strategies 32
- with merging 32
- with selection function 21
- with subsumption 32
- linear
 - simultaneous equations 153
 - speedup 674
 - string-matching algorithm
 - time 140, 302, 1146, 1267
 - time satisfiability algorithms 1245
- linear-space best-first search 965
 - algorithm 965
 - RBFS 965
- linear-space search algorithms 1200
- linear-time algorithms 585
- linearity 73
- linear-quadratic dependence 8
- linguistic
 - actions 318
 - approach to picture interpretation 14
 - decoding 50
 - knowledge 111, 418
 - phenomena 1364
 - transformations Chomsky's description of ~ 427
- linguistics, theoretical ~ 1060
- linkage 665, 1029
 - analysis packages 665
- linked lists 590
- linking
 - causal ~ 679
 - spatial ~ 679
 - sub-type ~ 679
 - temporal ~ 679
- links 622
 - defeasible ~ 935
 - strict ~ 935
- Lion algorithm 1165
- LISP 13, 17, 63, 79, 82, 101, 116, 247, 308
 - function 101
 - interpreter 101
 - mutators basic ~ 247
 - programming 247
- listening machine 1326
- lists 57, 101
- literal 21, 249
 - default rules 637
 - meanings of words 564
- literals 94, 1103
 - clauses with up to k ~ 1201
 - disjunctions of ~ 653
 - negative ~ 213
 - positive ~ 213
 - predicate calculus ~ 94
 - redundant ~ 963
- liver and bile disease 1377
- LL, logic to reason about likelihood 405
- LLILOG, knowledge representation language 904
- LMedS, least median of squares 1270
- LMS, modelling system 184
- load balancing 972
 - schemes, static ~ 1018
- local
 - behavior determines global behavior 551
 - compilation techniques 1227
 - computational techniques 1212
 - computations 400
- local conditioning 1366
- LC 1366
- local consistency 585, 894, 949, 1120
 - conditions 894
 - methods 354
 - techniques 1110
- local constraint propagation 462, 585
 - algorithms 462
- local
 - differential techniques 1281
 - distortions 265
 - evidence 1358
 - geometric information 392
 - gradient ascent 907
 - labeling 169
- local minima, escaping from ~ 515
 - problem 1214
- local

- network 1218
- notion of consistency 1138
- optima 1143, 1228
- perturbations 502
- pragmatics 1059
- propagation 368
- reasoning 421
- sensory probing 169
- stability properties 551
- surface orientation 194, 265, 321
- syntactic restrictions on working memory 1111
- locality of a clause 1187
- localization 1269
 - problem 1269
- localizing
 - faults 396
 - isolated objects 574
- locally
 - consistent 462
 - infinite search spaces 37
 - optimal 241
 - optimal decisions 547
- locating a stored prototype 1274
- location 268
 - of points 1283
 - of the hardest problems 1296
 - of the phase transition 1300
- log-normal distribution 1302
- log-polar sensors 1274
- log-space complete 585
- logarithmic
 - precision, heuristics with ~ 232
 - time 585
- logarithms 40
- logic 374, 395, 470, 601, 1162, 1180, 1338
 - and artificial intelligence 602
 - annotated ~ 935
 - autoepistemic ~ 303, 449, 516, 549, 566, 639, 677, 922, 984, 1154
- logic based
 - diagnosis 684
 - planner, interval temporal ~ 1211
- logic
 - C, conditional ~ 541
 - classical ~ 593, 640, 1311, 1343
 - classical modal ~ 1388
 - classical notions of ~ 549
 - classical propositional ~ 1213
 - clausal ~ 216
 - complexity of modal ~ 1267
 - conditional ~ 1057, 1388
 - cumulative default ~ 649
 - declarative ~ 1119
 - deduction in a conditional ~ 1057
 - default ~ 379, 445, 449, 677, 922, 1138, 1142, 1148, 1182, 1222, 1343, 1365
 - digital ~ 297
 - doxastic ~ 1086
 - dynamic ~ 395, 969, 1243
 - epistemic ~ 1168, 1213
 - equational ~ 314, 473
 - experimental ~ 374
 - first-order ~ 80, 395, 409, 426, 455, 508, 669, 895, 913, 916, 1119, 1162, 1223
 - first-order conditional ~ 409, 455
 - first-order modal ~ 1168
 - first-order predicate ~ 1246
 - for approximate reasoning 1162
 - for belief revision 435
 - for default reasoning 151
 - for reasoning about belief revision 1096
 - for reasoning with inconsistent knowledge 925
 - for two-place preference operators, complete ~ 1243
 - formal ~ 31, 628
 - formal proof in symbolic ~ 88
 - formula manipulation in ~ 31
 - fuzzy ~ 1112, 1258
 - grammars for natural language 216
 - ideal nonmonotonic ~ 925
 - inductive predicate ~ 55
 - levels 662
 - Levesque's ~ 421
 - LL 405
 - mathematical ~ 401
 - modal ~ 405, 1089, 1154, 1162, 1163, 1171
 - modal action ~ 1243
 - Moore's autoepistemic ~ 1154, 1365
 - multivalued ~ 1241
 - nonmonotonic ~ 149, 303, 419, 450, 488, 494, 640, 1365, 1404
 - nonmonotonic modal ~ 1032
 - nonstandard propositional ~ 1213
- logic of belief 1311
 - extended ~ 549
- logic
 - of chronological ignorance 464
 - of constraint satisfaction 948
 - of defaults 151
 - of implicit and explicit belief 1213
 - of justified assumptions 922
- logic of knowledge 922, 1019, 1220
 - and belief 1348
 - and justified assumptions GK 922

- logic
 - of minimal knowledge 1089
 - of mutual belief 1086
 - of nonmonotonic reasoning 633
 - of nonmonotonicity 541
 - of only knowing 1256
 - of plurality quantifiers 401
 - of private beliefs 1086
 - of problem solving 83
 - of set theory 127
 - of system P 925
 - of temporal incidence 546
 - of time chance and action 1223
 - order-sorted ~ 904
 - order-sorted predicate ~ 904
 - possibilistic ~ 651, 1388
 - predicate ~ 314, 925
 - preference ~ 1243
 - preferential ~ 675
 - probabilistic ~ 348, 985, 1124
 - probability ~ 1112
 - procedural ~ 308
 - program 208
 - logic programming 374, 467, 539, 566, 639, 948, 1105, 1142, 1194
 - argumentation as a special form of ~ 1194
 - constraint ~ 934, 951
 - inductive ~ 1187, 1201, 1370
 - with stable set semantics 566
 - logic programs 639, 922, 1187
 - learning ~ 1101
 - semantics of ~ 639
 - with multiple clauses 1187
 - logic
 - propositional ~ 80, 575, 1135, 1355, 1162
 - propositional nonmonotonic ~ 494, 1142
 - Reiter's default ~ 453, 1148
 - relevance ~ 1151, 1213
 - semantical generalization of ~ 348
 - semimonotonic ~ 649, 1148
 - sorted first-order ~ 669
 - strongest modal ~ 1220
 - subsystem 635
 - symmetric ~
 - temporal ~ 281, 395, 669
 - Logic Theorist program 37
 - logic
 - to reason about likelihood 405
 - variable precision ~ 363
 - [See also "logics"]
 - logic-based
 - calculus for reasoning about the movement of objects 1224
 - knowledge representation systems 486
 - logic-centered backward analysis 134
 - logic-style clauses 653
 - logical and algebraic reasoning, integrated ~ 1217
 - logical approach
 - to artificial intelligence 601
 - to planning 1223
 - logical
 - axioms 374
 - calculus, restricted ~ 948
 - completeness 625
 - connectives 84
 - logical consequences 638
 - of the constraints 1119
 - logical
 - deduction 635
 - descriptions 1219
 - disjunction 687
 - logical entailment 348
 - probabilistic ~ 348
 - logical
 - form LF 1088
 - formulas 1225, 1381
 - foundations of artificial intelligence 489, 490, 491
 - framework for default reasoning 453
 - implication closure of goals under ~ 1243
 - inference system 12, 374
 - interpreter 948
 - logical language 601, 935, 1223
 - first-order ~ 282
 - L^{-3} 1379
 - logical
 - languages, multiple distinct ~ 1036
 - links 622
 - minimization 486, 922
 - model 532
 - omniscience problem 1213
 - operators 1223
 - problems about belief 356
 - proof 88, 291
 - reasoning 1124, 1217
 - relationships 188
 - logical representation 635
 - systems 948
 - logical
 - rules 374
 - soundness 625
 - structure 1194
 - logical
 - system 348
 - systems, non-monotonic ~ 149
 - theory, ILP constructed ~ 1370

- logically
 - closed belief set 1254
 - equivalent expressions 374
 - logicism 602
 - logics
 - action ~ 1243
 - belief ~ 1151, 1311
 - classical ~ 1191
 - classical modal ~ 1248
 - constrained ~ 1068
 - cumulative ~ 575
 - cumulative default ~ 1148
 - description ~ 1361, 1379, 1385
 - epistemic ~ 931
 - experimental ~ 1081
 - expressiveness of ~ 1379
 - fixed-point nonmonotonic ~ 922
 - for belief 421
 - free ~ 636
 - in AI, temporal ~ 408
 - maximal ~ 1220
 - modal ~ 426, 697, 1036
 - multi-valued ~ 372
 - multilanguage hierarchical ~ 1036
 - multivalued ~ 1162
 - nonclassical ~ 1388
 - nonmonotonic ~ 464, 541, 922
 - nonmonotonic modal ~ 1220
 - of belief 549
 - of incomplete information 149
 - of knowledge and belief 697
 - of normality, conditional ~ 1097
 - of probability 597
 - predicate ~ 1379
 - preference ~ 541
 - reified temporal ~ 1246
 - sorted ~ 635
 - terminological ~ 501, 512
 - weaker ~ 1311
 - [See also "logic"]
 - LOGO turtles 73
 - long action sequences 522
 - long-run measure of crossover bias 1244
 - long-term behavior 1156
 - of a dynamical system 551
 - long-term memory, very large ~ 44
 - look-ahead
 - method 27
 - procedure 168
 - search, minimax ~ 547
 - tree 27
 - look-back schemes 1231
 - looming detection 1274
 - loop 70, 1361, 1366
 - closed ~ 571
 - loop cutset 644, 1253
 - minimum ~ 1253
 - loop unwinding 247
 - loose coupling 904
 - loosely constrained initial plan 336
 - loser-take-nothing 1270
 - lottery paradox 638, 1092
 - Loveland 1299
 - Loveland, Gelernter, Rochester, Hansen and ~ 4
 - Loveland's
 - model elimination 21
 - subsumption conditions 10
 - low
 - frequency components of a surface 569
 - resolution imaging 613
 - low-level vision 194, 199, 273
 - problems 1001
 - low-resolution scene parts 1284
 - lower bound
 - condition 15
 - heuristics 1237
 - on uncertainty 1340
 - lower
 - envelopes 1112
 - previsions 1258
 - probability 1258
 - lower-level cognitive functions 590
 - lowest-cost map 1037
 - Loy, D. Gareth 1329
 - Lukaszewicz 1138
 - lumping 1390
 - lying by an agent 1352
- M**
- m-abstraction mappings 181
 - m-ary tree 179, 232
 - MA* 534
 - algorithm 534
 - machine behavior 1156
 - predicting ~ 1156
 - machine
 - composing 1326
 - deductive consequence generating ~ 18
 - machine discovery 1376
 - in chemistry 1039, 1226
 - of a theorem in particle physics 1376
 - program, PAULI 1376
 - programs 1376
 - systems 523

- machine
 - hypothesis generating ~ 18
 - intelligence 258
- machine learning 246, 287, 310, 311, 467, 504, 517, 522, 526, 686, 1111, 1135, 1187, 1306, 1386
 - of heuristics 3
 - procedures 52
 - program, Protos 584
 - systems 526
- machine
 - listening 1326
 - manipulation 139
 - models of thought 933
 - planning 583
 - proof of algorithm termination 1141
 - reasoning about structure 1037
 - representations 114
- machine translation 1073, 1080
 - research 1073
- machine vision 479, 495, 1077
 - attention in ~ 1273
 - reasoning system for ~ 479
 - [See also "machines"]
- machine's geometry 1156
- machine-usable form, encoding knowledge in ~ 140
- machines 339
 - information processing in ~ 332
 - reasoning about ~ 1156
 - [See also "machine"]
- machining plans of mechanical parts 336
- Mackworth, A. K. 499
- Mackworth and Freuder 354
- Mackworth, Huffman and ~ 102
- Mackworth's
 - approach 205
 - discrete relaxation 168
 - program Poly 205
- MacLaurin's series 40
- macro
 - action 36
 - generation 576
- macro-operator 319, 407, 930
- Magellan SAR imagery 569
- Magidor, Kraus, Lehmann and ~ 925
- magnetic resonance spectra, nuclear ~ 263
- main computational problem of default logic 1191
- maintain consistency 190
- maintaining
 - mental models of agents 654
 - qualitative understanding incrementally ~ 663
- maintenance 582
 - of consistent databases 894
 - reason ~ 962
 - skeptical reason ~ 962
- major findings and hypotheses of AI 607
- majorisation 1247
- majority rule, weighted ~ 1268
- Makinson, Gärdenfors and ~ 1038, 1057
- mal-rules, domain ~ 184
- malfunctioning device 588
- management
 - costs of SSS*, high ~ 384
 - electricity transportation ~ 1173
 - of computational resources 1090
 - of evidence 328
 - of evidential reasoning 328
 - of inference tools 625
 - uncertainty ~ 1388
- manager agents 1307
- managing
 - a workplace 1170
 - beliefs 527
 - evidential reasoning 996
 - large sets of qualitative temporal relations 1169
- manifested behavior 396
- manipulating
 - assumption sets 351
 - interactions 658
 - justifications 351
- manipulation
 - of knowledge bases 398
 - of sets of assumptions 435
 - robot ~ 300
 - system, planning within a ~ 201
- manufacturing parts, plans for ~ 336
- many-sorted resolution 324
 - calculus 324
- man-machine
 - systems 107
 - theorem proving 434
 - theorem proving system 48
- MAO* algorithm 534
- MAP
 - assignments 1069
 - explanation 1069
 - maximum a posteriori probability 1069
- map-maker 1278
- map-understanding program, Mapsee 532
- mapping
 - a representation of a problem onto a new representation 927
 - part-whole hierarchies into connectionist networks 591

- mappings called abstractions, class of ~ 181
- MAPS, dynamical system understanding system 1113
- MAPs for belief networks 1175
- Mapsee, map-understanding program 532
- Marcus parser 425
- marginal
 - expected utility 634
 - representation 1212
 - utility MU 634
- marginals 1212
 - computing ~ 1212
- marketing 1082
- Markov
 - chain 912
 - decision processes 1165, 1239
 - model taggers, single-tag ~ 1356
 - modeling 1165
 - trees 1212
- Markovian conditions 1338
- Marr 431
 - and Poggio 200
 - and Ullman 289
- Marr's 2 1/2 -D sketch 431
- Maryland refutation proof procedure system, MRPPS 46
- mass, flows of ~ 1196
- Massey, L.D. 617
- massively parallel
 - algorithm for arc consistency 953
 - cooperative computation 273
 - machine NON-VON 398
 - message-passing rule-based systems 522
 - network 514
- match algorithm 695
 - Rete ~ 219
- match
 - computations 695
 - formulation 1111
 - instantiationless ~ 1111
 - non-combinatorial ~ 1111
 - of individual productions 1111
- Match, problem solving method 220
- match
 - processing 695
 - Rete ~ 688
- match-search 1111
- matches of objects, hypothesizing ~ 201
- matching 111, 136, 308, 376, 478, 692, 1270, 1361
 - a pair of stereo images 1276
 - agents with environments 1159
 - algorithm structure ~ 68
 - algorithms 526
 - ambiguities of ~ 440
 - ambiguity 1270
 - chromosome ~ 8
 - expression 1216
 - for left-associative joins 695
 - image ~ 1387
 - model ~ 478, 479
 - model-based ~ 393
 - on demand 695
 - partial ~ 514
 - support measure of ~ 1270
 - valences of structurally related words 1074
- material continuity 492
- mathematical
 - analysis 186
 - concepts 115
 - conjectures 115
 - decision theory 60
 - descriptions 1219
 - domain 500
 - expression
 - field 500
 - induction 974, 1114
 - model of an agent's belief 1025
 - Platonism 932
 - precision 94
 - programming 119
 - properties of nested abnormality theories 1262
- mathematical reasoning 166, 579
 - system 166
- mathematical
 - relations, acausal ~ 1083
 - simplicity 94
 - symbols 119
 - treatment of defeasible reasoning 680
- mathematically-based domains 579
- mathematicians
 - reasoning processes of ~ 1055
 - methods 118
- mathematics 500, 628, 1180
 - concepts 247
 - foundations of ~ 247
 - knowledge in ~ 500
 - knowledge, representation system for ~ 1042
 - mechanical ~ 31
 - metaknowledge in ~ 500
 - of continuously varying quantities 291
 - of nonmonotonic reasoning 150
 - pure ~ 500
- matrices, conditional probability ~ 1367
- matrix, complementarity of a ~ 214
- maximal

- compactness 587
- logics 1220
- satisfaction problems 949
- maximally
 - preferred states of belief 633
 - specific conjunctive generalizations 188
 - specific conjunctive, MSC 188
- maximin 562
- maximization of the agents' global utility 1353
- maximizing
 - classification accuracy 1143
 - the predictive value of production rules 580
- maximum
 - a posteriori probability, MAP 1069, 1175
 - Boolean satisfiability problem 1305
 - cardinality 1110
 - entropy 514
 - likelihood learning 907
 - plausibility requirement 631
- maxn
 - algorithm 615
 - multi-player version of minimax 1107
- MBT2, a method in example-based translation 1216
- McAllester, David A. 1042
- McAllester's conspiracy numbers algorithm 559
- McCarl 610
- McCarthy 150, 247, 346, 1262
 - and Hayes 20, 454
 - John 1313
- McCarthy's
 - circumscription 380, 639
 - theory of circumscription 485
- McConnell-Ginet, Sally ~ 967
- McCorduck, P. 270, 271
- McDermott
 - Allen and ~ 408
 - and Doyle 150, 303, 494
 - Drew 173
 - Hanks and ~ 450, 455
 - Shoham and ~ 640
 - Shoham, ~ and Sandewall 640
- MD/PV model of spatial reasoning 666
- mean 1184
 - complexity of A* 232
- mean-valued operators 422
- meaning
 - and grammar 967
 - representation 65
 - truth and ~ 510
 - word ~ 66
- meaningful semantic variants 247
- means 307
 - set 307
- means–ends
 - analysis 19
 - models 1196
- measure
 - of accuracy 447
 - of belief 368
 - of matching support 1270
 - of problem difficulty 407
 - of realism 100
 - of the error 521
 - of unexplored potential 1340
 - statistical relatedness ~ 66
- measurement
 - in diagnosis 1040
 - motion ~ 289
 - of visual motion 289, 1279
 - principles of ~ 395
 - theory of ~ 1040
 - validation 1196
- measurements 1067
 - and actions, plan of ~ 957
 - of image features 201
- measures
 - of possibility 206
 - of the cost distribution 1184
 - of uncertainty 1258
- measuring
 - robot task complexity 1177
 - the complexity of a line drawing 169
 - the performance potential of chess programs 555
- mechanical
 - assembly 1153
 - clocks 573
 - design 1341
 - devices 1156
 - discovery of symmetries 98
 - effectors 320
 - engineering 540
 - equipment 104
 - errors 1278
 - inference problems 49
 - mathematics 31
 - solution of Schubert's Steamroller 324
 - speech understanding, effective ~ 49
 - theorem prover 434
 - theorem proving 213
- mechanics 660
 - Newtonian ~ 640
 - problem solving program 120
- mechanism
 - analysis 915
 - design 915, 1352

- mechanisms 573
 - built of rigid parts 665
 - negotiation ~ 1352
 - of disease 133
 - of the mind 1316, 1317
- mechanization of abstraction 927
- mechanized
 - formal reasoning 152
 - object theory 1251
- mechanizing temporal knowledge 110
- MECHEM 1226
 - system for automatic discovery in chemistry 1039
- median 1184
 - computational cost 1304
 - search cost 1184
- medical
 - consultation 132, 446
 - consultation by computer 446
 - databases 129
- medical decision making 132
 - computer-aided ~ 133
- medical diagnosis 405, 413, 1143, 1377
 - categorical reasoning in ~ 132
 - consultation program for ~ 133
 - in liver and bile disease 1377
 - probabilistic reasoning in ~ 132
- medical
 - problem solving 237
 - treatment consultation, program for ~ 133
- medicine 104, 395, 580, 998, 1082
- MEET, system for mechanical design 1341
- Mehler, Jacques 568
- Meinongian theory of Parsons 636
- Mellish's
 - approach 1192
 - description identification algorithm 1192
- memory 260, 337, 652
 - associative ~ 614, 1070
 - content addressable ~ 614
 - for concept data 61
 - limitations 534
 - mechanism 1152
 - organization, conventional ~ 590
 - requirement, exponential ~ 965
 - restricted ~ 534
 - retrieval, human ~ 596
 - structures 82
 - unlimited ~ 1342
 - utilization 67
 - versus node expansions tradeoff 534
 - within Soar 1360
 - working ~ 1111
- memory-based parsing 260
- memory-constrained 1342
 - search algorithm MREC 1342
- Mendelzon, Katsuno and ~ 1250
- mental
 - capabilities 115, 932
 - computation 1048
 - content, central role of ~ 602
 - context shared ~ 111
 - mappings, human ~ 1037
 - models of agents 654
 - processes, taxonomy of ~ 932
- mental state 931, 932
 - of agents 931
- Mercer, Etherington, ~ and Reiter 345
- merges in proofs by resolution 10
- mergesort 126
 - algorithms 330
- merging
 - linear resolution with ~ 32
 - local hypothesized matches 201
 - multiple knowledge bases 1268
 - operation 1268
 - operators 920
 - plan ~ 920
 - redundancies 1059
- message passing 492
 - algorithm 413
 - between adjacent elements 492
 - systems 522
- meta-actions 500
- meta-communication explicit ~ 269
- meta-control strategy 1157
- Meta-DENDRAL 128
 - expert system 983
- meta-graph data structure 1169
- meta-interpreters for argumentation systems,
 - generating ~ 1194
- meta-knowledge in mathematics 500
- meta-language 1404
 - for knowledge base refinement 442
- meta-level 242
 - control policies 641
 - control problem 1239
 - inference 185
 - reasoning 185
 - strategies 242
- meta-logical properties 549
- meta-object protocol 1028
- meta-planning 18
- meta-physics of consciousness 1052
- meta-reasoning 641
- meta-rules 177, 178

- meta-theoretic theorem proving 1036
- meta-theories 603
- meta-theory of a mechanized object theory 1251
- method
 - configuration 1193
 - designers 1193
 - of conditioning 644
 - of conditioning for inference 1253
 - of generalization with beliefs 145
 - selection 1193
- methodology
 - for cognitive modelling 1360
 - of artificial intelligence research 287
 - of inductive learning 235
- methods of scientific inquiry 628
- metonymy, resolution of ~ 1059
- metric
 - constraints 1357
 - diagram 666
 - dimensions 915
 - expressivity 1290
 - information 268, 632, 1278
 - properties 262
- Meyer, Jean-Arcady 1131
- MGA
 - algorithm for finding a loop cutset 1253
 - complexity of ~ 1253
- Michalski, R.S. 310, 311
- Michie, D. 258
- micro-economics 1218
- micro-electronics domain, specific dictionary for ~ 1371
- micro-processor 662
- middle game positions 206
 - in chess 164
- Miller, P.L. 446
- Miller, Schubert, Taugher and ~ 1169
- MIMD machines 1018
- min-conflicts heuristic 952
- MIN-FEATURES bias 1121
- min/max
 - approximation 422
 - game trees searching ~ 422
 - trees 56
- mind
 - mechanisms of the ~ 1316, 1317
 - myths about the ~ 1316, 1317
 - nature of ~ 1056
- minds 339
 - information processing in ~ 332
- Minima symbolic algebra system 658
- minimal
 - and sufficient subset of features 1121
 - belief 1142
 - minimal change 678, 1243
 - principle of ~ 926
 - minimal
 - completion 150
 - conflict sets 1040
 - core of beliefs 671
 - minimal cost
 - proof 1069
 - strategies, Smith algorithm for ~ 645
 - minimal
 - deceptive problem 655
 - diagnosis 917
 - entailment 150
 - hitting sets 1040
 - minimal knowledge 1142
 - logic of ~ 1089
 - problem 1089
 - minimal model 301, 1154
 - semantics 1403
 - style semantic 375
 - minimal models 346, 970
 - abstractly ~ 698
 - truths of the ~ 346
 - minimal network 1140, 1257
 - equivalent ~ 1122
 - minimal
 - nogoods 1301
 - property of a default 638
 - rationality 506
 - set of abnormalities 684
 - minimal sets
 - of failing components 917
 - of violated assumptions 396
 - minimal
 - solution graph 15
 - terminological representation language 567
 - minimality
 - criteria of models 698
 - of performed changes 962
 - of the extension of a predicate 488
 - minimax 253, 257, 1107
 - algorithm 143, 252, 384, 558, 615
 - algorithms, fixed-depth ~ 1374
 - based techniques 56
 - distortion 243
 - game trees 362
 - games 1374
 - lookahead search 547
 - operations 243
 - problem 560
 - search 207, 253, 422, 615, 1374
 - search, *~ 257

- search, best-first ~ 1344
 - search procedure 559
- minimax tree search 240
 - algorithms 240
- minimax trees 162, 257
 - *~ 257
 - searching ~ 1206
- minimax value
 - of game trees 143
 - of the root 1066, 1344
 - of the root node 162
 - root ~ 447
- minimax
 - values, plausible ~ 559
- minimaxing 253
- minimization 461, 1183
 - Boolean function ~ 1105
 - causal ~ 1189
 - intuitive and desired ~ 346
 - of Horn functions 1105
 - of the off-line time 1358
 - problem, bipartite graph~ 1143
 - problem on a DAG 1069
 - semantic model of ~ 380
 - state-based ~ 1189
- minimizing
 - conflicts 952
 - knowledge procedure for ~ 1089
- minimum
 - cost merged plans 920
 - entropy technique 588
 - loop cutset 1253
 - penalty 1342
 - possible number of rules 1105
 - width 1110
- Minker's
 - GCWA 375
 - generalized closed world assumption 375
- Minsky 135
 - Marvin ~ 627, 628
- Minton, Steve 646
- min-max
 - game trees 447
 - search 447
- miracles 496
- miscommunications 287
- misconceptions 544
 - existential ~ 654
 - object-related ~ 533
 - reasoning about sources of ~ 533
- mismatches 544
 - between past experiences and new problems 1093
- missing
 - data 393
 - edges 139
 - information 1165
- missionary-and-cannibal problem 45
- MIT 200
- Mitchell 672
 - et al.'s rule-learning program 335
 - T.M. 310, 311
 - version space strategy of ~ 672
- Mitchell's candidate elimination algorithm 1192
- ML systems, multi-language systems ~ 1036
- mobile robot 605, 1160, 1232
 - platform Flakey 1241
- modal
 - action logic 1243
 - conditional truth 1248
 - constructs 1223
 - duality 1248
- modal epistemic logics 1168
 - for many agents 1168
- modal
 - formalisms 426
 - framework 1096
 - information 1088
- modal logic 405, 1089, 1097, 1154, 1162, 1163, 1171, 1388
 - complexity of ~ 1267
 - first-order ~ 1168
 - formalization of discrete-event dynamics 1171
 - K45 1267
 - K45_n 1267
 - KD45 1267
 - K_n 1267
 - nonmonotonic ~ 1032
 - quantitative ~ 1388
 - S4F 1089
 - S4_n 1267
 - S5 1267
 - S5_n 1267
 - strongest 1220
- modal logic system 1198
 - of common belief 1198
 - of individual belief 1198
- modal logic T_n 1267
- modal logics 426, 603, 697, 1036, 1248
 - complexity for ~ 697
 - KD45, SW5, S4F and S4.2 1220
 - nonmonotonic ~ 1220
 - of belief 697
 - of knowledge 697
- modal

- mutual belief operator 1086
 - operators 1142, 1267
 - theories autoepistemic expansions of ~ 1154
- modal truth 1248
 - conditional on executability 1248
 - criteria 1094, 1248
 - criteria for POPI plans 1094
 - criterion MTC 1248
- modality 426, 1088
 - provability as a ~ 150
- mode of operation of SHUNYATA 1055
- model
 - abstraction 1083
 - accuracy 918
 - adequacy 1272
 - aggregation 1083
 - building 918
- model composition 659
 - algorithm 659
- model
 - consistency 64
 - construction operators 679
 - designer 64
- model elimination 80, 90
 - Loveland's ~ 21
 - theorem proving procedure 916
- model
 - error 477
 - features 1274
 - for belief revision 435
 - for knowledge and belief 1154
 - for understanding line drawings in terms of surfaces 156
 - formation 479
- model fragments 659, 1144
 - approximations 1272
 - composing ~ 1272
 - formulation problem 1265
 - library 1265, 1272
- model human
 - accent strategies 1060
 - intelligence 610
- model
 - improvement 64
 - management system, automated ~ 918
 - matching 478, 479
 - minimal ~ 301
 - of a classical logic 1343
 - of a constraint theory 1068
 - of a physical system 1265
 - of a set of clauses 301
 - of abduction 1178
 - of adversary planning 189
 - of an agent 654
 - of an artifact 396
 - of belief 1025
 - of computation, actor ~ 106
 - of computation data-driven ~ 337
 - of context 125
 - of cooperative behavior 176
 - of generalization 459
 - of human intelligence 1172
 - of human society 1218
 - of language computer's 125
 - of personality traits 171
 - of redundancy 459
 - of representation changes 158
 - of the world 973
 - parameter values 1310
- model selection 1272
 - algorithm 1272
- model
 - sensitivity analysis 918
 - simplicity 1144
 - surfaces 571
 - the environment 1211
 - theories, non-standard ~ 1311
- model theory 116, 346
 - first-order ~ 453
 - of circumscription 346
- model
 - uncertainty 477
 - verification 64
 - views 1269
 - [See also "models"]
- model-based approach
 - to abductive reasoning 1381
 - to reasoning 1381
- model-based
 - diagnosis 588, 917, 1178
 - matching 393
 - prediction 396
 - representation 1225, 1381
 - representations of Horn theories 1225
 - troubleshooting 662
 - vision 479
 - vision systems 201
- model-counting problems 1245
- model-driven
 - approach, exhaustive ~ 131
 - hypothesis formation 131
- model-finding 948
- model-preference default theories 586
- model-preserving transformations 532
- model-theoretic 1365
 - account of default inference 586

- interpretation 116
- point of view 678
- semantics 602, 898, 904
- modeling 360
 - a dynamic and uncertain world 1104
 - a dynamic environment 1067
 - a search space 1136
 - algorithms 1136
 - assumptions 659, 1136
 - belief 1151
 - cognitive competence 1011
 - correlations between visible variables 907
 - creativity 1322
 - dependency, hidden node for ~ 1367
 - digital circuits 662
 - intelligence 106, 1172
 - languages 679
 - polygonal regions 482
 - primitives 291
 - of robots 411
 - the physical world 1144
 - stochastic ~ 1244
 - student's problem solving 184
 - system LMS 184
 - the world as a collection of plane surfaces ~ 204
 - visual attention 1273
- models 107
 - multiple ~ 660
 - of a knowledge base 1105
 - of attention, computational ~ 1273
 - of chronological ignorance logic 464
 - of evidential reasoning 328
 - of knowledge, machine ~ 933
 - of the belief systems of others 146
 - of thought, machine ~ 933
 - of visual objects 383
 - preferential ~ 575
 - satisfying assignments 1381
 - [See also "model"]
- modification
 - conservative plan ~ 1235
 - of an existing program 70
 - plan ~ 1129, 1303
 - process 525
- modifications to pieces of LISP code 247
- modifier 335
 - attachments 643
- modifiers
 - of a concept 76
 - of a syntactic item 216
- modifying
 - design plans 520
 - plans 1361
 - primitives 376
- modular
 - algebraic specification 473
 - knowledge representations 1386
 - networks, multi-layer ~ 1214
 - programs 185
 - structured networks, learning of ~ 1214
 - structuring, parameterized ~ 473
 - techniques 898
 - translation 397, 1365
- modularity 136
 - of causal organizations 1338
 - rule ~ 1143
- modules 1079
- modus ponens 419
- Mohr and Henderson 457, 529, 688, 934, 1125
- Mohr and Henderson's path consistency algorithm 457
- molecular
 - biology 1135
 - geneticists 131
 - genetics 182, 183, 371
 - structural transformations 1226
- molecules small ~ 1370
- MOLGEN 183
 - planner for gene-cloning experiments 182
- moment-tensor approach to analysis of 3D texture 587
- moments 587
- momentum 291
- monadic predicates 1379
- monitor, computer program ~ 73
- monitoring 663
 - conservative ~ 663
 - patient ~ 1157
 - problem-solving cost 323
 - the real-world execution of a plan 36
- monocular
 - analysis 376
 - observer 1275
 - views 192
- monocularly viewed objects 456
- monotone
 - continuous set operator 1086
 - formulae 1245
 - heuristic 914
 - theory 1381
- monotonic
 - constraints 934
 - function 664
 - inference classical ~
- monotonicity 575

- C-restricted ~ 1198
 - composition of ~ 658
 - constraint 578
 - operators 658
 - rational ~ 675
 - rule of individual belief 1198
- Montague 116
 - and Thomason 426
 - formalism 425
 - semantic objects 425
 - semantics 895
- Montague's
 - formalism 116
 - intensional logic 116
- Montanari and Waltz 97
- Monte Carlo
 - studies 253
 - technique 912
- Moore, Knuth and ~ 122
- Moore's autoepistemic logic 639, 922, 1154, 1365
- Morgan, Jerry 968
- morphological change 495
 - of two-dimensional patterns 495
- MOS circuits 295
- MOSAIC vision system 376, 478
- Moses, Halpern and ~ 1089
- Moses, Ladner and Halpern and ~ 1267
- most
 - general set of new conjectures 436
 - likely to fail principle 168
 - preferred model 586
 - specific abductive explanation 916
- motion 283
 - axes 665
 - between images 1270
 - command 667, 1232
 - control 1232
 - discontinuities 154
 - estimation, 3D ~ 1279
 - field 1279
 - from texture 283
 - in space 289
 - in the three-dimensional world 1279
 - measurement 289
 - of a particle 120
 - of rigid and jointed objects 222
 - parameter 1279
- motion perception 1279
 - human ~ 289
- motion
 - picture analysis 104
 - planner 667
- motion planning 392, 474, 667
 - robot ~ 477
 - with uncertainty 1232
- motion
 - strategies 477
 - visual ~ 289
- motions 665
 - of parts 665
 - of rigid objects forced ~ 38
- motivated action theory 1145
- motivation analysis 430
- motivations, explanatory ~ 430
- move ordering 1066
 - in game trees 674
 - tree 30
- movement
 - organization of ~ 289
 - reasoning about ~ 1224
- movers' problem 392
- moving
 - objects 456
 - space curve 440
- Mozer, Michael C. 1051
- MP planning algorithm 1129
- MP-I planning algorithm 1129
- MREC, memory-constrained search algorithm 1342
- MRPPS, Maryland refutation proof procedure
 - system 46
- MSC, maximally specific conjunctive 188
- MSC-generalizations 188
- MTC, modal truth criterion 1248
- MTD(f) search algorithm 1374
- MU
 - heuristic 634
 - marginal utility 634
- multi-agent conception of action 604
- multi-agent distributed interpretation 1358
 - systems 1358
- multi-agent systems 1173
 - design of ~ 1160
- multi-agents reasoning systems 1268
 - [See also "multiagent"]
- multi-column subtraction 609
- multi-contributor causal
 - links 1129
 - structures 1129
- multi-databases 1268
- multi-language systems (ML systems) 1036
- multi-layer modular networks 1214
- multi-level
 - perception 414
 - reasoning system for machine vision 479
- multi-plan deal type 1285
- multi-player version of minimax 1107

- multi-type vertices 322
- multi-valued
 - attributes 347
 - logics 372
 - state variables 1234
 - [See also "multivalued"]
- multiagent
 - consensus 1353
 - environment 1353
- multiagent negotiation 1174
 - under time constraints 1174
- multiagent systems 1353
 - [See also "multi-agent"]
- multiattribute value theory 1082
- multiclauses 181
- multiframes 440
- multilanguage hierarchical logics 1036
- multilevel
 - counterfactuals 163
 - flow models 1196
 - representations 1219
- multimodal
 - communication 1058
 - interfaces 1058
 - presentation, generation of a ~ 1058
 - presentation system WIP 1058
- multiple
 - agents 281, 1358
 - alarm situations 1196
 - alternative goals 72
 - bindings in parallel 594
 - clauses, logic programs with ~ 1187
 - competing objectives 1082
 - complex images 376
 - criteria for a game position 1238
 - defeasible inheritance 1205
 - design descriptions 297
 - distinct logical languages 1036
 - evidence 358
 - extension problem from nonmonotonic reasoning 1288
 - extensions of a set of defaults 455
 - hypothesis tree 1067
 - images 195, 1283
- multiple inheritance 473, 514
 - hierarchies 1404
 - nonmonotonic ~ 935
 - reasoning 966
 - theories 898
 - with exceptions 550, 1404
- multiple
 - learning strategies 519
 - levels of description 609
 - linear plans 920
 - lines of reasoning 210
 - models 660
 - objects, perception of ~ 1051
 - observations 626
 - perspectives 659
 - potential solutions 351
 - representations 120, 296, 473
 - rewrite rule sets 185
 - soft constraints 593
 - strategies 242
 - tagger 1356
 - task planning 327
 - trauma injury 1345
 - updating 366
 - viewpoints 572
 - views of an object 456
 - world models 1067
- multiply connected
 - belief networks 644
 - networks 1366
- multisets of literals 181
- multivalued logics 1162, 1241
 - [See also "multi-valued"]
- multivariate polynomials symbolic factorization of ~ 86
- mundane reasoning 593
- Muresan, Pednault, Zucker and ~ 366, 683
- MUSCADET, automatic theorem proving system 500
- mushy region 1296, 1300
- music
 - and connectionism 1329
 - cognition 1327
 - computer ~ 1327
 - systems, interactive ~ 1326
 - with AI, understanding ~ 1328
- musicology, cognitive ~ 1328
- Musser 382
- must-not conditions 163
- mutagenic activity 1370
- mutagenicity, theories for ~ 1370
- mutation probabilities 1244
- mutators basic LISP ~ 247
- mutilated checkerboard problem 158
- Mutter, S.A. 617
- mutual belief 1086
 - expression 1086
- mutual independence of each piece of evidence 358
- mutual-information-greedy learning algorithm 1121
- mutually exclusive 186
 - assumptions 683
- MYCIN, control structure of ~ 93

- MYCIN expert system 237, 683
 - in medicine 132
- MYCIN, knowledge representation of ~ 93
- MYCIN system 93
 - for bacteria identification 328
- MYCIN-like symptom-fault rules 297
- MYCROFT, system for understanding simple
 - picture programs 73
- mythical causality 361
- myths about the mind 1316, 1317
- N**
 - n-ary constraints 1140
 - n-person games 1194
 - n-queens problem 952
 - N-th order logic 603
 - Nadel, Lynn 1048
 - Nagel 417
 - naive
 - ontology 636
 - optimal strategy 562
 - physics 291, 492
 - set theory 118
 - name pronunciation 1368
 - naming
 - first-order logic for ~ 1168
 - in epistemic logic 1168
 - theories of ~ 1168
 - Narendran, Kapur, ~ and Zhang 382
 - narrative text 308
 - representation system NEXUS 308
 - narrow
 - context, establishing a ~ 132
 - domains 187
 - range of hard problems 1303
 - NASA
 - EVAR robot 1171
 - space shuttle payload 955
 - natural
 - 3D surfaces 364
 - branches in the chess game tree 105
 - computing networks 1041
 - natural deduction 107
 - system 213
 - natural
 - extension 1258
 - figural completion 1260
 - natural form of a nonmonotonic formalism 639
 - representation of ~ 357
 - natural forms, perceiving ~ 357
 - reasoning about ~ 357
 - natural
 - grammars 1080
 - imagery 456
 - images 192
 - intelligence 103
 - natural language 16, 76, 116, 125, 129, 216, 401, 636, 895, 923, 1118, 1373
 - analysis 65, 374, 513, 585
 - and graphics generation 1058
 - communication 71
 - constructions, axiom sets for ~ 16
 - comprehension 504
 - generation 65, 418, 564
 - natural language generator 923
 - FIG 923
 - natural language
 - grammars in clausal logic, expression of ~ 216
 - inference 65
 - input 125
 - instructions 1166
 - natural language interface 399, 418, 1088
 - system 399
 - transportable ~ 399
 - natural language
 - interpretation 1088
 - logic grammars for ~
 - medical records 129
 - output generation of ~ 418
 - natural language processing 66, 171, 223, 299, 399, 904, 1058, 1073, 1074, 1118, 1364, 1371
 - NLP 1364, 1371
 - systems 84
 - natural language
 - query system 226
 - restricted subset of ~ 141
 - sentences 636
 - strings 109
 - structure of ~ 895
 - syntax 895
 - systems 269
 - temporal references in ~ 25
 - text 239
 - text, generating ~ 329
 - natural language understanding 61, 111, 125, 425, 904, 1006, 1166
 - project for German 904
 - system 176
 - natural language utterances 643, 923
 - natural
 - parameter for the traveling salesman 1405
 - terrain, topography of ~ 569
 - textures 192

- TMS representation 450
- naturally
 - occurring texts, analysis of ~ 329
 - textured surfaces 565
- nature
 - of competence 1011
 - of defaults 449
 - of heuristics 227, 246, 247
 - of human intelligence 610
- Nau, Dana ~ 1107
- Nau's pathology theorem 1107
- naval fleets, design of ~ 247
- navigating robot 1278
- navigation 1269
 - robot ~ 1278
 - visual ~ 1278
- navigational path 1278
- navigator 1278
- NC-resolution 208
- near optimal solution 248
- nearest world to the current one 441
- nearly independent subproblems 182
- necessary truth 1248
- necessitation rule for goals 1243
- necessity measures 651
- negamax algorithm 558
- negation 1069
- negation as failure 375, 486, 922, 1142, 1194
 - rule 486
- negation
 - of a polynomial equation 471
 - of a proposition 1055
 - of a statement 1348
 - restricting ~ 1117
- negative
 - chair 1002
 - goals 1234
- negative information 485, 486, 1119
 - in databases 301
- negative
 - introspection 461, 1086
 - literals 213
 - phase of Boltzmann machine learning 907
 - preconditions 1233
 - set of trade-offs 1111
- negotiation 234, 603
 - compromise in ~ 1285
 - contract ~ 234
 - environments 1352
 - in real-world applications 1352
 - mechanism, distributed ~ 1174
 - mechanisms 1352
 - model of ~ 1174
 - multiagent ~ 1174
 - problem 1285
 - process 1174, 1285
 - protocol 1285
 - protocols, inter-agent ~ 1285
 - strategies 1174
- neighborhood
 - of the crossover point 1294
 - semantics 1198
- neighboring surfaces 1077
- NEOMYCIN, expert system 679
- nested
 - abnormality theories 1262
 - structure 1262
- nesting of modal operators 1267
- network
 - arc 337
 - consistency algorithms 97, 302, 988
 - default theories 1343
 - flow analysis 1391
 - inference representations 379
 - learning 515, 595
 - notation, extension to 84
 - of binary constraints 894
 - of facts 227
 - of hypotheses 596
 - of tolerance zones 483
 - performance of the ~ 521
 - propositions predicate calculus, translations
 - of ~ 84
 - representations 679
 - semantic ~ 550
 - summarizing the mechanisms of disease 133
 - theory 295
 - training 515
 - with randomly selected connection strengths
 - 614
 - [See also "networks"]
- network-based heuristics 420
- networks
 - artificial computing ~ 1041
 - belief ~ 997
 - bypassable ~ 82
 - inheritance ~ 379
 - learning of modular structured ~ 1214
 - multi-layer modular ~ 1214
 - natural computing ~ 1041
- networks of constraints 157, 618, 948
 - sparse ~ 420
- networks
 - of neuron-like processing units 521
 - of plausible inference 616
 - of relations 97

- semantic ~ 84
- [See also "network"]
- neural assemblies 259
- neural computation 1044
- theory 1047
- neural
 - connections 1048
 - Darwinism 505
 - mechanism of avoidance behavior 1208
 - methods for theory construction 1370
 - modeling 1045
 - net model 590
- neural network 590, 591, 592, 1135, 1208, 1050, 1135, 1214
 - large-scale ~ 1214
- neurobiological realities 1172
- neurobiology 1273
- neuron-like processing units, networks of ~ 521
- neuronal group selection 505
- neuroscience 1049
- new
 - axioms invalidating old theorems 149
 - domain objects, learning ~ 247
 - evidence 366
- new heuristics 287
 - by discovery 247
 - discovering ~ 246
 - learning ~ 247
- new
 - mathematics concepts 247
 - search algorithm 92
- Newborn 261
 - scoring scheme 261
- Newell 610, 1011
- Newell, Allen 402, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1023, 1024
- Newell's
 - approach 1011
 - behaviorist methodology 1011
 - perspective 1011
 - physical symbol system hypothesis 610
- Newtonian mechanics 640
- next generation of expert systems 291
- NEXUS
 - narrative text representation system 308
 - processing examples of ~ 308
 - representations 308
 - input and output 308
- Nguyen, H.T. 1030
- NIKL
 - knowledge representation system 512
 - logic computing system 501
- Nilsson 602
 - A* algorithm of Hart, ~ and Raphael 215
 - Duda, Hart and ~ 186, 366, 683
 - Hart, ~ and Raphael
 - Hart, ~ and Raphael algorithm 8
 - Nilsson, Nils J. 175, 489, 490
 - Nilsson's
 - logic and artificial intelligence 602
 - probabilistic logic 1124
 - nipping 487
 - Nisbett, Richard E. 537
 - NLP, natural language processing 1364, 1371
 - NMR, non-monotonic reasoning 1384
 - nodal bounds 138
 - node consistency 934
 - algorithms 302
 - node
 - expansion 252, 487, 559
 - expansion of a ~ 370
 - expansion, order of ~ 138
 - expansions, tradeoff memory versus ~ 534
 - generation 1128
 - inconsistencies 97
 - probabilities 1367
 - to be expanded 1066
 - node-by-node creation 1367
 - nodes
 - encode disjunctions of ~ 352
 - expanded number of ~ 1128, 1305
 - expanding ~ 965
 - set of island ~ 370
 - nogoods 653, 1301
 - noise 1279
 - inherent in SAR imagery 569
 - large amounts of ~ 1377
 - modelling 1247
 - reduction 1387
 - uncertainty 1067
 - noisy
 - belief network 907
 - inputs 614
 - sensor readings 1387
 - sensory data 574
 - NOMAD-200 mobile robot 1232
 - non set-of-support resolution strategies 181
 - non-3-D line drawings 1260
 - non-activity 281
 - non-anthropomorphic method in vision 24
 - non-Bayesian evidential updating 391
 - non-classification problem-solving 342
 - non-clausal theorem proving 208
 - non-combinatorial match 1111
 - non-condensed clause 963
 - non-cooperative

- domains 1285
- perfect-information games 615
- non-deterministic strategies 242
 - [See also "nondeterministic"]
- non-directional blocking graph 1153
- non-explicit knowledge into algorithms 45
- non-hierarchical association between concepts 342
- non-Horn deduction 1078
 - parsing as ~ 1078
- non-independencies between nodes 527
- non-inferior sets of outcomes at the root node 1238
- non-interlaced image sequences 1281
- non-logical reasoning in intelligence 20
- non-manipulability 1353
- non-Markov decision processes 1165
- non-modular
 - direct translation 1365
 - translation 1365
- non-monotonic
 - assumptions 1384
 - formalisms 1384
 - inference 1384
- non-monotonic logic 149
 - of McDermott and Doyle 150
- non-monotonic logical systems 149
- non-monotonic logics
 - history of ~ 149
 - motivation for ~ 149
- non-monotonic
 - modal logic 1032
 - predicate calculus completeness of the ~ 149
- non-monotonic reasoning 147, 148, 338, 1138, 1384
 - computational complexity of ~ 1384
 - mathematics of ~ 150
 - NMR 1384
 - [See also "nonmonotonic"]
- non-optimal algorithm 1125
- non-order-preserving 1342
 - evaluation functions 1342
- non-parametric hypothesis testing 1363
- non-polynomial cases 1391
- non-recursive PROLOG clauses 1187
 - [See also "nonrecursive"]
- non-reified temporal logic 669
- non-relaxable time windows 1231
- non-resolution theorem proving 107
- non-serializable subgoals problems with ~ 319
- non-standard model theories 1311
 - [See also "nonstandard"]
- non-temporal
 - arguments 669
 - terms 669
- [See also "nontemporal"]
- non-uniform
 - branching factor 1066
 - complexity classes 1384
 - scaling 1310
- NON-VON
 - architecture 398
 - massively parallel machine 398
- non-wave-shaping admissible bidirectional algorithms 487
- non-well-founded mathematical object 1086
- nonclassical logics 1388
- noncopenetrability 492
- nondecreasing cost function 965
- nondeductive
 - inferences 65
 - reasoning systems 1378
- nondeterminism 211
 - domains with ~ 1189
- nondeterministic 309
 - actions 1183
 - choices 951
 - effects events with ~ 1189
 - programming language 2
- nondeterministic programs 1
 - correctness of ~ 1
 - formalization of properties of ~
 - [See also "non-deterministic"]
- nonexistence 636
 - of an overall optimal algorithm for search 277
 - representations of ~ 636
- nonexistent
 - entities 636
 - objects referring to ~ 1168
- nonfixated low-resolution scene parts 1284
- Nonlin planner 668
- nonlinear
 - chaotic dynamics 661
 - control design 1113
 - partial differential equations 1221
 - planner 1076
- nonlinear planning
 - hierarchical ~ 896
 - problems 530
 - systems 1088
- nonlinear system of equations 1279
- nonlinear systems 540
 - superposition for ~ 908
- nonlinear transform 262
- nonlinearity 530
 - degrees of ~ 1372
- nonmonotonic 303

- behavior 575
- consequence relation 890
- consequence relations 575
- equality 430
- form of reasoning 301
- formal systems 419
- formalisms 516, 566, 639
- hierarchies 898
- inductive logic 1201
- nonmonotonic inference 1038
 - common-sense 372
 - procedure 890
 - relation 1038, 1057
 - rules 649, 1404
- nonmonotonic inheritance 935, 1404
 - hierarchies 898, 1205
- nonmonotonic justifications 352
- nonmonotonic logic 303, 419, 450, 464, 488, 494, 541, 640, 922, 925, 1365, 1404
 - of McDermott and Doyle 303, 494
 - propositional ~ 494, 1142
 - restricted scope ~ 603
- nonmonotonic
 - modal logic S4F 1089
 - modal logics 1220
- nonmonotonic multiple inheritance 935
 - reasoning 966
- nonmonotonic prediction 1178
- nonmonotonic reasoning 301, 303, 379, 395, 413, 450, 485, 486, 549, 575, 630, 633, 639, 677, 890, 916, 971, 1019, 1038, 1057, 1092, 1154, 1185, 1194, 1288, 1375, 1388
 - expectations in ~ 1038
 - formalisms 677
 - ordering-based ~ 1057
 - problematic cases of ~ 1092
 - system Theorist 971
 - systems 379
- nonmonotonic
 - semantic networks 550
 - solution 1189
 - systems 379
 - temporal reasoning 464
 - theories 419
 - truth maintenance systems 566
 - weighted evaluation function 965
 - [See also "non-monotonic"]
- nonmonotonicity 653, 677, 1185
 - in connectionist networks 1185
 - logic of ~ 541
 - of hierarchies 1205
 - semantic account of ~ 549
- nonnormal default rules 450
- nonnormal defaults 352
 - expressiveness of ~ 649
 - justifications of ~ 649
- nonpathological game 229
- nonpolynomial worst-case response times 625
- nonpromising nodes 487
- nonrecursive 1081
 - circumscription 511
 - [See also "non-recursive"]
- nonrigid motion 456
- nonseparable circumscription 508
- nonserializable subgoals 1076
- nonstandard
 - approach 1213
 - probabilistic model 890
 - propositional logic 1213
 - stories 525
- nonstandard syntax 895
 - for first-order logic 895
 - [See also non-standard"]
- nontemporal default reasoning 450
 - [See also "non-temporal"]
- nonterminal nodes 362
- nonterminating queries 536
- nontrivial reasoning in the presence of inconsistency
 - 1348
- nonuniform growth 447
- nonverbal reasoning 661
- norm
 - directed actions 130
 - of consistency 671
- normal defaults 352
 - with prerequisites 397
- normal language use 135
- normality 1178
 - conditional logics of ~ 1097
 - statements of ~ 1097
- Norman, Donald A. 531
- normative conditional for default reasoning 1096
- Norvig 1098, 1099
- Norvig, Peter 1382
- Norvig's paradigms of artificial intelligence
 - programming 1098, 1099
- notation
 - Hayes' histories ~ 454
 - resolution graph ~ 10
- noun
 - altered forms of the ~ 76
 - phrase 76, 318
- noun-phrase reference 430
 - determination 430

- NP 963
 - NP # P 924
 - NP-complete 158, 566, 567, 618, 687, 697, 928, 929, 956, 957, 1105, 1122, 1137, 1191, 1197, 1222, 1225, 1227, 1231, 1267, 1343, 1355
 - problem 1122, 1294, 1303, 1405
 - NP-completeness 1117
 - of constraint satisfaction 1355
 - of subsumption 687
 - of the labeling problem 1137
 - of the satisfiability problem 1267
 - NP-hard 512, 553, 586, 631, 645, 919, 924, 966, 1063, 1117, 1143, 1144, 1172, 1175, 1197, 1205, 1248, 1295
 - complexity class 924
 - NP-hardness of the MAP finding problem 1175
 - NPL, nonstandard propositional logic 1213
 - nuclear
 - kinds of predicates 636
 - magnetic resonance spectra 263
 - reactors 297
 - null move 560
 - quiescence 560
 - null-window
 - alpha-beta search 1374
 - search 1374
 - number
 - of binary constraints 302
 - of distinct intercity distances 1302
 - of frames 440
 - of instances of a concept 1385
 - of nodes expanded 1128, 1305
 - of postconditions 1117
 - of preconditions 1117
 - number of solutions
 - expectation of the ~ 1300
 - variance of the ~ 1300
 - number restrictions, qualified ~ 1385
 - number theory 140, 247
 - theory, formal ~ 1055
 - numbers 57
 - numeric
 - laws 523
 - quantifiers 1379
 - representations 578
 - numerical
 - computations 1113
 - exact value propagation 950
 - indices 52
 - information 1283
 - instabilities 957
 - labels 199
 - probabilities 1377
 - relationships 1283
 - numerical shape
 - from occluding boundaries 196
 - from shading 196
 - from shading, computing ~ 196
 - numerical simulation 1156
 - intelligent ~ 612
 - of the planning process 1394
 - numerical
 - solution methods 957
 - solver 957
 - numerically stable algorithm 957
- O**
- O-Plan
 - open planning architecture 668
 - user interface 668
 - OBELIX, real behavior-based robot 903
 - OBJ language 473
 - object
 - boundaries 195
 - coordinates 1274
 - features 273
 - identification 139, 1274
 - language 1404
 - object level 242
 - strategies 242
 - object
 - location 1274
 - models, index a library of ~ 1271
 - oriented programming 190, 931
 - object recognition 393, 571, 574, 1310
 - geometric invariance approach to ~ 1271
 - object
 - related misconceptions 533
 - representations 219
 - shapes 915
 - similarity, human notions of ~ 1037
 - space 54
 - object theory 1251
 - mechanized ~ 1251
 - object trajectory, expectations of ~ 1289
 - [See also "objects"]
 - objective
 - function 241, 279, 1367
 - knowledge 1163
 - probabilities
 - objectness 357
 - objects
 - opaque ~ 571
 - with curved surfaces 322

- [See also "object"]
- obligation operators 931
- obligations 931
- observation 1178
 - by assuming hypotheses proving an ~ 1034
- observations 133, 663, 1397
 - axioms, encoding ~ 1183
 - explanations for ~ 971
 - imprecise ~ 1338
 - of a patient 133
- observed
 - and correct system behavior, discrepancy
 - between the 395
 - data 400
 - distribution of problems 1033
 - intensity 102
 - texture 484
 - variation 192
- observer motion, control of ~ 1275
- obstacles 667
 - cancellation of 579
- obstructive situations 189
- Occam's razor 150, 1396
- occluded objects 574
- occluding boundary 156, 196, 1001
 - information 196
- occluding
 - contour 193, 273, 1275
 - objects, scenes with multiple ~ 96
- occlusion 273, 393, 532, 1274
- occupancy, spatial ~ 1224
- occur check 536
- occurrence of events 394
- odd
 - cycles 1191
 - loops 653
- odds-likelihood Bayesian scheme 683
- ODE, ordinary differential equations 1215
- Odyssey
 - design of ~ 190
 - implementation of ~ 190
 - knowledge-based assistant 190
- off-line compilation process 1227
 - design 1160
 - design of social laws 1160
 - preprocessing 1264
 - reasoning 1264
 - time 1358
- off-path preemption 966
- offering 931
- office environments 605
 - intelligent creatures in standard ~ 605
- office information system 190
- offset in time 1281
- OIS
 - open information systems 603
 - semantics 603
 - semantics for DAI 603
- OISS, open information system semantics 604
- omega-categorical relation algebra 1290
- omitted heuristics 287
- omniscience problem, logical ~ 1213
- on-line
 - complexity 1264
 - efficiency 1264
- on-path preemption 966
- one-machine minimum penalty job sequencing
 - problems 1342
- one-parameter bifurcations 612
- one-way coercion of representation, implicit ~ 473
- ongoing interpretation of a sentence 595
- only knowing 1256
- ontic knowledge representation system for
 - mathematics 1042
- ontological
 - commitments 291, 408, 1193
 - grounds 1246
 - problems 636
- ontology 1246
 - naive ~ 636
 - representation ~ 1196
 - Russell-Quine ~ 636
 - temporal ~ 546
- opaque
 - objects 571
 - objects bounded by smooth surfaces 571
- open
 - circumscription 511
 - default theories 1188
 - information system semantics 603
 - planning architecture, O-plan 668
 - regions separated by boundaries 295
 - systems semantics 604
- operating
 - modes 665
 - regions, device ~ 295
- operation
 - of a circuit 294
 - of contraction 1254
- operational
 - activities in OIS 603
 - definition of causal ordering 1083
 - research codes 119
- operationality 443
 - assessment schemes 443
- operations

- arithmetic ~ 1141
- on finite bases 1254
- operations research 250, 278, 668
- optimization tools of ~ 1034
- operator
 - combination methods 53
 - decomposability 319
 - preconditions criticality of ~ 1394
 - set 930
- operators
 - for capability 931
 - for decision 931
 - for obligation 931
- OPM, blackboard control system for multiple-task planning 327
- Oppen, Huet and ~ 382
- opposing bounds 560
- OPS5
 - production systems 398
 - Rete algorithm 695
- OPT algorithm of Bohanec and Bratko 1308
- OPT-2
 - algorithm for optimal pruning of decision trees 1308
 - complexity of ~ 1308
- optical flow 197, 273, 417, 1000
 - algorithm 197
 - estimation 417
 - estimation approach 417
 - estimation of ~ 1281
 - estimators 1281
 - field 1279
 - pattern 197
- optimal admissible tree search 331
- optimal algorithm
 - AC-4 of Mohr and Henderson 934
 - for search nonexistence of an overall ~ 277
- optimal
 - allocations 1227
 - arc consistency algorithm 688
 - assignments 578
 - backprojection problems 587
 - backtrack algorithm 1146
 - behavior 1164
 - clause condensing 963
 - combination of features 452
 - composition of real-time systems 1227
- optimal compression 1105
 - of propositional Horn production rule knowledge bases 1105
- optimal computational strategies 641
- optimal cost
 - path 370
 - solution 650, 1054
- optimal
 - derivation strategies 645
 - directional algorithm 615
 - goal nodes 1305
 - gruence 1387
 - in time complexity 354
 - interpretation of an unknown utterance 215
 - k-consistency algorithm 529
 - knowledge base 1105
 - linear-time algorithms 585
 - order 432
 - ordering 257
 - optimal path 248, 547, 1278
 - problems 475
- optimal plan
 - finding an ~ 919
 - merging algorithm 920
- optimal
 - policy 1239
 - problem-solving search 72
 - pruning of decision trees 1308
 - refinement algorithm 1359
 - schemata 961
 - search strategies 215
 - sequence of tests 1399
 - solution to a relaxed model 914
 - strategies 1259
- optimal uniprocessor algorithm 953
 - for constraint satisfaction 953
- optimal worst-case time
 - complexity 1125
 - and space complexity 529
- optimality 1121
 - of A* 95
 - of alpha-beta pruning 75
 - of iterative deepening 1202, 1337
- optimally refining sociopathic knowledge bases 1143
- optimization
 - criteria 1242
 - of communication 1358
 - of Pearl's method of conditioning 1253
 - preferences 1242
 - problem, constrained ~ 279
 - problem, unconstrained ~ 279
 - problems 119
 - techniques 1387
 - tools of operations research 1034
- optimizations
 - domain-specific ~ 953
 - on programs 91
- optimized

- arc consistency algorithms 953
 - sensor settings 1277
- optimizing
 - function 1259
 - search 1172
 - transformations 238
- OR problem graph 97
- oracle 686
- orbital dynamics 1171
- orbiting space station 1171
- order 432
 - generalization algorithms for ~ 1094
 - linear ~ 1110
- order of magnitude
 - approximations 1338
 - equations 657
 - estimates 1221
 - reasoning 657, 1272
 - reasoning, asymptotic ~ 1221
 - scales 657
- order
 - of node expansion 138
 - of training examples 432
 - of value assignments 420
 - preserving 1342
 - relation on equivalence classes of arguments 680
 - relations 1217
- order-sorted
 - algebra 473
 - logic 904
 - predicate logic 904
 - resolution, extended ~ 904
- ordered
 - domains 1355
 - field 473
 - monotonicity property 1103
- ordered search 56
 - of MIN/MAX trees 56
- ordered set 126
 - enumerations 126
 - of actions 1399
 - operations 126
- ordered-search algorithm 87
- ordering among
 - interpretations 678
 - models change of ~ 698
- ordering 118
 - assembly operations 1153
 - causal ~ 1144
 - conjunctive queries 323
 - constraint, generalized ~ 440
 - of action, temporal ~ 1170
 - of default statements 455
 - of inferences 1193
 - on explanations, preference ~ 1178
 - optimal ~ 257
 - relation 57, 301
 - relation on interpretations 301
 - rules, heuristic ~ 323
- ordering-based nonmonotonic reasoning 1057
- ordinal
 - conditional functions 651
 - numbers 118
 - relations 293
 - representation 414
- ordinary
 - backtracking 249
 - circumscription 630
- ordinary differential equations 612
 - ODE 1215
 - parameterized ~ 540
- organic chemistry 1370
 - analysis of C-13 263
- organic
 - compounds, complex ~ 134
 - molecules, complex ~ 263
- organization
 - of data 954
 - of expert systems 982
 - of knowledge 82
 - of knowledge, human ~ 82
 - of movement 289
- organizational prescriptions 210
- organized structures of vertices edges and faces 139
- organizing domain models 659
- orientation 262, 265
 - constraints 194
 - estimation of surface ~ 1026
 - estimator 587
 - from texture 192, 283
 - of a textured plane 587
 - of planes 262
 - of the camera 1271
 - planar surface ~ 565
 - surface ~ 194, 195, 273, 283
 - [See also "orientations"]
- orientational errors 1278
- orientations 139, 268
 - at occluding boundaries 265
 - of surface patches 196
 - surface ~ 1001
 - [See also "orientation"]
- oriented
 - elements 587
 - smoothness approach 417

- Origami
 - theory 204
 - world, theory of ~ 156
- original behavior 570
- origins
 - of human knowledge 524
 - of knowledge 524
 - of thinking 1052
- Ornstein, Robert 1052
- orthogonality 484
- orthographic projection 205, 279
- Ortony, Andrew 694
- OSCAR 913
 - automated defeasible reasoner 1092
- oscillating
 - spring/block system 465
 - system 465
- oscillation 291
- Othello game
 - 4 × 4 ~ 362
- Othello
 - game of ~ 452, 1344
 - patterns 556
 - program 230
 - program, world class ~ 556
 - programs, BILL, IAGO 556
- other agent 1352
- outright contradictions 671
- Ovchinnikov, S. 1030
- overall direction of a path 268
- overconstrained 357
 - plan 336
 - problems 1299
- overgeneral theories 1101
- overlapping
 - gray scale images 1387
 - of objects 322
- P**
 - P, class of polynomial-time deterministic sequential algorithms 585
 - P ≠ NP 966
 - #P-complete 577
 - P-defining theories, completeness of ~ 970
 - PA, point algebra 1169
 - PA-
 - disjunctions 1169
 - relations 1169
 - PAC-learnability results 1201
 - PAC-learnable 1201
 - language 1187
 - PAC-learning 1121, 1187
 - non-recursive PROLOG clauses 1187
 - packing 1170
 - painting story program 136
 - pair algebras 1290
 - with infinite representations, intractability of ~ 1290
 - pair of time points 632, 669
 - pairs of sensed features 1310
 - Palm, Günther 259
 - Palmer, Richard G. 1044
 - PALO, probabilistic hill-climbing algorithm 1288
 - PAO
 - as a learning algorithm 1259
 - search algorithm for approximately optimal strategies 1259
 - Pao, Y.-H. 258
 - Papadimitriou
 - Kirousis and ~ 1137
 - Kolaitis and ~ 1403
 - paradigm
 - constraint logic programming ~ 948
 - for heuristic problem solving 17
 - for reasoning by analogy 17
 - intelligent ~ 343
 - paradigms
 - for machine learning 517
 - of artificial intelligence programming 1098, 1099
 - PARADISE, pattern recognition applied to directing
 - search 164, 206
 - paradox 301
 - lottery ~ 638, 1092
 - of the preface 1092
 - parallel algorithm 1102
 - SIMD ~ 1018
 - parallel approach to syntax for generation 923
 - parallel complexity 585
 - of constraint networks 1120
 - of discrete relaxation 585
 - parallel computers 674
 - parallel constraint satisfaction 1102
 - networks 1120
 - parallel
 - cooperative computation, massively ~ 273
 - game tree search algorithms 674
 - heuristic search 1018
 - image understanding algorithms 255
 - parallel implementation
 - of a learning classifier system ALECSYS 1152
 - of iterative-deepening-A* 972
 - parallel

- implementations 932, 1111
- interactions, harmful ~ 274
- local search 1185
- machines for artificial intelligence 398
- marker-passing architecture 550
- parallel network 515
 - massively ~ 514
- parallel
 - predicate circumscription 516
 - processes 199
 - processing 106
 - projection 440
 - random access machine 1102
 - representation 67
- parallel search 67
 - algorithms 1018
 - for patterns 337
- parallel
 - solution for achieving local consistency 585
 - version of IDA* 1018
- parallelism 484, 953
 - implicit ~ 1072
 - in alpha-beta search 221
 - in vision 255
- Paramax Systems Corporation 1079
- parameter
 - describing problem structure 1298
 - for the traveling salesman, natural ~ 1405
- parameter learning
 - algorithms for ~ 1410
 - in Bayesian networks 1410
- parameter
 - nets 273
 - optimization 241
- parameter space 481
 - affine ~ 481
 - projective ~ 481
- parameter values 1293
 - model ~ 1310
- parameter vector 241
 - [See also "parameters"]
- parameterized
 - algorithms 534
 - equations 540
 - interlingual approach 1080
 - linear evaluation function 241
 - modular structuring 473
 - modules 473
 - ordinary differential equations 540
 - transformations 1310
- parameters 293, 465
 - of objects 1083
 - problem-independent ~ 36
- [See also "parameter"]
- parametric
 - approach to data analysis 1363
 - objects 1310
- paramodulation 9, 22
- paranoia
 - artificial ~ 11
 - computer simulation of ~ 111
 - simulation model, interviews with the ~ 34
- paranoid
 - input-output behavior 11
 - model 34
 - patients 34
- paranoid processes, naturally occurring ~ 34
 - simulation of ~ 34
- paraphrase methods of Russell and Quine 636
- parity problem 1214
- parkway traversals 1278
- parse tree 378
- parser
 - for the preference semantics system 135
 - Marcus ~ 425
 - partial ~ 260
 - transition network ~ 28
- parsers
 - context-free grammar ~ 1356
 - taggers for ~ 1356
- parsimonious causal explanations 1144, 1272
- parsing 111, 239, 260, 294, 904, 1073, 1078, 1118
 - accuracy 1356
 - algorithm, graph ~ 582
 - algorithms 1118
 - an example 378
 - as deduction 1059
 - as non-Horn deduction 1078
 - bidirectional ~ 1118
 - methods 111, 260
 - performance 1356
 - technique 582
 - traditional ~ 111
- Parsons, Meinongian theory of ~ 636
- part structure of three-dimensional forms 357
- partial
 - and incorrect proofs 1071
 - consistency handling 1388
 - constraint satisfaction 949
 - partial decision procedure 466, 1063
 - for the temporal projection problem 1063
 - incompleteness of the ~ 1063
 - partial derivatives 581
 - partial differential equations 417
 - nonlinear ~ 1221
 - partial envisionment 908

- partial evaluation 91, 467, 1004
 - PE 1004
- partial evaluator 91
 - interpretive ~ 91
- partial
 - functions 1180
 - information 303, 1124
 - initial states 1234
 - knowledge 1351
 - matching 514
 - models 1221
- partial order
 - game tree search 1238
 - planner, hierarchical ~ 973
 - planners 1380
 - planning 1076, 1229, 1248
 - representation 1076
 - search algorithm 1238
- partial
 - ordering planning framework 1094
 - parser 260
 - plans, reusing ~ 520
 - program 316
 - solutions 1231
- partially
 - achieved goals 1285
 - implicit 111
 - instantiated plans 1129
- partially ordered
 - and partially instantiated plans 1094
 - events 466, 1063
 - plans 274, 920, 1129
 - search spaces 72
 - set 25
- partially reduced plan 896
- particle
 - on a complex path 120
 - physics 1376
 - reactions 1376
- partition 254
 - automorphism ~ 254
 - of the mechanism configuration space 665
- partitioning
 - a problem into subproblems 576
 - of the picture 7
 - the pairwise configuration spaces 665
 - vertex ~ 254
- partitions 98
- parts
 - interactions 1153
 - of speech 1356
- part-whole hierarchies 591
- PAS-I, knowledge state description program 23
- PASCAL programs 544
- passing messages, patterns of ~ 106
- passive
 - data structure 337
 - stereo paradigm 1284
- past experience, regularities from ~ 231
- Pastor, Tretiak and ~ 417
- path back to the goal 1128
- path consistency 354, 1357
- path consistency algorithm 97, 302, 457, 632
 - PC-3 457
- path consistency 529, 928
 - algorithm of Han and Lee 529
 - computation 928
 - directional ~ 1110
 - problem 354
- path
 - consistent version of the network 1350
 - finding in a graph 6
 - finding problem 6
 - in a graph, finding a ~ 1359
 - inconsistencies 97
 - lengths of 5-men endgames 562
- path planning 320
 - in frogs 1208
 - problem 475
- path traversal of the environment space 908
- path-based
 - defeasible inheritance 966
 - inheritance 898
 - theories 1404
 - theory 898
- pathological behavior 229
- pathologies in chess endgames 562
- pathology 229
 - causes of ~ 253
 - game-tree ~ 1107
 - in game searching 243
 - in games, causes of ~ 229
 - on game trees 253
 - search-depth ~ 243
 - theorems 1107
- pathophysiological states 133
- pathway hypotheses 1039
- patient monitoring 1157
- pattern
 - behavior ~ 1152
 - brightness ~ 197
 - classification 452, 907
 - description languages 14
 - description of a ~ 14
 - directed inference systems 144
 - formation 241

- frequency, inference ~ 1219
- generalisation 14
- graph ~ 1219
- knowledge 493
- match problem 219
- matcher 57, 219
- pattern matching 111
 - algorithm, linear ~ 167
 - process 337
 - programs 70
 - rules 109
 - of changing intensity 289
 - optical flow ~ 197
- pattern recognition 114, 174, 241, 493, 590, 592
 - applied to directing search 206
 - machinery, associative ~ 592
 - system 114
- pattern
 - recognizers 493
 - representations 219
 - stored ~ 111
 - [See also "patterns"]
- pattern-directed invocation demons 112
- pattern-driven rules 473
- pattern-seeking 65
- patterned phrases 111
- patterns 309, 493, 556, 1181
 - arbitrary association of ~ 695
 - description language for ~ 114
 - discovering ~ 309
 - in chess 164
 - in commonsense reasoning 1181
 - inference ~ 1219
 - learning structures of visual ~ 642
 - likely ~ 493
 - of behavior 1236, 1289
 - of functional application 116
- patterns of interaction 1211
 - in an environment, inherent ~ 1211
- patterns
 - of passing messages 106
 - of reasoning 549, 1378
 - of states in a network 133
 - parallel search for ~ 337
 - two-dimensional ~ 495
- Paul 382
- PAULI, machine discovery program 1376
- payoffs, true terminal ~ 243
- PC-3, path consistency algorithm ~ 457
- PE partial evaluation 1004
- PE-based analyzer of problem space definitions
 - STATIC 1004
- PE/EBL systems, hybrid ~ 1004
- Pearl 437
 - Dechter and ~ 1146
- Pearl, Judea 616
- Pearl, Kim and ~ 626
- Pearl's
 - game 229
 - method of conditioning 1253
 - probabilistic-inference algorithm 644
- PEBL, plausible explanation-based learning 955
- PECOS, system for implementing abstract
 - algorithms 140
- PED, extension of explanation-based learning 1007
- Pednault, Zucker and Muresan 366, 683
- penalty, minimum ~ 1342
- Penberthy and Weld 1380
- Penrose, Roger ~ 932
- perceiving
 - 3D scenes 54
 - natural forms 357
- perception 1077
 - active ~ 1171
 - AI contributions to ~ 320
 - and action 605
 - connectionist theories of ~ 255
 - human ~ 59
 - human motion ~ 289
 - human visual ~ 1260
 - learning and control 606
 - motion ~ 1279
 - multi-level ~ 414
 - of multiple objects 1051
 - of shapes 1077
 - of similarity 1037
 - of structure from motion, human ~ 222
 - problems of ~ 357
 - selective ~ 1277
 - simulation of ~ 20
 - spatial arrangements for ~ 1170
 - system, general ~ 1277
 - systems with action-oriented ~ 1208
 - to action, connection of ~ 320
- perceptual
 - and motor schemas, interaction of ~ 1208
 - attention, control of 1277
- perceptual conditions 1209
 - tracking of ~ 1209
- perceptual
 - errors 1176
 - information 1176
 - judgments, human ~ 364
 - organization 357, 393
 - routines 1277
 - strategies 28

- strategy 1157
- systems 1186
- targets 1277
- Pereira, F. 216
- Pereira, Fernando C.N. 513
- perfect
 - information games 615
 - knowledge 562
 - logical reasoning 1311
 - model semantics 639
 - reasoners 1213
- perfect relaxation algorithms 618
 - efficient ~ 618
- perfect syntactic form 125
- perfectly clustered data 8
- performance
 - data 1011
 - demands 295
 - diagnostic ~ 1377
 - guarantees 1161
 - measure 238, 241
 - measurements 1374
 - modeling 1011
 - of a problem solver 1363
 - of decision-making procedures 1090
 - of GSP 39
 - of the network 521
 - of the Othello program IAGO 230
 - potential 555
 - prediction 1210
 - results of PRODIGY 519
 - studies of game searching algorithms
 - empirical ~ 240
 - tradeoffs 1229
- performing inference 591
- perimeter
 - node 1128
 - node's state descriptor 1128
 - of nodes 1128
- perimeter search 1128
 - algorithm 1266
 - algorithm BIDA* 1266
 - efficiency of ~ 1128
- period of an oscillating system 465
- periodic 309
- periodicity 484, 540
- peripheral system 605
- Perlis 677
- permitted intervals 632
- permutation of the labels 1122
- perpetually novel events 522
- persistence of effects over time 394
- personality traits
 - analysis of ~ 171
 - model of ~ 171
- person-machine interface, extended ~ 269
- perspective
 - distortions 1269
 - images, interpreting ~ 262
 - imaging 265
 - projection 205, 262, 279, 484, 1026
 - projections of polyhedral scenes 1137
- perspective view 1026, 1271
 - of three-dimensional objects 322
- perspective viewing 469
- perspectives, multiple ~ 659
- perturbations 465
 - extreme ~ 570
 - local ~ 502
- phase diagrams 612
- phase portrait 1215
 - automatic analysis of the topological
- structure
 - of a ~ 1215
- phase space 1113, 1215
 - representation of dynamic systems theory 551
- phase transition 1184, 1297, 1300, 1301, 1302, 1304
 - analyses 1303
 - behavior in CSPs 1296
 - easy-hard-easy ~ 1199
 - phenomena, ubiquity of ~ 1405
 - search ~ 1294, 1295, 1296, 1298, 1300, 1405
 - TSP ~ 1405
- phase transitions 412, 1292, 1293, 1305
 - in binary constraint satisfaction problems 1296
 - in nature 412
 - of NP-hard problems
 - universality of ~ 1292
- phase-space structure, qualitative ~ 1113
- phenomena
 - collective ~ 1041
 - cooperative ~ 1041
 - self-organizing ~ 1041
- pheromone grandisol, insect ~ 134
- philosophy 20, 90, 217, 272, 372
 - of science 523
 - of the behaviorists 1172
- Phoenix planner 1236
- phonetic transcription 50
- phonological information 49
- phonology 1059
- photo-interpretation 104
- photometric

- distortions 1276
- stereo 195
- photometry 194
- phrase
 - interpretations 643
 - structure trees 427
- physical
 - behavior, global ~ 492
 - criticalities 1153
 - curves 193
 - domains 660
 - knowledge 111
 - laws 581, 1378
 - mechanisms 291
 - obstacles 476
 - process 292, 581, 659
 - reasoning 292, 477
 - surface 193
 - symbol system hypothesis, Newell's ~ 610
 - system behavior 663
- physical systems 290, 656
 - reasoning about ~ 1083
 - simulating complex ~ 918
- physical variables 581
- physical world 660, 1144
 - reasoning about the ~ 1114
- physically plausible 289
- physics 357
 - models 1196
 - naive ~ 492
 - qualitative ~ 492
 - quantitative ~ 492
- pi-clauses 67
- pi-representation, parallel representation 67
- pictorial organization 691
- picture
 - corners 42
 - drawing programs 73
- picture interpretation 14
 - task 14
- picture
 - junctions 42
 - partitioning of a ~ 7
- pictures of polyhedral scenes, interpreting ~ 42
- piece of evidence 626
- piecewise linear
 - approximations 540
 - differential equations 1215
 - reasoner 540
- pigmentation marking 193
- pignistic level 1065
- Pinker, Steven 568
- pinpoints, finitely many ~ 1403
- PIP, expert system in medicine 132
- PIPE, pipelined image processing engine 1278
- pipeline image processor 1274
- pipelined image processing engine, PIPE 1278
- pitch accent in context 1060
- place vocabulary 573, 666
- plan
 - calculus 582
 - causal structure 1129
 - comprehension 189
 - concepts 1339
- plan failures 583, 973, 1236
 - causes of ~ 1236
- plan
 - for subgoals 1230
 - formulation 189
 - generalization 1129
 - generalized STRIPS ~ 36
- plan generation 1129, 1235, 1248
 - algorithm 1211
- plan
 - hierarchical ~ 621
 - inconsistent ~ 336
 - inferring an agent's ~ 1006
 - instances 1339
 - loosely constrained initial ~ 336
- plan merging 920
 - algorithm, optimal ~ 920
 - algorithms for ~ 920
 - theory of ~ 920
- plan modification 896, 1129, 1303, 1361
 - conservative ~ 1235
 - incremental ~ 896
 - system 896
- plan
 - of measurements and actions 957
 - overconstrained ~ 336
- plan query language 1088
 - PQL 1088
- plan reasoning 1197
 - taxonomic ~ 1339
- plan recognition 1006
 - Bayesian model of ~ 1006
 - Bayesian network 1006
 - problem 130
- plan
 - reliable ~ 1232
 - representations 1076
- plan reuse 896, 1235
 - systems 1235
 - versus plan generation 1235
- plan
 - space 1380

- structure 130
- subsumption algorithms for ~ 1339
- synthesis 82
- synthesizer 82
- taxonomy 1339
- plan validation
 - computational complexity of ~ 1063
 - tractability of ~ 1063
 - [See also "plans", "planner", "planning"]
- plan-based integration 1058
- planar
 - face 1137
 - graph 302
 - objects 139, 322
 - patches 1310
 - surface orientation 565
 - surfaces 192, 195, 484
- plane
 - equation approach 205
 - Euclidean geometry 471
- plane geometry 473
 - portion of ~ 4
 - theorem prover 63
 - theorem proving 62
- plane surfaces model of the world, collection of ~ 204
- planned behavior 1241
- planner 1228, 1229, 1236, 1239, 1345
 - antagonist constraints in a ~ 336
 - behavior 1236
 - case-based ~ 583
 - continuous domain ~ 1033
 - for gene-cloning experiments, MOLGEN 182
 - hierarchical partial order ~ 973
 - implemented approximation to an ideal ~ 1033
 - implemented least-commitment ~, BURIDAN
 - 1240
 - interval temporal logic based ~ 1211
 - iterative ~ 336
 - Nonlin O-Plan 668
 - Phoenix ~ 1236
- PLANNER, problem solving system 234
- planner
 - search-based ~ 1228
 - sound and complete ~ 1232
- planner's interaction with its environment 1236
- planners 1076, 1236
 - case-based ~ 1230
 - hierarchical ~ 182
 - partial order ~ 1380
 - text ~ 1085
 - traditional ~ 1033
 - [See also "plan", "planning", "plans"]
- planning 51, 183, 189, 284, 285, 356, 372, 441, 504, 563, 583, 585, 621, 667, 919, 958, 973, 1076, 1103, 1129, 1133, 1159, 1169, 1170, 1200, 1232, 1235, 1239, 1241, 1248, 1282, 1294, 1303, 1361
 - abstraction hierarchies in ~ 1394
- planning algorithm
 - MP ~ 1129
 - MP-1 ~ 1129
 - TWEAK 404
- planning algorithms 914, 1076, 1129, 1229
- planning
 - and control, unified ~ 1228
 - and execution, interleaving ~ 547
 - and problem solving 1090
 - and reasoning with processes program EXCALIBUR 973
 - applications 1114
 - approximate ~ 1230
 - as refinement search 1229
 - as search 407
 - automated space ~ 39
 - BUILD ~ 47
 - classical ~ 1229
 - collaborative ~ 1362
 - collision-free motions 476
 - complexity of blocks-world ~ 919
 - computational complexity of ~ 1063
 - decidability of ~ 1233
 - decisions 896
 - deductive ~ 1361
 - dialogues, collaborative ~ 1362
 - domain independent ~ 1117, 1380, 1233
 - domains 681
 - efficient general purpose ~ 404
- planning effort
 - avoiding repetition of ~ 896
 - repetition of ~ 1235
- planning
 - for conjunctive goals 404, 1248
 - for rapid prototyping 1153
 - formalisms 1234
- planning framework
 - partial ordering ~ 1094
 - total ordering ~ 1094
- planning
 - from second principles 1361
 - hierarchical nonlinear ~ 896
 - improving efficiency of ~ 896
 - in a dynamic world 281
 - in continuous domains 1033

- in stochastic domains 1239
 - instance 1303
 - intractable ~ 1117
 - literature 919
 - machine ~ 583
- planning, motion ~ 392, 474, 667
- strategies 667
- planning
 - of assembly algorithms 1153
 - operators 1233
 - partial-order ~ 1076, 1229, 1248
 - paths 392
 - paths through the scene 376
 - probabilistic ~ 1240
- planning problems 323, 956, 1117, 1223, 1233, 1234
 - nonlinear ~ 530
 - representation of ~ 1223
 - robot ~ 530
- planning process 1361
 - incremental ~ 1058
 - simulation of the ~ 1394
- planning, process ~ 336
- planning program 183
 - domain-independent ~ 274
- planning
 - propositional STRIPS ~ 1117
 - propositional ~ 1234
 - real-life ~ 336
 - real-time ~ 1164
 - realization regime 564
 - referring expressions 318
 - refinement ~ 1229
 - research, domain-independent ~ 404
 - robot motion ~ 477
 - routes through uncertain territory 268
 - sentence ~ 1085
 - situation, changed ~ 896
 - skeletal ~ 342
 - spatial ~ 392
 - standard treatment of ~ 1211
 - strategies 171
 - strategy 973
 - STRIPS ~ 1117
- planning system 47, 668, 1088, 1230, 1361, 1380, 1386
 - ALPINE ~ 1103
- planning
 - task 182
 - theory, validation-structure-based ~ 896
 - time 1033, 1239
 - tractable ~ 1117
 - under time constraints in stochastic domains 1239
 - with constraints 182
 - within a manipulation system 201
 - [See also "plan", "planner", "plans"]
- plans 73, 921, 1339
 - classification of ~ 1339
 - collaborative ~ 1351
 - executing generalized robot ~ 36
 - first-order representation of ~ 430
 - for manufacturing parts 336
 - hierarchical ~ 274
 - in a chess program 105
 - in chess 164
 - inferring properties of ~ 1223
 - justifying ~ 1129
 - learning generalized robot ~ 36
 - of mechanical parts, machining ~ 336
 - of other agents 176
 - partially instantiated ~ 1129
 - partially ordered ~ 274, 920, 1129
 - real-time control ~ 1161
 - representing ~ 1223
 - sequential ~ 1361
 - structure of ~ 896
 - synthesis ~ 134
 - that fail, explaining ~ 583
 - that fail, repairing ~ 583
 - [See also "plan", "planner", "planning"]
- plausibility 1096, 1178
 - judgements, intuitive ~ 401
 - values 577
- plausible
 - causes 1250
 - definitions 246
 - events 1250
- plausible explanation-based learning 955
- PEBL 955
- plausible
 - explanations 955
 - hypotheses 246
 - implementations 238
 - inference 419, 616
 - interpretations 203, 1186
 - minimax values 559
 - model 593
 - next events 309
 - paths 227
 - reasoning 183
 - sequence continuation 309
- playing strength 556
 - of chess programs 555
- playrooms 1170
- Plotkin 672

- PLR, piecewise linear reasoner automatic analysis
 - program 540
- plurality quantifiers 401
 - logic of ~ 401
- pn-search 1066
 - implementation of ~ 1066
- Poggio
 - Marr and ~ 200
 - Yuille and ~ 440
- POINCARE, automatic system for analyzing
 - one-parameter autonomous planar systems 612
- point algebra 956
 - PA 1169
 - relations 1169
 - Vilain and Kautz's ~ 632
- point navigation problem 392
- point-based
 - framework 956
 - temporal disjointness 1197
- pointwise circumscription
 - completeness of ~ 1403
 - extension of ~ 1403
 - Lifschitz's ~ 1403
- poker, draw ~ 3
- policy 1239
- political conflicts 189
- POLITICS, program for understanding political
 - conflicts 189
- POLITICS system 171
- Pollack, Jordan B. 1047
- Pollack, Martha E. 968
- Pollack's definition of individual plans 1351
- Pollock 680, 1081
- Pollock, John 624
- pollution of the search space 90
- Poly, Mackworth's program ~ 205
- Polya 227
 - heuristics 53
- POLYFACT, learning program 86
- polygon 1137
- polygonal regions 482
- polyhedra 96
 - recognition of ~ 41
- polyhedral
 - moving object 392
 - objects 279
 - scene 1137
 - scenes, pictures of ~ 42
 - surface 572
- polyhedron assumption 279
- polymorphic type system 288
 - for PROLOG 288
- polymorphism 288
- polynomial 526
 - average time 249
 - complexity 924, 1137, 1232
 - equation 471
 - inequation 471
 - irreducible factors of a ~ 86
 - network consistency algorithms 988
 - run-time growth rate 1034
 - scaling of the average search cost 1184
 - search complexity 232
- polynomial solvability 1391
 - of cost-based abduction 1391
- polynomial time 254, 466, 577, 585, 632, 671, 693, 924, 954, 957, 1117, 1201, 1225, 1239, 1248, 1357, 1381
 - algorithm 1122, 1144, 1350, 1355
 - algorithm for geometric constraint satisfaction 957
 - complexity 1102
 - computable 898
 - decidable 895
 - partial decision procedure 466
 - relative approximation algorithm 924
- polynomial transformations 1234
- polynomially solvable 1137
- polynomials 40
 - with integer coefficients 86
- polytree algorithm 626
 - of Kim and Pearl 626
 - revised ~ 626
- Poole 680
 - a.o., David ~ 971
 - systems 1038
- pooling of evidence 619
- POPI plans, partially ordered and partially instantiated plans 1094
- population 1072
 - size 1306
- populations, convergent ~ 1390
- position
 - estimate 1284
 - of the camera 1271
 - sensing 1232
 - uncertainty 477
 - values 560
- position-free incidence structure 279
- positional
 - analysis, limited ~ 30
 - errors 1278
 - games 35
- positioning 1269
 - problem 1269

- understanding ~ 1283
- positive
 - formulas 1403
 - literals 213
 - preconditions 1117
- possibilistic logic 651, 1388
 - qualitative ~ 1388
- possibilistic reasoning 1388
- possibility 461
 - conditional ~ 1388
 - measures 651, 1258
 - measures of ~ 206
 - theory 444, 651, 1258, 1388
- possible
 - completion paths 1260
 - correctness generalization, algorithms for ~ 1094
 - hypotheses 453
 - interpretations, infinity of ~ 203
 - performance elements 1288
 - referents 65
 - truth 1248
- possible worlds 448
 - approach 441
 - semantics 409, 455, 697, 1151, 1154, 1168, 1243
 - style semantics 405
- postconditions 1303
 - number of ~ 1117
- posterior marginal distribution 626
- posterior probabilities 598
 - estimating ~ 1397
- posterior probability of an hypothesis 358
 - given evidence 1263
- postulates 599
 - rationality ~ 1375
- potential
 - actions 327
 - faults 1399
 - histories 464
 - method 481
 - solutions, multiple ~ 351
- potentially
 - faulty rules 1071
 - qualified by general constraints 448
- poverty conjecture 666
- power of sensor systems 1177
- PQL, plan query language 1088
- practical
 - implementations 1353
 - learning systems 1288
- pragmatic
 - aspects of a conversation 564
 - circumstances 564
 - constraints. 596
 - information 49
 - relevance 596
- pragmatics 564, 1059
 - local ~ 1059
- Pratt's dynamic logic 1243
- pre-arrangement of variables in a linear order 1110
- pre-assembly sub-structures 47
- pre-defined program segments 153
- pre-enumerated set of solutions 342
- pre-ordering, total ~ 1057
- pre-orderings, incompletely specified ~ 1057
- pre-processing text ~ 1073
- pre-programmed knowledge 538
- pre-segmentation into constituent phrases 595
- precedence relationships 78
- precedents 231
- precision 1124
 - levels 657
 - of inferences 363
- preclusion 1404
- precompiled relations between knowledge items 1155
- precondition 1303
- preconditions, number of ~ 1117
- precursor models 1239
- predicate 488
- predicate calculus 16, 84, 90, 187, 208, 401, 913, 1379
 - as a deep structure in question-answering programs 16
 - completeness of non-monotonic ~ 149
 - databases 394
 - first-order ~ 5, 10, 19, 67, 575, 948
 - literals 94
 - translations of network propositions 84
 - typed ~ 347, 1180
 - with equality 22
- predicate
 - circumscription 516, 699
 - completion 511
- predicate logic 314, 925, 1379
 - first-order ~ 1246
 - inductive ~ 55
 - order-sorted ~ 904
 - subtypes 1180
- predicate symbols 345
 - varying ~ 345
- predicate's dependence on time 669
- predicates 507, 1233, 1246
 - circumscribing ~ 338
 - conjunctive normal form ~ 249

- dyadic ~ 1379
- evaluation of ~ 915
- extranuclear kinds of ~ 636
- fixed ~ 516, 699
- floating ~ 699
- monadic ~ 1379
- nuclear kinds of ~ 636
- random ~ 249
- recursive ~ 536
- varying ~ 699
- predication
 - of a syntactic item 216
 - sortal ~ 904
- predict changes in images 54
- predicted
 - and observed behavior, differences between ~ 528
 - behavior 396
 - value 1397
- predicting
 - consequences 1250
 - how a system will react to perturbations in its parameters 465
 - intonational prominence 1060
 - machine behavior 1156
 - the appearances of novel views 1269
 - the behavior of mechanisms 293
 - the mutagenic activity of small molecules 1370
- prediction 120
- prediction
 - algorithm for ~ 971
 - based on the expected number of solutions 1300
 - graphs 201
 - in the mechanics world 120
 - in Theorist 971
 - nonmonotonic ~ 1178
 - of a machine's long-term behavior 1156
 - of image features 201
 - of the location of the hardest problems 1296
- prediction problem 640
- extended ~ 454, 464
- prediction
 - rules 293
 - skeptical ~ 971
 - task 454
 - within a vision system 201
- predictions 291, 394, 1136
- top-down ~ 260
- predictive
 - explanations 1178
 - power of theories 1370
 - scheduling 1242
 - search techniques 1228
- predictive value 580
- maximization PVM 580
- predictor 1280
- preemption 966
 - on-path or off-path ~ 966
- preference 436, 557
 - criterion 1145
 - for simpler hypotheses 460
 - implicit ~ 1145
 - logic 541, 1243
 - operators, two-place ~ 1243
 - ordering on explanations 1178
- preference semantics 922
 - Shoham's ~ 1089
 - system 65, 135
 - [See also "preferences"]
- preference-based default theories 633
- preferences 1353
 - between compromises 336
 - optimization ~ 1242
 - [See also "preference"]
- preferential
 - consequence relations 890
 - framework 633
 - logic 675
 - model, ranked ~ 890
 - models 575, 1038
 - relations 575, 890
 - semantics 925
- preferred
 - interpretations 532
 - states of belief, maximally ~ 633
- preimage
 - backchaining approach 667
 - computation 667
- premature
 - commitment to individual contributors 1129
 - mathematization 607
- premise clauses 237
- premisses 925
 - as assumptions 925
- preorder of sentences 1081
- preordering strategies 1110
- preprocessing 1146
 - algorithms 1110
 - technique 24, 29
- prescriptions for extending beliefs 682
- preselecing subspaces in search space 574
- presentation design 1058
- preservation
 - of consistency 375

- of winning strategies 35
- preserving admissibility 487
- PRESS, algebraic manipulation program 185
- pressure regulator 581
- previously
 - learned pattern 590
 - solved game 35
- prevision 1258
- PRIAR, hierarchical nonlinear planning
 - implementation 896
- Prieditis, van Harmelen and Bundy 1004
- primary surfaces 481
- primate visual attention 1273
- prime
 - Horn production rule base 1105
 - implicate/implicant 917
 - implicates 916, 1301
- primitive
 - actors 106
 - elements of descriptions 357
 - operations 951
 - propositions number of ~ 1267
 - syntactic operators 247
- primitives
 - for communicating 931
 - visual 376
- Principia of Whitehead and Russell 37
- principle
 - of indifference 1378
 - of minimal change 926
 - of rational reasoning 633
- principled
 - classification 1170
 - comparisons 898
 - model of cooperation 1173
 - search control strategy 487
 - synthesis 1181
- principles
 - of induction 524
 - of measurement 395
 - of software design 282
- prior probabilities 644
- priorities
 - among defaults 682, 1148
 - between defaults 649
 - in AI 1287
- prioritization of knowledge 524
- prioritized
 - circumscription 345, 485, 516, 682
 - combinations of goals 1239
 - default theories 1288
- priority
 - list 535
- mechanisms, lexicographic ~ 633
- ordering on rules 1338
- system 535
- private beliefs 1086
- probabilistic analysis 179, 252, 1303
 - of the performance of the game-searching
 - SSS* algorithm 252
- probabilistic
 - approach to planning 1223
 - B* 1340
 - belief networks 907
 - conflicts 1397
 - constructs 1223
 - context-free grammar parsers 1356
 - decision procedure 253
 - dependencies 553
 - experiments 1259
 - form of monotonicity constraint 578
 - framework for scheduling 1346
 - game model 243
 - geometry 572
 - probabilistic hill-climbing algorithm 1288
 - PALO 1288
 - probabilistic Horn abduction 1005
 - probabilistic inference 689, 924, 1175
 - algorithm, Pearl's ~ 644
 - computational complexity of ~ 553
 - probabilistic
 - information 1112
 - interpretation 671
 - knowledge 1005
 - probabilistic logic 348, 985, 1124
 - Nilsson's ~ 1124
 - probabilistic
 - logical entailment 348
 - methods 1364
 - probabilistic model 1104, 1240
 - nonstandard ~ 890
 - of language 1364
 - probabilistic network 578, 964
 - planning 1240
 - ranking method 393
 - probabilistic reasoning 186, 616, 998, 1175, 1212, 1377, 1378
 - about change 1104
 - in medical diagnosis 132
 - probabilistic
 - relationships 578
 - retrieval 1070
 - rule sets 1143
 - rules 1143
 - semantics 575, 622, 1069
 - temporal reasoning 1104

- theories 1112
- world model 1175
- probabilistically coupled propositions 368
- probabilities 400, 1112
 - associated with hypotheses 1005
 - conditional ~ 924
 - estimating posterior ~ 1397
 - imprecise ~ 1377
 - in networks 1396
 - mutation ~ 1244
 - of hypotheses, updating the ~ 366
 - qualitative ~ 1338
 - subjective ~ 1378
 - transition ~ 1239
- probability 248, 249, 507, 527, 1067, 1069, 1072, 1223, 1245, 1338
 - assignments 577
 - based search 1340
 - calculus 527
- probability density 321
 - functions 1396
- probability distribution 1240
 - discrete ~ 122
 - estimates 1340
 - joint ~ 578, 1358
- probability distributions 122, 1175, 1340
 - second order ~ 1396
- probability
 - estimates 588
 - functions 696, 1065
 - functions, classical ~ 391
 - in Bayesian networks 1366
 - interval 391, 1124
 - logic 1112
 - logics of ~ 597
 - mappings 1377
 - mass functions, Shafer ~ 391
 - matrices, conditional ~ 1367
 - mixture 1396
 - of an abstract solution being refinable 1150
 - of success 507, 1240
 - of winning 452, 556
 - on possible worlds 597
 - on the domain 597
- probability range 1124
 - of an entailed sentence 1124
- probability
 - reasoning about ~ 597
 - that a planning instance can be solved 1303
- probability theory 348, 641, 683, 964
 - axioms of ~ 368
 - Bayesian ~ 1006
- probability threshold 1104, 1240
- probability values 348, 1223
 - as truth values of sentences 348
- probable shapes 204
- probing feature vectors 1070
- problem
 - background knowledge 235
 - decomposition method 307
 - dependent semantic information 60
- problem domain 51, 1180
 - STRIPS ~ 83
- problem
 - independent parameters 36
 - reduction 87, 213
 - relaxation 914
 - representations 961
 - search 1054
 - spaces 1389
- problem solver 44, 146, 323, 394, 552, 692, 1363
 - ABSTRIPS 51
 - ARF 2
 - PRODIGY 1103
 - STRIPS 19
 - subsystem 146
- problem solver's database 507
- problem solvers 53
 - efficiency of ~ 681
 - powerful ~ 37
 - robustness of ~ 681
- problem solving 19, 20 45, 47, 53, 71 82, 115, 120, 136, 158, 183, 184, 187, 234, 245, 351, 353, 493, 504, 519, 524, 576, 579, 661, 681, 692, 930, 1119, 1272, 1302, 1305, 1350, 1359
 - abilities 320
 - actions, real-world consequences of ~ 44
 - adaptive ~ 1386
 - AI ~ 1018
 - application of theorem proving to ~ 19
 - approach 237
 - approach, selecting a ~ 131
 - architecture 351, 493
 - architecture, Soar ~ 1011
 - automatic ~ 12
 - behavior, effective ~ 234
 - by a society of experts, effective ~ 106
 - by searching for models 1119
 - conceptual model of ~ 1193
 - constructive ~ 342
 - cooperative ~ 1173
 - cost 323
 - decisions 519
 - distributed ~ 234
 - effective ~ 1272

- efficiency 930
- experience, reusing ~ 1093
- experts, communicating knowledge-based ~ 106
- from scratch 1093
- heuristic ~ 17
- hierarchical ~ 1150
- human ~ 666, 1011
- in time-constrained environments 1090
- information 187
- logic of ~ 83
- medical ~ 237
- problem solving method 220, 406
 - chronological-backtracking ~ 1193
 - reusable ~ 1193
- problem solving
 - model 87
 - non-classification ~ 342
 - paradigms 177
 - performance 407, 1093, 1123
 - power 51
 - process 15, 44, 327, 690
- problem solving program 319
 - expert ~ 210
 - heuristic ~ 2
 - heuristics 3
 - mechanics ~ 120
- problem solving
 - robot ~ 83
 - routine ~ 342
 - scientific ~ 237
 - search 72, 407
- problem solving situation 3, 110
 - complex ~ 3
- problem solving strategy 503
- problem solving system 154, 323, 519, 641, 1306
 - CONNIVER 234
 - HEARSAY-ii 234
 - PLANNER 234
 - PRODIGY 519
 - PUP6 234
- problem solving
 - tasks, complex ~ 1090
 - technique 234, 278
 - with the ATMS 353
- problem space 62, 242, 930
 - definitions 1004
 - encoding 930
 - hypothesis 1011
- problem spaces 242
- problem
 - specific strategies 242
 - specification 896
 - state spaces 530
- problem structure 1298
 - search heuristic 1306
- problem types 45
- problem-specific
 - constants 36
 - domain theories 1135
- problems
 - for artificial intelligence challenging ~ 601
 - involving uncertainty 1164
 - stated as procedures 2
- procedural
 - bottom-up heuristics 260
 - control 211
 - control knowledge 211
 - interpretation 116, 239
 - knowledge, interactive acquisition of ~ 643
 - languages 211
 - logic 308
 - model of the agent's environment 1211
 - semantics 116
- procedure
 - for minimizing knowledge 1089
 - from example computations synthesis of a ~ 137
- procedures 107, 137
 - for generating proofs 12
 - problems stated as ~ 2
- process control 1082
- process model 189
 - of analogical reasoning 504
 - of human personality traits 171
- process
 - of forming and extending theories 246
 - planning 336
 - [See also "processes"]
- process-algebra based representation 1211
- process-based grammar 427
 - symmetry analysis 427
- process-dependent 147
 - reasoning 147
- process-grammar 495
 - computational model for ~ 495
 - for shape 427
- process-history 427
 - of shape change 495
- process-records transformation of ~ 427
- processed schemata expected number of ~ 1072
- processes 281
 - and structures, graph linking ~ 679
 - with a continuum of gradual change 43
 - [See also "process"]
- processing

- best order for ~ 507
- elements, independent ~ 337
- networks 695
- of constraints 1357
- of disparity information 202
- of semantic nets 337
- of signals 1186
- processor of symbolic information 115
- PRODIGY**
 - performance results of ~ 519
 - problem solver 930, 1103
 - problem solving system 519
 - system 552
- PRODIGY/EBL**
 - EBL system 930
 - state-of-the-art EBL system 1004
 - benchmark tasks 930
- production rule 1105
 - form, heuristics in ~ 3
 - representation 184
- production rules 231, 236, 239, 580
 - as a representation 93
 - as representation 978
 - censored ~ 363
 - heuristics as ~ 3
 - knowledge in the form of ~ 164
 - with an exception condition 363
- production system 220
 - architecture 211
 - controlled ~ 211
 - interpreters 219
 - representations 1111
- production systems 79, 211, 412
 - theory of efficiency transformations on ~ 211
- profile information 456
- profitable experiments 246
- program
 - actions, explanations of ~ 146
 - analysis intelligent ~ 81
 - as a consultant 93
 - behavior 256
 - beliefs 146
- program bugs, explication of ~ 544
- identification of ~ 544
- program**
 - DENDRAL** 131
 - for generating building plans, BUILD 47
 - for new mathematical concepts and conjectures, AM 115
 - for segmentation problems, GA1 131
 - for solving combinatorial problems 119
 - for understanding stories about painting 136
 - model 172
 - segments 153
 - semantics 57
 - specification 208
- program synthesis**
 - automatic ~ 153
 - knowledge 126
 - knowledge in ~ 70
 - reasoning in ~ 70
 - rules 126
 - sample ~ 153
 - semantics-supported ~ 167
 - syntax-directed ~ 167
 - system experimental ~ 180
- program synthesising system, PROSYN 153
- program transformation 172
 - incremental ~ 1195
 - system, experimental ~ 180
- program understanding 582
- program verification 374
 - system 57
- programming**
 - ability 70
 - agent-oriented ~ 931
 - automatic ~ 903
 - by examples 137
 - clichés 1101
 - constructs 57
 - inductive logic ~ 1370
- programming language 934
 - declarative ~ 951
 - for unified planning and control 1228
 - nondeterministic ~ 2
 - PROLOG 155
- programming**
 - rules 126
 - techniques 91
 - tool 91
 - tricks 140
- programming-language-independent representation 582
- progressive relaxation 296
- projected
 - image 484
 - surface markings 1026
- projection 135, 192
 - from the environment to the signal 1155
 - invariant 262
 - mechanisms, sense ~ 135
 - of a three-dimensional scene 204
 - orthographic ~ 279
 - perspective ~ 262, 279
 - profile analysis 414
 - weak-perspective ~ 1269

- of three-dimensional models 393
- projective
 - classification 481
 - geometry 1283
 - image 481
 - parameter space 481
 - transformation of 3D space 1283
- PROLOG 155, 216, 288, 394, 513, 948, 1187
 - clauses 536, 1187
 - compiler 155
 - language 239
 - metaprogram 288
 - polymorphic type system for ~ 288
 - program 288, 298, 467
- pronunciation, name ~ 1368
- proof
 - by consistency 382
 - by contradiction technique 471
 - checker, abstract ~ 927
 - development, syntactic viewpoint of ~ 535
 - discovery 1180
- proof procedure 90, 208, 214
 - best-first ~ 138
 - for first order logic 21
 - for predicate calculus 90
- proof systems, consistency of ~ 382
- proof theory 409, 549, 669, 1223
 - encoding of ~ 1365
 - for default reasoning logic 151
 - of conditional entailment 682
 - [See also "proofs"]
- proof-number search 1066
- proof-theoretic view of nonmonotonic reasoning 575
- proof-transformation operators 1123
- proofs 441
 - by resolution 10
 - inductive ~ 974
 - procedures for generating ~ 12
 - used by EBL systems 930
 - [See also "proof"]
- propagate
 - disturbances 359
 - point probabilities 1396
- propagating
 - imprecise probabilities 1396
 - inherited properties 935
 - reinforcement values 903
- propagation algorithm 1140
 - Waltz ~ 1140
- propagation
 - approach, tolerance ~ 950
 - Boolean constraint ~ 653
 - constraint ~ 951, 1310
 - exact value ~ 950
 - forward and backward ~ 1367
 - in belief networks 368, 626
 - interval ~ 950
 - of constraints 112, 157, 182, 360
 - of Dirichlet distributions 1396
 - of symbolic constraints 201
 - rule 293, 1140
 - through a clause 653
 - tolerance ~ 950
- properties
 - of nondeterministic programs, formalization of ~ 1
 - of states 1114
- property
 - inheritance 308
 - list markings 140
- propose-and-revise systems 503
- proposition 1104
 - types 408
- proposition's belief 527
- propositional 1233
 - attitudes 426
 - attitudes, representation of ~ 1036
- propositional calculus 314, 1185
 - extension of the ~ 1185
- propositional
 - causal theories 621
 - cumulative default reasoning 1182
 - default theories 1343
 - domain 1245
 - expression 1245
 - fluents 599
 - propositional formula 214, 352, 532, 926
- propositional Horn knowledge bases 1105
 - clause domain theory 1071
 - satisfiability 585
 - theories 586
- propositional knowledge 1185
 - base 678, 926, 1381
 - representation of ~ 1384
 - language 890, 1005, 1162, 1245
- propositional logic 80, 575, 1135, 1162, 1355
 - classical ~
 - nonstandard ~ 1213
 - of knowledge and belief 697
 - syntax of ~ 593
- propositional
 - model finding 948
 - model-preference defaults 586
 - nonmonotonic logic 494, 1142
 - planning 1234

- satisfiability 1301, 1343
 - sentences 678
 - propositional STRIPS 1234
 - planning 1117, 1303
 - propositional theorem proving 948
 - propositional theories 494
 - classical ~ 1343
 - propositional
 - theory 926
 - version of Nilsson's probabilistic logic 1124
 - propositions, dependencies among ~ 435
 - PROSPECTOR, expert system 683
 - PROSYN, program synthesising system 153
 - protection strategies 1229
 - Protégé-ii, knowledge engineering environment 1193
 - protocol
 - analysis, automate ~ 23
 - for exchanging 405
 - for exchanging secrets 405
 - interface ~ 353
 - meta-object ~ 1028
 - Protos, machine learning program 584
 - prototype speech understanding system 49
 - prototypical knowledge 975
 - for expert systems 975
 - representation of ~ 236
 - prototypical properties 409, 1097
 - prototyping, planning for rapid ~ 1153
 - PROUST
 - diagnosis of errors system for PASCAL programs 544
 - empirical studies of ~ 544
 - provability 426, 1036, 1081
 - as a modality 150
 - in experimental logics in the sense of Jeroslow 1081
 - provably correct implementation 532
 - provers, inequality ~ 341
 - proving
 - an observation by assuming hypotheses 1034
 - properties of states 1114
 - the antecedent of a default 1138
 - the termination of algorithms by machine 1141
 - universally quantified formulae in algebraic geometry 471
 - unsatisfiability 929
 - pruning 178, 487
 - a search 668
 - pruning algorithm 248
 - alpha-beta ~ 122, 261, 1238
 - pruning
 - alpha-beta ~ 615
 - conditions 534
 - criterion 1396
 - deep ~ 615, 1238
 - heavy ~ 1308
 - of a network 1366
 - of decision trees 1308
 - power 928
 - shallow ~ 1238
 - shallow alpha-beta ~ 615
 - strategy, intelligent ~ 1067
 - subtrees 1344
 - theorems 377
 - pseudo-iterative definition 1138
 - pseudo-texts 135
 - Psotka, J. 617
 - PSPACE-complete 611, 687, 697, 1117, 1303
 - PSPACE-completeness 1267, 1389
 - of subsumption 687
 - PSX2PWL, automatic analysis of phase portraits program 1215
 - psycholinguistic experimentation 28
 - psychological
 - literature 431
 - models of sentence comprehension 28
 - plausibility of ARCS 596
 - theory construction 130
 - psychologically meaningful deformations 427
 - psychology 23, 130, 342, 524, 531, 1016
 - cognitive ~ 161, 228, 276, 313
 - of computer vision 89
 - PUP6 problem solving system 234
 - PUPS computational theory of knowledge origin 524
 - Purdom 929
 - pure mathematics 500
 - purposive vision 1275
 - pushing motions 477
 - puzzles 119
 - sliding-tile ~ 965
 - PVM, predictive value maximization 580
 - Pylyshyn, Z.W. 497, 498
 - Pylyshyn, Zenon W. 458
 - pyramid, visual processing ~ 1273
- Q**
- Q learning 903
 - Q*
 - algorithm 46
 - algorithm, use of syntactic and semantic information in the ~ 46

- search algorithm 46
- Q-Learning algorithm Watkins' ~ 1164
- QA question-answering system 46
- QA4
 - language 57
 - system 57
- QDE, qualitative differential equation 664
- QEP, Clark's query evaluation procedure 375
- QEP*
 - query evaluation procedure 375
 - soundness of ~ 375
- QS
 - literature 551
 - qualitative simulation 551
- QSI qualitative system identification algorithm 1265
- QSIM
 - algorithm 369, 911
 - type algorithms 911
- quadratic polynomial 481
- quadrics 481
- qualification problem 448, 454, 464
- qualified number restrictions 1385
- qualifying domain constraints 448
- qualitative
 - algebra 658
 - algebraic reasoning 658
- qualitative analysis 295
 - automatic ~ 540
 - of behavior of systems 1215
 - of MOS circuits 295
 - of physical systems 540
- qualitative
 - and quantitative information 1357
 - arithmetic 658
 - assessment of uncertainty 964
- qualitative behavior 369, 664, 1265
 - descriptions 293, 369
 - produced by QSIM 369
 - of complex systems 1113
- qualitative causal
 - analysis 294
 - calculus 359
 - reasoning 369
 - reasoning systems 369
- qualitative
 - cells 911
 - changes 908
 - constraints 1357
 - default reasoning 1378
 - differential equations 291, 293, 664, 908
 - evolution 911
 - frequency weights 1377
 - histories 908
 - influences 578
 - information 465, 1113, 1278
 - interval constraint problems 928
 - kinematic analysis 915
- qualitative kinematics 915
 - in mechanisms 573
- qualitative
 - large signal behavior of MOS circuits 295
 - methods 660
 - modeling 545
- qualitative models 994
 - of electrical circuit behavior 545
- qualitative networks 1357
 - augmented by quantitative domain constraints 1357
- qualitative phase-space structure 1113
- qualitative physics 290, 291, 360, 361, 492, 581, 663, 666, 990
 - models 1196
- qualitative
 - possibilistic logic 1388
 - probabilistic networks 578
 - probabilities 1338
 - process theory 292, 973, 991
 - projection 911
- qualitative reasoning 290, 292, 294, 360, 656
 - about kinematic interactions 573
 - about physical systems 290, 656
 - about time 1169
 - problems 581
 - programs 1265
- qualitative
 - relations between events 693
 - relationships 578
- qualitative representation 295, 1153
 - for quantity 292
- qualitative
 - resolution 658
- qualitative sentences 1338
- qualitative simulation 369, 551, 664, 666, 908, 911, 995
 - algorithm 369
 - of a mechanical clock 666
- qualitative spatial
 - reasoning 666
 - reasoning method 293
 - representations 666
- qualitative
 - state 291
 - states of a system 551
 - structure descriptions 369

- superposition 908
 - synergies 578
- qualitative system identification 1265
 - algorithm QSI 1265
- qualitative
 - temporal information 956
 - understanding 663
- qualitative version
 - of the calculus 291
 - of the lottery paradox 638
- qualitatively distinct features 1113
- quality
 - decision ~ 1227
 - of a decision 229, 243
 - of a decision, degradation of ~ 229
- quantification 636
 - of objects, three dimensional ~ 201
 - over domain individuals 1223
 - over probability values 1223
 - over time points 1223
- quantified
 - beliefs 1065
 - formula 470
- quantifier
 - existential ~ 401
 - restrictions 1068
 - scoping 216, 399
 - universal ~ 401
- quantifier-free formula 208, 470
- quantifiers 84, 119, 549
 - for nonmonotonic logic 1142
 - numeric ~ 1379
 - plurality ~ 401
- quantify over event tokens 1246
- quantifying
 - inductive bias 460
 - uncertainty 1378
- quantifying-in 1151, 1311
- quantitative
 - algebra 658
 - algebraic reasoning 658
 - analysis 232
 - belief arguments 527
 - constraints 1357
 - data, summarizing ~ 1373
 - domain constraints 1357
 - information 666
 - modal logic 1388
 - objective probability 964
 - physics 492
 - probabilistic reasoning 1378
 - study of the alpha-beta algorithm 261
- quantity space 292
- quantization of brightness levels 197
- quantum phenomena 932
- quasi-algebraic sets 472
- quasi-polynomial time 1121
- quaternary domains 1377
- Qubic 1066
- queens problem, n-- 952
- queries 502
 - epistemic ~ 1142
 - from an agent 1358
 - in databases evaluation of ~ 338
 - nonterminating ~ 536
- query 1257, 1264
 - a knowledge base 1311
 - about the system's behavior 659
- query answering 1257
 - algorithm 485
 - subjunctive ~ 1096
- query, dimension of a ~ 1257
- query evaluation procedure 375
 - QEP* 375
- query language 1264, 1361
 - plan ~ 1088
 - to plan libraries 1361
- query
 - of CAD and image databases 1037
 - problem in geometry 470
 - set, restricted ~ 1381
- query system
 - database ~ 216
 - natural language ~ 226
- query-by-example 1037
- query-directed simplification 918
- querying
 - a timegraph 1169
 - bounds 1257
- question answering 135, 226
 - from natural language medical data bases 129
 - procedure 129
 - program 16, 25
 - program, Chronos 25
- question answering system 16, 233
 - deductive ~ 46
 - QA 46
- questioner
 - goals of a ~ 226
 - intentions of a ~ 226
- questions about database structure 329
- quicksort 126
 - algorithms 330
- quiescence
 - null-move ~ 560
 - of the propagation 1140

- search algorithm 560
- Quine 636
- Quine, W.V.O. 127
- Quinlan and Hunt 37
- Quinlan's concept-learning program 335
- quotation and unquotation, theory of ~ 315
- quotient problem 307
- R**
- R-refutation completeness of renamable resolution 9
- R-renaming 9
- R-unsatisfiable 9
- R1, rule-based configurator of computer systems 220
- radar reflectance models 569
- radiology reports 129
- radiometric information 569
- ramification problem 448
- ramifications 630
 - domains with ~ 1189
- random 3-SAT 1301
 - crossover point in ~ 1294
 - problems, hard ~ 1299
- random
 - binary constraint satisfaction problems 1296
 - branch values 99
 - branching factors 1344
 - chance 1240
 - CNF formulas 1297
 - conjunctive normal form predicates 249
 - costs 248
 - data 75
 - formulas, satisfiability of ~ 1293
 - game trees 1344
 - graphs 254
 - networks 928
 - noise 1377
 - nontrivial 3SAT formula 929
 - ordering of successor nodes 257
 - predicates 249
 - problems 928, 1293, 1297
 - SAT 1297
 - series of scenarios 400
- random tree 1200, 1305
 - model 1305
 - searching ~ 384
- random variables 122, 1175
 - errors as ~ 179
- random
 - walk, constrained ~ 655
 - Walsh polynomials 1306
- random worlds 1378
 - method 1378
 - semantics of ~ 1378
- randomised cost-independent search 1244
- randomly coded messages 619
- randomly generated
 - graphs 1253
 - interval networks 928
 - problems 1300, 1405
 - satisfiability problems 1199
- range
 - data 1310
 - data analysis 139
 - image 1310
 - of search 41
 - sensors 1067
- range-restricted clausal theories, first-order ~ 1201
- ranked preferential model 890
- ranking
 - decompositions 1007
 - method, probabilistic ~ 393
- rankings of worlds 1338
- Raphael
 - A* algorithm of Hart, Nilsson and ~ 215
 - Hart, Nilsson and ~ 92
 - Hart, Nilsson and ~ algorithm 8
- rapid
 - constraint propagation 1299
 - prototyping, planning for ~ 1153
 - transition between soluble and insoluble instances 1405
- Rasmussen, Steen 1134
- ratio
 - of clauses to variables 1299
 - of the number of clauses to the cube of the number of variables 929
- rational
 - balance 548
 - closure 890
 - closure of a conditional knowledge base 890
 - database updating 1375
 - inferences 591
 - management of inference tools 625
 - monotonicity 675
 - reasoning 633
 - reconstruction 566
 - relations 890
 - trees 536
- rationalist approaches in NLP 1364
- rationality 625, 675
 - bounded ~ 1243
 - disjunctive ~ 675
 - individual ~ 1353
 - limited ~ 641

- minimal ~ 506
 - postulate, weak ~ 962
 - postulates 678, 1375
 - postulates, Gärdenfors-like ~ 678
 - resource-bounded ~ 641
- raw cognitive map 431
- RBFS
 - linear-space best-first search 965
 - recursive best-first search 1200
- re-recognition 54
- reaction
 - construction 1211
 - knowledge base 134
- reactive
 - behavior 1211, 1241
 - behavior simple ~ 1152
 - planning 1399
 - repair 1242
 - schedule management 1242
 - strategies 1164
 - systems 1033
- reading cursive script 414
- real
 - chair 1002
 - image sequences 1279, 1281
 - numbers 470
- real patients, interviews with ~ 34
- real world
 - knowledge 136, 187
 - object classes 201
 - problem 1180
 - [See also "real-world"]
- real-life planning 336
- real-number division algorithm 57
- real-time
 - A* algorithm 547
 - computing 1161
 - constraints 613
- real-time control 663, 1161, 1164
 - architecture 1161
 - plans 1161
 - system 1228
- real-time
 - controller 1228
 - diagnosis 1399
 - DP, RTDP 1164
 - dynamic programming 1164
 - expert system tool G2 1196
 - heuristic search 547
 - learning 1164
- real-time performance 1111
 - guarantees 1161
- real-time
 - planning 1164, 1399
 - system design 1227
 - systems 1227
- real-valued
 - co-ordinate system 1224
 - constraint propagation network 1310
 - heuristic functions 242
- real-world
 - belief networks 1377
 - consequences of problem-solving actions 44
 - environments 1161
 - explanations 525
 - scheduling tasks 955
 - situations 189, 525
 - urban scenes 478
 - visual constraints 456
 - [See also "real world"]
- realistic large-scale problems 1136
- rearrangement
 - dynamic search ~ 1110
 - search ~ 249
- reason
 - about the content of its knowledge 178
 - artificial ~ 1332
- reason maintenance 394, 653, 962
 - skeptical ~ 962
 - system 435, 962
- reason with uncertain knowledge 348
- reasonable
 - inference procedures 890
 - nonmonotonic inference procedure 890
- reasoner
 - high level ~ 154
 - perfect ~ 1213
- reasoning 112, 147, 245, 292, 296, 303, 444, 453, 461, 503, 573, 632, 690, 692, 1079, 1204, 1222, 1339
- reasoning abductive ~ 684, 1175, 1222, 1381
- reasoning abilities 70, 357
- reasoning about
 - a physical system 1221
 - action 281, 441, 448, 496, 1183, 1250
 - actions and change 1338
 - beliefs 356
 - causal projections 1338
 - change 441, 1104
 - conflicts 958
 - control 177
 - default statements 455
 - defaults 449
 - dynamic objects 1277
 - explanations 1338
 - ignorance 449

- incompletely specified worlds 151
- inheritance hierarchies with exceptions 622
- kinematic interactions 573
- likelihood 405
- machines, automated ~ 1156
- model accuracy 918
- molecular structural transformations 1226
- movement 1224
- natural forms 357
- partially ordered events 466
- physical objects, AI contributions to ~ 320
- physical systems 1083
- plans 1394
- probability 597
- programs 57
- qualitative temporal information 956
- reasoning processes 183
- resources 274
- rules 178
- shape interaction 573
- shapes 573
- sources of misconceptions 533
- structure, machine ~ 1037
- the evolution of mechanical systems in
 - continuous time 640
 - the goals of classification 347
 - the physical world 1114
- reasoning about time 394
 - algorithms for ~ 1169
- reasoning about truth 509
- reasoning
 - agents in a dynamic world 1130
 - algebraic ~ 479, 658, 1217
- reasoning algorithms, algebraic ~ 479
 - high-level ~ 1204
 - standard ~ 1204
- reasoning
 - analogical ~ 504
 - approximate ~ 381, 1162, 1245
 - architecture 1345
 - as theory formation 453
 - assistant, automated ~ 275
 - associational and causal ~ 681
 - asymptotic order of magnitude ~ 1221
 - autoepistemic ~ 449, 922, 1154
 - automated ~ 275, 1141, 1381
 - backward ~ 563, 1145
 - backward in time 630
 - backward-chained ~ 563
 - backwards 563
 - belief ~ 1154
 - by analogy 17
 - capability 170
 - case-based ~ 1361, 1368
 - categorical ~ 998
 - causal ~ 292, 445, 1145
 - classical ~ 1384
 - classification ~ 342
 - closed-world ~ 1384
 - combination of categorical and probabilistic ~ 132
 - commonsense ~ 293, 303, 357, 346, 385, 441, 445, 516, 593, 657, 677, 699, 937, 1181, 1381
 - complexity of ~ 637, 1264, 1311
 - component 170
 - computational complexity of ~ 1116
 - conjectural 148
 - consistent ~ 1348
 - constraint ~ 950
 - constraint-based ~ 947
 - correct geometric ~ 482
 - decidable deductive first-order ~ 1311
 - deductive ~ 419, 1245
 - default ~ 352, 444, 445, 450, 453, 455, 514, 633, 1138, 1182, 1222, 1224, 1338, 1343
 - defeasible ~ 680, 913
 - deterministic ~ 132
 - diagnostic ~ 296, 395, 989, 1196, 1345
 - dynamic ~ 563
 - efficient ~ 1033, 1381
 - everyday ~ 401
 - evidential ~ 132, 328, 344, 400, 437, 626, 996, 1005
 - expert ~ 132
 - expert system ~ 679
 - formal temporal ~ 454
 - formal ~ 640, 1180
 - formalisms, nonmonotonic ~ 677
 - forward ~ 112, 1145
 - forward in time 630
 - forward-chained ~ 563
 - forwards 563
 - framework, diagnostic ~ 1345
 - general ~ 1180
 - geometric ~ 392, 468, 470, 477, 478, 479, 482, 1153
 - geometric methods of ~ 661
 - graph-based ~ 1370
 - human ~ 189, 284, 285, 401, 1141
 - hybrid ~ 635
 - in connectionist networks 1185
 - in medical diagnosis, categorical ~ 132
 - in medical diagnosis, probabilistic ~ 132
 - in program synthesis 70

- inductive ~ 145, 374
- inexact ~ 437, 683
- inference modes in ~ 147
- inheritance ~ 550, 966
- intuition in ~ 20
- intuitive ~ 294
- issues 1272
- limited ~ 421, 1151, 1311
- local ~ 421
- logical ~ 1124, 1217
- machinery 581
- management of evidential ~ 328
- mathematical ~ 166, 579
- mathematics of non-monotonic ~ 150
- mechanism 381
- mechanized formal ~ 152
- meta-level ~ 185
- method geometric ~ 1217
- methods choices of ~ 1157
- models inexact ~ 906
- multiple inheritance ~ 966
- multiple lines of ~ 210
- mundane ~ 593
- non-logical ~ 20
- nonmonotonic ~ 148, 301, 303, 338, 379, 450, 485, 486, 575, 630, 633, 639, 890, 916, 1019, 1138, 1194, 1384, 1388
- nontrivial ~ 1348
- nonverbal ~ 661
- off-line ~ 1264
- on-line 1264
- order of magnitude ~ 657, 1272
- patterns of ~ 549, 1378
- perfect logical ~ 1311
- physical ~ 292, 477
- plan ~ 1197
- plausible ~ 183
- possibilistic ~ 1388
- reasoning, probabilistic ~ 186, 616, 998, 1175, 1212, 1377, 1378
- temporal ~ 1104
- reasoning problems 916, 1162
 - decision ~ 1162
- reasoning process 557
 - dependent ~ 147
 - for driving 1277
- reasoning processes 183, 504
 - of mathematicians 1055
- reasoning programs 146
 - qualitative ~ 1265
- reasoning
 - qualitative causal ~ 369
 - qualitative ~ 290, 292, 294, 360, 581, 656
 - rational 633
 - robust ~ 1181
 - rule-based ~ 1181, 1368
 - rules, model of ~ 264
 - scope of ~ 677
 - sidedness ~ 205
 - similarity-based ~ 1181
 - skeptical ~ 637
 - skeptical or credulous ~ 966
 - spatial ~ 666, 1113, 1283
 - strategies 550
 - strategy 120
 - structural ~ 1370
 - symbolic ~ 201, 661, 915, 957
- reasoning system 152, 353, 908, 948
 - automated ~ 328
 - for machine vision 479
 - mathematical ~ 166
 - multi-agents ~ 1268
 - nondeductive ~ 1378
 - qualitative causal ~ 369
- reasoning tasks 894, 1357
 - choices of ~ 1157
 - fundamental ~ 956
 - in CDL 1182
- reasoning, taxonomic plan ~ 1339
- reasoning techniques 681
 - spatial ~ 201
- reasoning
 - temporal ~ 394, 419, 450, 464, 466, 693, 1063, 1104, 1145, 1169, 1246, 1357, 1411
 - terminological ~ 433, 567
 - theories of ~ 633
 - tractable ~ 1162
 - type ~ 1180
 - uncertain 1212
 - undecidability of ~ 1151
- reasoning under uncertainty 622, 1377
 - automated ~ 651
- reasoning
 - underlying explanations 525
 - verifiable geometric ~ 482
 - visual ~ 661
 - weaker forms of ~ 1151
 - with abstract solution spaces 210
 - with abstraction, theory of ~ 927
 - with Horn approximations 1381
 - with Horn expressions 1381
 - with incomplete information 363
 - with inconsistency 1348
- reasoning with inconsistent databases 671

- knowledge 925
- reasoning
 - with models 1381
 - with processes 973
 - with qualitative models 994
 - with resource constraints 363
 - with uncertainty 557
- reasons for belief 649
- recognising objects from images 1271
- recognition 68, 514, 1271
 - architecture 1271
 - automated program ~ 582
 - automatic ~ 50
 - Bayesian model of plan ~ 1006
 - character ~ 642
 - in human vision 393
 - instance ~ 443
 - language ~ 111
 - object ~ 571, 574
 - of computational structures 582
 - of correct programs 172
 - of curved objects 96
 - of object classes 1310
 - of objects, incremental ~ 41
 - of polyhedra 41
 - of problems 55
 - of structure regularity 484
 - of three-dimensional objects 393
 - problem plan ~ 130
 - problems 514
 - process 114, 518, 1271
 - results 96
 - rules 519
 - schema ~ 1059
 - shape ~ 691
 - simple letter ~ 14
 - system 582
- recognize three-dimensional objects 393
- recognizing
 - a language 215
 - an object 1275
 - deep cases, criteria for ~ 76
 - DNA sequences 1071
 - isolated objects 574
 - Othello patterns 556
 - rigid objects from noisy sensory data 574
 - state achievement 1232
 - the environment 1269
- recommendations for treatment 133
- reconcile solutions to different subproblems 63
- reconfiguration of the cameras 1284
- reconstructible surface region 1275
- reconstructing a rigid space curve 440
- reconstruction
 - from stereo images, surface ~ 1284
 - method 1283
 - of 3D scenes 376
 - rational ~ 566
- reconstructive expert system explanation 690
- reconvergent nodes 695
- record-keeping capabilities 634
- recording information from 3D images 24
- recover polyhedral shape 279
- recovering
 - 3D motion 1279
 - 3D shape 456
 - probable shapes 204
 - surface shape 192
 - the motion parameter from the motion field 1279
 - three-dimensional shapes 279
 - three-dimensional structure 1283
- recovery 279
 - equations, 3D ~ 484
 - error ~ 477
 - from revision failures 1242
 - method 192
 - of 3D objects 1077
 - of 3D objects from 2D contours 1077
 - of a planar surface orientation from its image 565
 - of the three-dimensional shape 204
 - of three-dimensional configurations 156
 - possibilities 673
- recurrent models 1239
- recursion 106
 - elimination 247
- recursive
 - application 523
 - best-first search (RBFS) 1200
 - circumscription 511
 - clause 536
 - construction of complex representations 594
 - cooperation 906
 - data structures, variable-sized ~ 592
 - discounting 689
 - distributed representations 592
 - equations 145
 - functions, synthesising ~ 153
 - inference 377
 - labelnode hypergraphs, directed ~ 109
 - paradigms 126
 - portions of a search space 377
 - predicates 536
 - programs 1195
 - state space search algorithms 1206

- transition network, augmented ~ 28
- recursively
 - defined algorithm 1141
 - enumerable 913, 1081
- reduced
 - fields of view 1277
 - search space 680
- reducibility 970
- reducing
 - belief to knowledge 1019
 - computational effort 914
 - of nodes 650
 - the effective size of the search space 1346
- reductio ad absurdum 1055
- reduction 107
 - complete ~ 896
 - compulsory ~ 647
 - ESP ~ 1234
 - heuristics in automatic theorem proving 13
 - problem ~ 87
 - rules 648
 - rules, advanced ~ 648
- reductions, computation-theoretic ~ 1177
- redundancies 493
 - addition of ~ 645
 - in a search space 958
 - in search space 648
 - merging ~ 1059
- redundancy 459, 1118, 1129
 - control 459
 - elimination 963
 - high degrees of ~ 648
 - problem 1118
 - removing ~ 963
 - search space ~ 1129
- redundant 1138
 - constraints 957
 - derivations 21
 - information 1350
 - knowledge bases 645
 - links 966
 - literals 963
 - resolution steps 142
 - rules 1105
- reexpansion of nodes
 - excessive ~ 650
 - reducing ~ 650
- REF 2
 - extensions to ~ 2
 - language accepted by the problem solver
 - ARF 2
- reference
 - resolution 1059
 - time 25
- referencing a complex structure via an abbreviated tag 590
- referential connections 643
- referents, possible ~ 65
- referring
 - expressions 318
 - to nonexistent objects 1168
- refinement 178, 342, 576, 1359
 - algorithm 1143
 - algorithm, optimal ~ 1359
 - automatic ~ 442
 - cost 1229
 - discrepancy-driven ~ 918
 - downward ~ 1150
 - effect ~ 178
 - from abstract goals 256
 - heuristics 442
 - implement ~ 178
 - iterative ~ 1239
 - knowledge base ~ 442, 1071
 - methods 1143
 - of probabilistic rule sets 1143
 - paradigm 238
 - phase 178
 - planning 1229
 - process 256
- refinement search 1229
 - semantics 1229
- refinement
 - structure 256
 - techniques, traditional ~ 1359
 - theory ~ 1071, 1135
- refinements
 - of resolution 46
 - tractability ~ 1229
- refining 1103
 - abstract states 182
 - of previous search 1374
 - rules 264
- refixation 1284
- reflectance
 - map 195
 - model parameters 569
- reflective behavior 1208
- reformat field entries 190
- refutation
 - completeness of renamable resolution 9
 - graphs 80
 - plan 142
- refutational
 - approach 471
 - theorem proving 314

- refutations
 - efficiency of finding ~ 21
 - linear resolution ~ 142
- REF-ARF, a system for solving problems stated as procedures 2
- region
 - analysis 530
 - analyzer, semantics-based ~ 60
 - diagram 665
 - interpretations 104
 - of exceptionally hard problems 1184
- regions
 - as basic data for scene analysis 7
 - characterizing operating modes 665
- regression methods for theory construction 1370
- regrouping constraints 502
- regular
 - graphs 254
 - patterns shape from ~ 265
- regularities
 - environmental ~ 357
 - from past experience 231
- regularization term 569
- regulation devices, fluid ~ 658
- reification of event and state types 1246
- reified
 - approach 1246
 - propositions 408
 - temporal logic, TRL 1246
 - temporal logics 1246
- reifying event tokens 1246
- reinforcement learning 903, 1152, 1165
 - extending ~ 1165
 - methods 1164
 - RL 1165
- reinforcement values, propagating ~ 903
- reinstating conclusions 913
- reinterpretation of a scene 41
- Reiter
 - and de Kleer 1040
 - Etherington and ~ 1404
 - Etherington, Mercer and ~ 345
- Reiter, Ray ~ 1142
- Reiter's
 - closed world assumption 639
 - default logic 379, 453, 649, 922, 1138, 1148, 1182, 1222, 1343
 - default theory 639
 - diagnosis algorithm 528
 - theory of diagnosis 528
- relatedness measure, statistical ~ 66
- relating
 - information from different viewpoints 54
 - structure and function 1208
- relation algebra 1290
 - of intervals 1290
 - of pairs 1290
- relation
 - approximate consequence ~ 1388
 - as a Horn theory 954
 - between object space and image space 54
 - Horn approximation to a ~ 954
 - of instinctive to reflective behavior 1208
 - [See also "relations"]
- relational
 - algebraic operations 398
 - concepts, generalizations of ~ 163
 - concepts, induction of ~ 163
 - constraints 104
 - data 954
 - database 1064
 - database, hypergraph of a ~ 1064
 - networks 679
 - production composition theorem 94
 - production system (rps) 94
 - productions 94
- relations 347, 507
 - among parameters of objects 1083
 - between clichés 582
 - [See also "relation"]
- relationship
 - between differences and means 307
 - between goals 347
 - between time intervals or points 956
 - symbolic or numerical ~ 1283
- relative
 - approximation algorithm 924
 - change of system parameters 465
 - change values 465
- relative completeness 5
 - of inductive inference systems 5
- relative
 - expressiveness 1379
 - likelihood conclusions 578
 - locations 691
- relative position 268
 - of an object 1163
- relatively hard problem instances 1184
- relaxation algorithms 618
 - perfect 618
- relaxation
 - approach to splitting 63
 - discrete ~ 168, 585
 - linear program ~ 1391
 - methods 1270
 - preprocessing 1102

- problem ~ 914
 - progressive ~ 296
 - rules 618
 - successive ~ 914
- relaxed models 914
 - hierarchy of ~ 914
- relevance 1263
 - definition 358
 - logic 1151, 1213
- relevant
 - beliefs 548
 - causes of observations 684
 - domain knowledge 503
 - explanations 684
 - information potentially ~ 44
- reliability
 - measures 1278
 - relation 925
- reliable
 - plan 1232
 - practical robot systems 1232
 - sources of information 673, 925
- reliance placed on heuristics 6
- removal
 - of derived results 190
 - of redundant rules 1105
- removing
 - harmful interactions 958
 - inconsistencies 896, 958
 - redundancy from a clause 963
 - redundant information 1350
- renamable
 - paramodulation 9
 - resolution 9
- reordering 178
- repair
 - action selection 1242
 - decisions 1345
 - domains 1345
 - method, heuristic ~ 952
 - reactive ~ 1242
 - strategies 583
- repairing
 - faulty plans 973
 - plans that fail 583
- repeating cycles of processes, detecting ~ 371
- repetition
 - of planning effort 896, 1235
 - sub-part ~ 1310
- repetitive patterns 1270
- replicator systems 911
- representable by a network 894
- representation 187, 287, 622, 1073
 - action ~ 1228
 - analogical ~ 20
 - and control 1209
 - approximate ~ 1381
 - Brady's smoothed local symmetry ~ 383
 - change 1201
 - changes, model of ~ 158
 - clause ~ 67
 - commonsense algorithm ~ 82
 - compactness of ~ 1384
 - competent for natural forms 357
 - complete ~ 1290
 - conceptual ~ 418, 431
 - dimensional ~ 581
 - expressive action ~ 1228
 - for commonsense algorithmic world
 - knowledge, theory of ~ 82
 - for situations 231
 - for visual shape 691
 - formula-based ~ 1225, 1381
 - fully universal ~ 1290
 - goal 1384
 - graph-based ~ 1370
 - homogeneous ~ 1290
 - image-space ~ 83
 - in AI, spatial ~ 38
 - in nonmonotonic logic 419
 - in the Cyc Project 937, 938, 939, 940, 941, 944
 - knowledge ~ 116, 136, 190, 282, 342, 503, 512, 553, 567, 585, 625, 629, 636, 937, 1074, 1151, 1154, 1185, 1263, 1311, 1339, 1348, 1377, 1381, 1384
- representation language 188, 567, 1005, 1339
 - knowledge ~ 1339
 - terminological knowledge ~ 611
- representation
 - marginal ~ 1212
 - meaning ~ 65
 - model-based ~ 1225, 1381
 - of a game 35
 - of a problem domain, STRIPS ~ 51
 - of a relation algebra 1290
 - of belief 391, 1036
 - of bindings, fully distributed ~ 594
 - of constraints 1357
 - of expert knowledge 907
 - of implicit knowledge 111
 - of knowledge 55, 418
 - of large amounts of knowledge 660
 - of mappings as tables 140
 - of motion 120
 - of natural form 357

- of planning problems 1223
 - of plans, first-order ~ 430
 - of programs by graphs 172
 - of propositional knowledge 1384
 - of prototypical knowledge 236
 - of sentences 546
 - of sets of clauses 67
 - of shape and space 666
 - of stories, first-order ~ 430
 - of symbolic structures, fully distributed ~ 594
 - of the environment 55
 - of the MYCIN system 93
 - of the scene model 376
 - of time 1169
 - of word meaning 66
- ontology 1196
- process-algebra based ~ 1211
- production rules as ~ 978
- programming-language-independent ~ 582
- propositional attitudes 1036
- qualitative ~ 1153
- scheme knowledge ~ 1345
- schemes 692
- semantic ~ 1088
- services, utility of ~ 625
- shape ~ 573
- situated view of ~ 1209
- sort ~ 635
- space of ~ 158
- static ~ 1074
- structural ~ 1370
- symbolic ~ 1185, 1254
- representation system 1116
 - for mathematics, knowledge ~ 1042
 - KL-ONE 1116
 - knowledge ~ 485, 486, 904, 1339
 - logical ~ 948
 - terminological ~ 1116
- representation
 - taxonomic ~ 635
 - theorems 575, 1038
 - time ~ 1169
 - TMS ~ 450
 - tools 342
 - traditional logical ~ 635
 - transformations 158
 - unique-attribute ~ 1111
 - version space ~ 672
 - with generative capacities 1196
 - [See also "representations"]
- representation-language 109
- representational
 - activities in OIS 603
 - capabilities of hybrid systems 1095
 - hierarchy 383, 414
 - mapping 504
 - system 357
 - transformations 688
 - variant of the blocks-world 930
 - vocabulary 602
- representations 118
 - action ~ 1248
 - analogical ~ 492
 - artificial-intelligence ~ 1082
 - causal structure ~ 1129
 - decision-theoretic ~ 1082
 - design of ~ 692
 - discourse ~ 308
 - domain ~ 1380
 - dual ~ 1181
 - expressive action ~ 1380
 - for cognitive learning 55
 - for kinematics 666
 - frame ~ 136
 - geometric ~ 479
 - graphical ~ 578, 661
 - high-level ~ 1204
 - hybrid ~ 635
 - implicit in a case system 76
 - in problem solving 158
 - infinite ~ 1290
 - intensity ~ 200
 - knowledge ~ 1386
 - language for expressing ~ 158
 - machine ~ 114
 - multiple ~ 120, 296, 473
 - network inference ~ 379
 - object ~ 219
 - of commonsense knowledge 942, 943, 944, 946
 - of existence 636
 - of kinematic pairs 573
 - of narrative text 308
 - of nonexistence 636
 - of syntactic structure 923
 - of the environment 521
 - pattern ~ 219
 - plan ~ 1076
 - problem ~ 961
 - production system ~ 1111
 - qualitative spatial ~ 666
 - space of ~ 158
 - specialized ~ 692
 - visible-surface ~ 200
 - volumetric ~ 200
 - word sense ~ 135

- [See also "representation"]
- representing
 - a scene 1269
 - actions 448
 - conflicts 958
- representing default
 - knowledge 381
 - statements 455
- representing
 - design plans 520
 - geometrical properties 472
 - hypotheses 1187
 - knowledge 907, 1225, 1262
 - large bodies of real world knowledge 187
 - networks with nonmonotonic multiple inheritance 935
 - plans 1223
 - propositional knowledge 1185
 - qualitative behaviors 1113
- reproduction scheme, elitist ~ 1387
- requesting 931
- requests for data retrieval 226
- requirements of future queries 954
- resampling techniques 580
- Rescher 925
- rescue robot, space faring ~ 1171
- residual equations 69
- resolution 10, 22, 26, 107
 - ambiguity ~ 1074
 - calculus, many-sorted ~ 324
 - classical ~ 1068
 - conflict ~ 633, 958
 - deductions by ~ 10
 - graph notation 10
 - graphs 10
 - high virtual ~ 613
 - linear ~ 916
 - logic theorem prover, first-order ~ 17
 - many-sorted ~ 324
 - methods 13
 - NC~ 208
 - of conflicts 527
 - of metonymy 1059
 - of multiple causal inferences 908
 - operation 10, 67
 - order-sorted ~ 904
- resolution principle 12, 1068
 - for constrained logics 1068
 - typed ~ 1180
- resolution
 - program 12
 - proof trees 12
 - proofs 181
 - proofs, by ~ 10
 - qualitative ~ 658
 - reference ~ 1059
 - refinements of ~ 46
 - refutations, linear ~ 142
 - sequences of ~ 10
 - SOL~ 916
 - sorted ~ 1068
 - steps, redundant ~ 142
 - strategies 80, 181
 - subsort ~ 904
 - system clause graph ~ 648
 - theorem prover 19, 151
 - untyped ~ 1180
 - with merging 10
 - with theory unification 1068
- resolution-based
 - inference systems 324
 - systems 80, 648
- resolve
 - a conflict 27
 - ambiguities 295
- resolving ambiguity 898, 1205
 - in nonmonotonic inheritance hierarchies 1205
- resolving
 - arguments 682
 - conflicts 958
- resource
 - allocation 238, 1174
 - constraints 363, 668
 - contention 955
 - limitations 1151
 - limited agents 1362
 - limits 1362
- resource-bounded rationality 641
- resource-limited problem solving 183
- resources 363
- restricted
 - graph structure 1355
 - language of conclusion sets 1404
 - logical calculus 948
 - memory 534
 - planning problems 1117
 - quantifiers 1068
 - queries 1381
 - scope nonmonotonic logic 603
 - set of constraints 1122, 1355
 - subset of natural language 141
- restricting negation 1117
- restriction
 - enzyme segmentation data 131
 - to conjunctive concepts 460

- restrictions 307
 - on figural completion 1260
 - on the search 1111
- resultant clause 10
- Rete algorithm 695
 - for many pattern/many object pattern match problems 219
 - OPS5 ~ 695
- Rete match 688
 - algorithm 219
 - implementation techniques 695
- Rete networks 695
 - generalized ~ 695
- Rete operations 695
- Rete-based matching on demand 695
- retina 1274
 - simulated parallel processing ~ 154
- retinal
 - images 200
 - projections 203
- retracing search paths 1202
- retracting conclusions 913
- retraction 351
- retrieval 178, 478, 525
 - algorithms 268
 - analog ~ 596
 - best-match ~ 1070
 - efficiency 1070
 - efficient ~ 1070
 - information ~ 1073
 - involving incomplete and inconsistent information 593
 - knowledge ~ 177
 - of a good plan 1235
 - of analogs from memory 596
 - of data 614
 - of information 268
 - operation 129
 - probabilistic ~ 1070
- retrieving design plans 520
- reusable
 - anytime modules 1227
 - methods 1193
 - problem-solving methods 1193
- reuse 1339
 - parts of old plans 1235
 - plan ~ 1235
- reusing
 - partial plans 520
 - plans 1361
 - problem solving experience 1093
- reutilization space ~ 126
- reversible
 - irregular problem type 45
 - regular problem type 45
- revised knowledge base 926
- revising
 - a knowledge base 1096
 - beliefs 1250
 - knowledge bases, semantics of ~ 678
 - representations 55
- revision 1250
 - belief ~ 435, 651, 962, 1178, 1338
 - failures, recovery from ~ 1242
 - iterative ~ 1242
 - knowledge base ~ 678, 926
 - of belief 413
 - of composite beliefs 413
 - rules 1373
 - schemes 678
 - theory ~ 1288
- revision-based model for summary generation 1373
- reward functions 1239
- rewrite rules 107, 185
- rewriting 434
 - a segment of a developing program 316
 - rules 37, 142
- rhetorical relations 1058
- rheumatic diseases, diagnosing ~ 264
- rich domains 441
- Rich, E. 350
- rich knowledge bases 1378
- ridiculous axiomatization 64
- Riesbeck, Christopher 173
- rigid
 - and jointed objects, motion of ~ 222
 - control structure 183
- rigid objects 574
 - forced motions of ~ 38
 - three-dimensional structure of ~ 222
- rigid
 - parts, collections of ~ 222
 - transformations in the image plane 1270
- rigidity 357
- rigorous semantic foundation 473
- rings 473
- rippling 974
 - generalised ~ 974
 - tactic for heuristic control 974
- Ritchie and Hanna 287
- Ritt–Wu principle 472
- RL
 - algorithms 1165
 - reinforcement learning 1165
- road scenes 60
- roadmap 476

- Robinson's unification algorithm 57
- robot 121, 477, 667, 1163, 1177, 1232, 1269
 - action 1163
- robot arm 1281
 - IBM 7575 ~ 1278
- robot
 - behavior-based -, OBELIX 903
 - construction tasks 47
 - control 411, 667
 - design 1208
 - driving 1277
 - interaction with the environment 411
 - manipulation 300
 - manipulator 476
 - mobile ~ 605, 1232
 - modelling 411
 - motion planning 477, 667
 - motions 392
 - moving in Euclidean space 1283
 - NASA EVAR ~ 1171
 - navigation 1278
 - NOMAD-200 mobile ~ 1232
- robot planning 19
 - problems 530
- robot plans
 - executing generalized ~ 36
 - learning generalized ~ 36
- robot problem solving 83
 - system STRIPS 36
- robot
 - reactions intelligent ~ 36
 - real behavior-based ~ 903
 - shaping 1152
 - space faring rescue ~ 1171
- robot system
 - control systems of a ~ 1210
 - vision systems of a ~ 1210
 - reliable practical ~ 1232
- robot
 - task complexity 1177
 - technology 411
- robot vision 24
 - system 1273
 - [See also "robot's", "robots"]
- robot's
 - dilemma 458
 - intelligent controller 1171
 - [See also "robot", "robots"]
- robotic vision 255
- robotics 43, 224, 320, 392, 492, 572, 1067, 1177, 1232
- robots 1152, 1208
 - autonomous ~ 1153
 - behavior-based ~ 903
 - configuration space 476
 - mobile ~ 1160
 - real ~ 1152
 - simulated ~ 1152
 - worlds of ~ 64
 - [See also "robot", "robot's"]
- robust 540, 957
 - circumscriptive approach 1183
 - concept formation system 518
 - goal achievement 1171
- robust matching 1270
 - of uncalibrated images 1270
- robust
 - method of compressing 670
 - optical flow estimation 1281
 - reasoning 1181
 - text understanding systems 260
- robustness 393, 1279
 - in dynamic tracking 1289
 - in segmentation 1289
 - of belief networks 1377
 - of degrees of freedom analysis 957
 - of networks 614
 - of problem solvers 681
 - of the revision-based model 1373
- Rochester, Gelemter, -, Hansen and Loveland 4
- role
 - composition 1379
 - of representation in theory formation 287
- roles, transitive closure of ~ 1379
- roller coaster problems 120
- root 138
 - minimax value 447
 - node 1238
 - of the search tree 559
 - value 558, 559
- roots of knowledge systems 983
- Rosenbloom, Laird, Newell and McCarl's overview
 - of Soar 610
- Rosenbloom, Paul 402
- Rosenfield, Israel ~ 652, 1056
- Rosenschein, J.S. ~ 1285
- rotated coordinate system 569
- rotation invariant 1037
- rotational errors 1278
- rotationally symmetric contour 1026
- rotations 222
- rote learning 246
- rough
 - guide 45
 - set theory 673
 - surfaces 364

- route planning 268
 - program SPAM 268
 - routine problem solving 342
 - rps, relational production system 94
 - RTDP, real-time DP ~ 1164
 - Rubik's cube 319
 - rule
 - base 1005
 - discovery 522
 - induction 580, 1143
 - interactions 1338
 - language ARS 112
 - modularity 1143
 - of rational monotonicity 675
 - ordering computing ~ 1338
 - rule refinement 264
 - algorithm 1143
 - algorithm for sociopathic reduction SOCIO-REDUCER 1143
 - system 442
 - systems SEEK, SEEK2 442
 - rule
 - representation 237
 - system 643
 - rule-based
 - configurer of computer systems 220
 - expert system 237, 977
 - expert systems 186
 - inference systems 366
 - inferencing 398
 - models 1181
 - reasoning 1181, 1368
 - system 112
 - systems 227, 522, 1111
 - rule-learning program
 - of Brazdil 335
 - of Langley 335
 - of Mitchell et al. 335
 - of Shapiro 335
 - of Waterman 335
 - rule-learning programs 335
 - rule-modifying techniques 335
 - rule-oriented methods 45
 - rules 500
 - for combining uncertainty 1258
 - for grouping 203
 - for updating uncertainty 1258
 - guiding choices 146
 - of encounter 1353
 - rules of inference 22, 135, 435, 904
 - rules
 - conventional ~ 382
 - rules
 - of interaction 1352
 - of thumb 115
 - program synthesis ~ 126
 - reasoning about ~ 178
 - set of ~ 112
 - Rumelhart, David E. 1049
 - run-time symbolic processing 1209
 - running time
 - of constraint propagation 403
 - of alpha-beta pruning 75
 - runtime performance 1116
 - Russell 636
 - Russell, Stuart 1382
 - Russell, Whitehead and ~ 37
 - Russell-Quine ontology 636
 - Russian 76
 - RWM strategy learning technique 576
- S**
- S&M breadth-first search procedure 37
 - S&R breadth-first search procedure 37
 - S4.2 modal logic 1220
 - S4F
 - modal logic 1220
 - nonmonotonic modal logic ~ 1089
 - S5
 - formula 697
 - modal logic 1267
 - weak ~ 1086
 - saddle manifolds 612
 - SALT, knowledge acquisition language 503
 - same behavior on the boundary between two cells 911
 - sample complexity 1121
 - sampling 1288
 - Gibbs ~ 598
 - strategies for genetic algorithms 1390
 - with and without replacement 1244
 - Samuel 52
 - Sandewall 1404
 - Shoham, McDermott and ~ 640
 - Sandewall's
 - nonmonotonic logic for almost-continuous systems 640
 - set of rules, flaws in ~ 1404
 - SAR
 - imagery 569
 - synthetic aperture radar 569
 - SAS+ formalism 1234
 - SAT 948
 - regime 1304
 - testing algorithms 1297
 - satisfaction 634

- of join-dependencies 1064
 - problems, maximal ~ 949
- satisfactory solution 1346
- satisfiability 345, 549, 895, 1304
 - algorithms 1199, 1245
 - average frequency of ~ 1301
 - constraint gap 1295
 - of circumscription 345, 1403
 - of formulas 1
 - of LL formulas 405
 - of random formulas 1293
 - phase transition 1295, 1301
 - problem 1267, 1305, 1343
- satisfiability problem, 3SAT ~ 929
 - NP-completeness of the ~ 1267
- satisfiability problems 1199, 1294
 - crossover point in ~ 1294
 - generating hard ~ 1293
 - randomly generated ~ 1199
- satisfiability
 - propositional ~ 1343
 - propositional Horn ~ 585
- satisfiability testing 1293, 1304
 - constraints for ~ 1068
 - procedures, evaluation of ~ 1293
- satisfiable 698
 - problems 1199
- satisficing
 - problem-solving search 72
 - search problem 1259
 - searches 72
 - strategies 1259
- satisfying
 - a maximal number of constraints 949
 - assignments 1245
 - configuration of successes and failures 1259
- saturated databases, closed E~ 338
- saturation 178, 301
- savings in search effort 98
- scalability in temporal reasoning 1169
- scale
 - phase 570
 - variations 1274
 - [See also "scales"]
- scale-sensitive 565
- scale-space blackboard 691
- scales 268
 - order of magnitude ~ 657
 - [See also "scale"]
- scaling
 - behavior for genetic algorithms 1306
 - computational cost ~ 1304
 - non-uniform ~ 1310
- problem 1172
- scanning electron microscope SEM 196
- scenario changes 1186
- scenarios, classification of ~ 1339
- scene 195, 279
 - analysis 7, 104
 - as a set of 2D views 1269
 - axioms 532
 - consistency enforcing global ~ 1271
 - decomposing a ~ 24
- scene description system
 - heuristic ~ 29
 - INTERPRET 29
- scene
 - descriptions, symbolic ~ 376
 - domain knowledge 532
 - domains 104
 - labeling 199, 688
 - labeling analysis of a ~ 169
 - labels, information content of ~ 169
 - model 376
- scene parts 199
 - low-resolution ~ 1284
- scene
 - reinterpretation of a ~ 41
 - represented as a line drawing 29
 - structure 357
 - surface elements 1281
 - surfaces 480
 - three-dimensional model of a ~ 478
 - topology 1204
 - understanding general ~ 1277
- scenes
 - cluttered ~ 574
 - complex geometric ~ 163
 - of an object 204
 - of three-dimensional objects 96
 - pictures of polyhedral ~ 42
 - reconstruction of 3D ~ 376
 - road ~ 60
 - three-dimensional ~ 139
 - with a few blocks and wedges 41
 - with multiple occluding objects 96
- sceptic
 - executable specification language 1360
 - specification of Soar 1360
- Schank, Roger C. 74
- schedule
 - improvement 1242
 - quality 1242
- scheduling 1200, 1282, 1346
 - constraint-based ~ 955
 - deliberation ~ 1090, 1239

- job shop ~ 1231
 - model 1242
- scheduling problems 952, 1242
 - flow shop ~ 650
 - job-shop ~ 27
- scheduling system 955, 1386
- schema 655
 - in genetic algorithms, notion of ~ 655
 - recognition 1059
 - theorem 655, 961
- schemata 655, 1072
 - Holland ~ 961
 - optimal ~ 961
- scheme identification process 692
- Schubert 1262
 - Taughner and Miller 1169
- Schubert's Steamroller, mechanical solution of ~ 324
- Schunck, Horn and ~ 417
- science and engineering 1083
- sciences of the artificial 267
- scientific disciplines 374
- scientific discovery 309, 1376
 - systems 538
- scientific
 - hypothesis formation 959
 - problem solving 237
- scope 636
 - determinations of ~ 677
 - of nonmonotonic reasoning 677
 - of quantifiers 636
 - of reasoning 677
- scoping
 - of conditions 274
 - of modifiers 216
 - quantifier ~ 216
- scoring scheme 261
- Scott, A. Carlisle 960
- screening 487
- scripts in language comprehension 136
- SDS
 - image 1276
 - spatio-disparity space 1276
- Seager, William 1052
- seam 193
- search 115, 185, 220, 245, 249, 250, 266, 280, 493, 518, 905, 1103, 1110, 1111, 1237, 1301, 1302, 1305, 1394
- search, *-minimax ~ 257
- search, admissible ~ 1018
- search algorithm 331, 392, 560, 1266, 1340, 1397
 - B* probability based ~ 1340
 - B* tree ~ 138, 225
 - best-first ~ 392, 650, 1069
 - for approximately optimal strategies PAO 1259
 - for two-player games 1340
 - heuristic ~ 277, 487, 1266
 - hill climbing ~ 593
 - linear-space best-first ~ 965
 - memory-constrained ~ 1342
 - partial order ~ 1238
 - perimeter ~ 1266
 - Q* ~ 46
 - selective ~ 1344
 - staged ~ 487
- search algorithms 92, 162, 251, 530, 674, 914, 1018, 1237, 1372, 1390
 - admissible ~ 95
 - behavior of ~ 1301
 - best first ~ 534, 1374
 - heuristic ~ 92, 534, 1018, 1389
 - linear-space ~ 1200
 - minimax tree ~ 240
 - parallel ~ 1018
 - recursive state space ~ 1206
 - serial ~ 1018
 - test functions for ~ 1372
- search and reasoning 607
 - in problem solving 245
- search, B* ~ 447
- search, backtrack ~ 618
- search, backtracking ~ 168
- search, backward ~ 563
- search, Berliner's B* ~ 206
- search, best-first ~ 274, 535, 965
 - heuristic ~ 331
 - minimax ~ 1344
- search
 - bi-directional ~ 331
 - breadth-first ~ 37, 331, 965, 1128
 - brute force ~ 30
 - cn- ~ 1066
 - combinatorial ~ 112, 1039, 1298
- search complexity 257, 1202
 - analytical model of ~ 1150
 - polynomial ~ 232
- search
 - conspiracy-number ~ 1066
 - constrained ~ 574
 - constraining ~ 115, 242
 - constraint refinement ~ 263
- search control 955, 1240, 1242, 1380
 - heuristics 668
 - knowledge 955
 - knowledge, domain specific ~ 552

- knowledge, learning ~ 646
- rule learning planner SNLP + EBL 1380
- rules 519, 955
- strategy 487
- search cost 1184, 1298
 - independent ~ 1244
- search decisions 139
- search depth 207, 556, 1200, 1305, 1344
- search, depth-first ~ 331
 - backtrack ~ 1231
 - heuristic ~ 972
 - iterative-deepening ~ 535
- search depths 252
- search
 - directing ~ 211
 - direction 384
 - direction, alternating ~ 1359
 - DP ~ 1304
 - dual ~ 1186
 - dynamics 1244
- search efficiency 6, 1346
 - tree ~ 168
- search
 - effort 98
 - exhaustive ~ 210
 - expected cost of a ~ 1259
 - failures, learning from ~ 1380
 - for a proof of a clause 181
 - for attractors in phase space 551
 - for best solutions 72
 - for patterns, parallel ~ 337
 - forward ~ 563
 - generalization as ~ 212
 - genetic ~ 961
 - graph 242
 - guided ~ 952
 - guiding ~ 1340
- search, heuristic ~ 2, 6, 134, 158, 547, 972
- search heuristics 974
 - function to guide ~ 6
 - graph ~ 1034
- search
 - heuristically guided ~ 8
 - hill-climbing ~ 1288
 - images, ability to ~ 1172
 - implementation of pn~ 1066
 - in a graph, agent ~ 1202
 - induction as ~ 184
 - information to direct a ~ 46
 - iterative-deepening ~ 650, 1066
 - knowledge versus ~ 232
 - method, heuristic ~ 2
- search methods 240, 1298
 - directional ~ 1206
 - graph ~ 1342
- search, minimax ~ 207, 422, 615
 - lookahead ~ 547
- search
 - min-max ~ 447
 - model 232
 - nonexistence of an overall optimal algorithm
 - for ~ 277
 - null-window ~ 1374
 - of an interpretation tree 1310
 - of MIN/MAX trees, ordered ~ 56
 - optimal admissible tree ~ 331
 - optimizing ~ 1172
 - order 250
 - ordered ~ 56
- search, parallel 67
 - heuristic ~ 1018
 - local ~ 1185
- search paths 143
 - retracing ~ 1202
- search
 - perimeter ~ 1128
- search phase transition 1294, 1295, 1296, 1298, 1300, 1306, 1405
- search
 - planning as ~ 407
 - pn~ 1066
 - probability based ~ 1340
- search problem 171, 184, 212, 250, 1172, 1259, 1292
 - reduction ~
 - satisficing ~ 1259
 - solving ~ 72, 407
- search problems 530, 1202
 - combinatorial ~ 951
 - intrinsically hard ~ 1298
- search procedure 362, 1107, 1231
 - A*, AI ~ 278
 - AO*, AI ~ 278
 - inherent in vision 1273
 - minimax ~ 5
 - surpassing alpha-beta 362
- search
 - process 958
 - programs, AI ~ 1136
 - proof-number ~ 1066
 - range of ~ 41
- search rearrangement 249
 - backtracking 249
- search
 - reduction operations 487
 - refinement ~ 1229

- schemes, implicit graph ~
 - selective ~ 1340
 - self-terminating ~ 560
- search space 37, 46, 98, 112, 115, 393, 479, 574, 958, 1136, 1202, 1231, 1346
 - dimensionality of ~ 1372
 - modelling a ~ 1136
 - pollution of the ~ 90
 - recursive portions of a ~ 377
 - reduced ~ 680
 - redundancy 648, 1129
 - size 1229
 - topology 1292
- search spaces 72, 459, 1076
 - infinite ~ 37
 - large ~ 37
- search
 - speed-up 1397
 - state space ~ 143
 - strategic ~ 242
 - strategies 952
 - strategies, optimal ~ 215
- search strategy 211, 212, 1202, 1259
 - exhaustive ~ 257
- search
 - tabu ~ 1387
 - techniques, blind ~ 905
 - time 519, 1346
 - time-efficient state space 1206
 - to a given depth 77
- search tree 77, 138, 164, 905, 929
 - depth 1299
- search
 - tree ~ 254, 1342
 - trees 21, 447
 - visual ~ 1172
 - wavefronts 487
 - with cut-offs 77
 - without backtracking 502
- search-based planner 1228
- search-control knowledge 1004
- search-depth pathology 243
- searches, control deductive ~ 46
- searching
 - adversary trees 138
 - algorithms game ~ 240
- searching AND/OR
 - graphs 15
 - graphs, algorithms for ~ 15
 - trees 251
- searching
 - brute-force ~ 561
 - complexity of ~ 1389
 - deeper 1107
 - for a solution graph 15
 - for an optimal path 248
 - for models 1119
 - for specific surface markings 1275
 - framework, agent ~ 1202
 - game tree ~ 422
 - game trees 56, 75, 674
 - game trees under a partial order 1238
 - in a game tree deeper ~ 229
 - in a tree 1337
 - min/max game trees 422
 - minimax trees 1206
 - random trees 384, 1206
- Searle 932, 1351
- Searle, John R. ~ 1312
- second moment feedback 587
- second order
 - circumscription 385
 - effect 122
 - formula 488
 - probability distributions 1396
- secrets 405
- SECS simulation and evaluation of chemical synthesis 134
- SEEK
 - rule refinement system 442
 - system for interactive advice about rule refinement 264
- SEEK2, rule refinement system 442
- segment 1137
 - an image into regions 102
- segmentation 104, 273
 - data 131
 - data, DNA structure from ~ 131
 - experiments in ~ 104
 - human visual ~ 1037
 - interpretation-guided ~ 104
 - letter ~ 414
 - of stereo images 1284
 - phase of scene analysis 104
 - robustness in ~ 1289
 - sensitivity in ~ 1289
- segmenting 96
 - R^n 1204
- Sejnowski, Terrence 1046
- Sejnowski, Terrence J. 1383
- selecting 266
 - a chess move 164
 - a problem solving approach 131
 - computational actions 641
 - from a pre-determined set of senses 1074
 - rewrite rules 185

- selection
 - algorithm, model ~ 1272
 - between inference steps 507
 - catalog ~ 342
 - decision path ~ 78
 - function, linear resolution with ~ 21
 - functions 1038
 - in an image 1273
 - mechanisms 177
 - networks, bypassable causal ~ 82
 - neuronal group ~ 505
 - of information to extract 1277
 - of models, automatic ~ 660, 1144
 - of problems 55
 - repair action ~ 1242
 - support set ~ 1222
- selectional restrictions 1074
- selective
 - backtracking procedure 336
 - deepening 561
 - perception 1277
 - processing 1289
- selective search 1340
 - algorithm 1344
- selective tuning 1273
- selectivity 561, 1340
- self-consistent approximations 1221
- self-joined nodes 695
- self-knowledge 461
- self-motivated agent 1307
- self-organizing phenomena 1041
- self-reference
 - languages with ~ 315, 426
 - substitutive ~ 426
- self-reflective systems 1251
- self-terminating search 560
- SEM
 - pictures, analysis of ~ 196
 - scanning electron microscope 196
- semantic
 - account of nonmonotonicity 549
 - ambiguity 622
 - analysis 125
 - analyzer 125
 - semantic basis 450
 - for truth maintenance systems 450
 - characterisation 1138
 - constraints. 596
 - semantic errors 125, 172
 - detection of ~ 172
 - semantic formulas 135
 - semantic foundations 473
 - rigorous ~ 473
 - for default logic 1138
 - semantic framework 541
 - semantic information 49, 60, 213, 1060, 1074
 - to direct a search 46
 - semantic interpretation 216, 425, 636
 - of a sentence 1074
 - of natural language 636
 - semantic interpreter 425
 - ABSITY 425
 - minimal model style ~ 375
 - model of minimization 380
 - semantic net 101, 337
 - computations 412
 - processing of ~ 337
 - semantic network 231, 337, 383
 - acyclic ~ 550
 - descriptions of shapes 383
 - extracting knowledge from a ~ 337
 - semantic networks 84, 379, 514, 635, 1404
 - nonmonotonic ~ 550
 - semantic objects
 - Montague ~ 425
 - well-formed ~ 425
 - parser 135
 - preferences 65, 135, 425, 1178
 - preferences, broken ~ 135
 - processing 239
 - representation for natural language
 - interpretation 1088
 - similarity 596
 - status of time 669
 - structural and pragmatic constraints 596
 - structure 135, 216
 - trees 90
 - unification 922
 - variants meaningful ~ 247
 - view of nonmonotonic reasoning 575
- semantic-free selection rules 76
- semantical generalization of logic 348
- semantically
 - clear information 1162
 - supported set of subsumptions 501
 - well-founded logic for approximate reasoning 1162
- semantics 14, 46, 65, 67, 116, 287, 303, 315, 367, 408, 425, 449, 453, 501, 593, 597, 602, 603, 622, 639, 641, 669, 925, 935, 948, 962, 967, 1059, 1069, 1074, 1086, 1097, 1100, 1125, 1154, 1178, 1198, 1223, 1268, 1348, 1358, 1361, 1388

- constraint ~ 1125
- for first-order logics of probability 597
- for inheritance hierarchies 622
- for knowledge representation 601
- for preference logics 541
- for reasoning consistently 1348
- formal ~ 1086
- four-valued ~ 501
- imperative ~ 73
- intuitive ~ 1378
- lexical ~ 1074
- minimal model ~ 1403
- model-theoretic ~ 602, 898, 904
- Montague ~ 895
- neighbourhood ~ 1198
- of classical logic 593
- of constraints 934
- of induction 5
- of inductive inference 5
- of logic programs 639
- of random worlds 1378
- of revising knowledge bases 678
- of the joint probability distribution 1358
- of update 1250
- of words, lexical ~ 1074
- open information system ~ 604
- possible world ~ 409, 1151, 1154, 1168, 1243
- possible-worlds style ~ 405
- preference ~ 922
- preferential ~ 925
- probabilistic ~ 575, 1069
- procedural ~ 116
- program ~ 57
- refinement search ~ 1229
- Shoham's preference ~ 1089
- situation ~ 372
- skeptical ~ 962
- stable model ~ 962
- stable set ~ 566
- three-valued ~ 962
- two-valued grounded ~ 962
- uniform ~ 1388
- update ~ 1243
- well-founded ~ 639, 1384
- semantics-based region analyzer 60
- semantics-supported program synthesis 167
- semi-algebraic sets 476
- semi-independent model fragments 659
- semi-intervals 693, 1411
- semigroups with unit elements 906
- semimonotonic 1148
 - logic 649, 1148
- sense
 - projection 135
 - projection mechanisms 135
- sensing 1232
 - errors 477
 - modality 1067
 - uncertainty in ~ 667
- sensitivity 1279
 - analysis 918
 - in dynamic tracking 1289
 - in segmentation 1289
 - of belief networks 1377
 - of the expected value of control knowledge 266
 - to problem representation 1359
- sensor 54
 - fusion 1387
 - observations 1067
 - readings, noisy ~ 1387
 - settings, optimized ~ 1277
 - systems, power of ~ 1177
- sensor-based
 - gross motions 477
 - systems 1155
- sensorimotor transformations 1208
- sensors 320
 - unreliable ~ 1104
- sensory
 - data, noisy ~ 574
 - errors 1278
- sentence
 - comprehension, contextual constraints in ~ 595
 - comprehension, psychological models of ~ 28
 - conceptual analysis of a ~ 61
 - deriving a ~ 87
 - entailed by a database 671
 - fragments 176
 - planning 1085
 - temporal meaning in a ~ 25
- sentences
 - Horn type ~ 671
 - in autoepistemic logic as a default theory 449
 - of first-order logic 356
- sentential operator 1223
- separation between events temporal ~ 1236
- sequence
 - continuation, plausible ~ 309
 - dependent 1342
 - generating rule discovery program SPARC/E 309
 - of actions for a given goal, find ~ 1

- of images 1279
 - of operators 45
- sequence-generating rule 309
- sequences
 - of events 309
 - of input/output pairs 1176
 - of world states 1145
 - recognizing DNA ~ 1071
- sequencing
 - car ~ 951
 - table 22
- sequent-style back chaining theorem prover 535
- sequential
 - algorithm 1102
 - algorithms 585
 - alpha-beta 674
 - backtrack-free procedures 502
 - complexity 1120
 - decision tasks 1165
 - diagnosis 396
 - machine 398, 1070
 - machine theory 98
 - plans 1361
 - solutions 585
- serial
 - implementations 932
 - machine 44
 - processing 106
 - search algorithms 1018
- serializable subgoals 1076
- set
 - of allowed constraints 1122
 - of clauses 181, 301
 - of clauses, inconsistency of a ~ 213
 - of conjuncts, best ordering for a ~ 323
 - of constraints 1119
 - of defaults 1138
 - of examples 212
 - of failing components 917
 - of island nodes 370
 - of non-examples 212
 - of possible worlds 1397
 - of rules 1119
 - of rules, EL 112
 - operator 1086
- set theory 13, 114, 118, 127, 247, 374
 - rough ~ 673
 - ZF ~ 385
- set union 126
 - [See also "sets"]
- set-entailment 1343
- set-membership 1343
- set-of-support strategies 22, 181
- set-of-support strategy 90
- sets 119
 - [See also "set"]
- settling of a network 591
- setup times 1342
- SFS shape from shading 569
- shaded surfaces 364
- shading 196, 279, 569
 - information 321, 569
 - shape from ~ 1001
- Shafer 651
 - probability mass functions 391
- Shafer's
 - canonical examples 619
 - framework 391
- Shafer–Dempster
 - belief theory 527
 - inference network 527
 - [See also "Dempster-Shafer"]
- shallow
 - alpha-beta pruning 615
 - cut-offs 122
 - inference in broader areas 187
 - pruning conditions 1238
- shape 195, 565, 569, 573, 666
 - 3D ~ 1001
 - analysis 495
 - change 495
 - comparison 691
 - constraints 204
 - descriptors, vocabulary of ~ 691
 - distortion of a ~ 495
 - domain, two-dimensional ~ 691
 - domains 691
 - estimation, 3D ~ 364
 - fragments 691
 - from contour 1026
 - from fractal geometry 565
 - from regular patterns 265
 - from shading 196, 1001
 - from shading, SFS 569
 - from shading techniques 569
 - from texture 484, 587, 1026
 - information 195, 587
 - interaction, reasoning about ~ 573
 - models, learning ~ 383
 - modifications 915
 - of the environment 431
 - process-grammar for ~ 427
 - recognition 691
- shape recovery
 - from a single view 204
 - process 565

- shape
 - representation 573
 - surface ~ 192, 193
- shape tokens 691
 - constellations of ~ 691
- shape vocabulary, hierarchical ~ 691
 - [See also "shapes"]
- shape-from-image problems 279
- shape-from-shading methods 364
- shape-from-texture methods 364
- shape-recovery method 204
- shapes 665
 - consistent with image data 456
 - geometrical ~ 59
 - images of two-dimensional ~ 383
 - intermediate ~ 495
 - of parts 665
 - probable ~ 204
 - reasoning about ~ 573
 - [See also "shape"]
- Shapiro, Stuart C. 160
- Shapiro's
 - model inference system 686
 - rule-learning program 335
- shared
 - cooperative activity 1351
 - mental context 111
- SharedPlans 1351
- Sheiber, Stuart M. 513
- shell abstraction 1341
- Shoham 541, 575, 669, 925
 - and McDermott 640
 - Lin and ~ 1089
 - McDermott and Sandewall 640
- Shoham, Yoav ~ 1142
- Shoham's
 - preference semantics 922, 1089
 - propositional causal theories 621
 - temporal logic 669
 - unique c.m.i. model theorem 621
- shortest path
 - algorithm, Dijkstra's ~ 965
 - in a weighted graph 8
 - problems 475
 - solutions 72
- Shortliffe, Gordon and ~ 416, 437
- SHUNYATA program 1055
- SHUNYATA's
 - heuristics, automatic construction of ~ 1055
 - proof of Gödel's incompleteness theorem 1055
- side effects 919
 - foreseen ~ 548
 - instructions with ~ 70
 - of program segments 153
- sidedness reasoning 205
- Sidner, Grosz and ~ 1351
- Siegel, Bossu and ~ 345
- SIERRA, learning program 378
- sigmoid belief network 907
- signal
 - interpretation, acoustic ~ 1186
- signal processing 1186
 - front-end ~ 1186
- signal understanding 1186
 - processes 1186
- signal-to-noise ratios 1186
- significant intensity changes 289
- SIMD
 - machine 953, 972
 - parallel algorithm 1018
 - single-instruction multiple-data 972
- similarity 1037
 - determining ~ 584
- similarity networks 1263
 - generalization of ~ 1263
- similarity of games 35
- similarity-based
 - learning 642
 - reasoning 1181
- Simon 1083
- Simon, H. A. 267, 1243
- Simon, Iwasaki and ~ 360
- Simon's bounded rationality 1243
- simple
 - letter recognition 14
 - reactive behavior 1152
- simple temporal problem 632
 - STP 632
- simple-greedy learning algorithm 1121
- simplest
 - proof 138
 - subproblems 307
 - worlds consistent with the defaults 455
- simplicial polyhedral surface 572
- simplicity 1039
 - model ~ 1144
- simplifying assumptions 918
- simulate phase 570
- simulated
 - image sequences 1279
 - parallel processing "retina" 154
 - problem in area surveillance 234
 - robots 1152
- simulating complex physical systems 918
- simulation 53, 400, 918, 1232, 1265

- causal ~ 371
- cognitive ~ 526
- model of human personality 171
- numerical ~ 1156
- of a Turing machine 33
- of adaptive behavior 1131
- of behavior 1011
- of chemical synthesis 134
- of circuit behavior 545
- of human intelligence, symbol-processing ~ 610
- of paranoid processes 34
- of perception 20
- of the planning process 1394
- of visual thinking 38
- procedure, Gibbs sampling ~ 907
- qualitative ~ 551, 664, 666, 908, 911, 995
- results 1156
- stochastic ~ 598
- validation of a computer ~ 34
- simulations, intelligent control of computational ~ 1156
- simulator for the box pushing task 903
- simultaneous
 - actions, modeling ~ 43
 - constraints 618
 - interactive processes 43
 - minimization of several predicates 1403
- single
 - camera 222
 - level counterfactuals 163
 - view 195
- single-actor action sequences 130
- single-agent actions 1351
 - heuristic search 547
- single-contributor causal structures 1129
- single-instruction multiple-data SIMD 972
- single-tag Markov-model taggers 1356
- single-track railway timetable compilation for a ~ 27
- singly connected
 - network 626, 1366, 1367
 - structures 1249
- singular extensions 561
- sinking sort 126
- Sisyphus room-assignment problem 1193
- situated
 - agents, design of ~ 1209
 - automata theory 1209
 - view of representation 1209
- situation
 - calculus 83, 281, 454, 630, 1114, 1189
 - semantics 372
 - triggered behavior 1157
- situational argument 630
- situations, space of ~ 599
- six degrees of freedom 392
 - movers' problem 392
- six-dimensional configuration space 392
- size of the search tree 164
- skeletal planning 342
- skeptical
 - approach to defeasible inheritance nets, directly ~ 620
 - belief revision model 962
 - conclusion, ideally ~ 1205
 - conclusion set 1205
 - conclusions 898
 - inheritance, true ~ 898
 - model 962
 - prediction 971
 - reason maintenance 962
 - reasoning 637, 966
 - semantics 962
 - theory of inheritance 550
- skewed distributions 1397
- skimmers 233
- Skolem functions 430
- SL strategy for resolution 80
- SL-resolution 21
- Sleeman D. 325, 326
- sliding-tile puzzles 965
- Slovan's view of Gödel's sentence 1255
- slot-filling 216
- small
 - failure probability 588
 - molecules 1370
- smallest element algorithm, i-th ~ 167
- smart environments 1153
- SME
 - design of ~ 526
 - structure-mapping engine 526
- Smith 1296
 - algorithm for minimal cost strategies 645
- Smith, Steven M. ~ 1323
- Smoliar, S. 491
- Smoliar, S.W. 429
- smooth
 - deformation 1037
 - opaque object 571
 - space curve 440
 - surfaces 364, 571, 1275
- smoothed local symmetry representation, Brady's ~ 383
- smoothly curved surface 195
- smoothness

- constraint 196, 1001
 - of the velocity field 289
 - surface ~ 196
 - versus roughness 364
- SNAC method of constructing evaluation functions 165
- SNLP + EBL search control rule learning planner 1380
- Soar 610, 1011, 1360
 - architecture 609
 - architecture for general intelligence 406
 - capabilities of ~ 406
 - description of ~ 609
 - development of ~ 609
 - implementation of ~ 406
 - organizational principles of ~ 406
 - problem solving architecture 1011
 - Rosenbloom, Laird, Newell and McCarl's overview of ~ 610
- social
 - choice theory 633
 - conceptions of knowledge 604
 - knowledge 111
 - law in a computational system 1160
 - laws 1160
 - prototypes 171
- societies, artificial agent ~ 1160
- society
 - of experts, effective problem-solving by a ~ 106
 - of mind 421, 627, 628
- SOCIO-REDUCER rule refinement algorithm for sociopathic reduction 1143
- sociopathic
 - interactions 1143
 - knowledge base 1143
 - reduction 1143
- soft constraints, multiple ~ 593
- software
 - design 282
 - engineering 1386
- SOL-resolution 916
 - variations of ~ 916
- solid models, coloured ~ 1037
- solution
 - cost 965, 1305
 - curves 1215
 - difficulty, likely ~ 1306
 - encoding schemes 1244
- solution graph 15
 - of an AND/OR graph 15
 - searching for a ~ 15
- solution
 - program 71
 - quality 1093
- solution space 210, 1242
- solution spaces
 - creating abstract ~ 210
 - reasoning with abstract ~ 210
- solution trees 1374
- solutions
 - multiple potential ~ 351
 - pre-enumerated set of ~ 342
 - to a set of constraints 1257
 - with uncertainties synthesis of ~ 906
- solvable tree 307
- solving
 - combinatorial problems 119
 - geometric constraint systems 1029
 - high-level spatial tasks 431
 - power frames of the same ~ 83
- Sonenberg et al. 1351
- sort
 - bubble ~ 126
 - information 635
 - sinking ~ 126
 - subsystem 635
- sortal
 - deduction 635
 - predication 904
- sorted
 - deduction 635, 1180
 - first-order logic 669, 692
 - formulation 1180
 - logics 635
 - resolution 1068
- sorting 140
 - algorithms 81, 1141
- sorts 904
 - in-place ~ 126
- sound 303, 597, 898, 904, 1240, 1243, 1256
 - and complete planner 1232
 - and complete planner of polynomial complexity 1232
 - approximations 1162
 - axiomatization 1348
 - classification 625
- soundness 375, 682, 1141
 - logical ~ 625
 - of constrained resolution 1068
 - of QEP* 375
 - of the careful closure procedure 375
 - of the geometric reasoning method 1217
 - of the universal attachment rule 1095
- source 121
 - analogue 436

- destination pairs 121
 - matching expression 1216
- sources
 - of ambiguity 932
 - of information, reliable ~ 673
 - of intractability 1144
 - of knowledge 104, 233
- Sowa, J. 491
- Sowa, J.F. 332, 415
- space and time, standard models of ~ 1204
- space complexity 354, 457, 1125, 1344
 - of best-first search 965
 - of OPT-2 1308
 - of the path consistency algorithm 354
 - worst-case ~ 1192
- space
 - curve 194, 440
 - faring rescue robot 1171
 - linear in the search depth 1200
 - of camera positions 571
 - of hypotheses 186
 - of possible repairs 952
 - of problem instances 1136
 - of representations 158
 - of situations 599
 - of symbolic descriptions 235
 - optimality 650
 - problem ~ 930
 - reutilization 126
 - station orbiting ~ 1171
 - use of ~ 1170
 - variables 295
- SPAM, program for route planning 268
- Spanish 1080
- spanning-tree algorithm 167
- SPARC/E sequence generating rule discovery
 - program 309
- sparse
 - associative memory 1070
 - constraint graph 1110, 1296
 - in feature space 1070
 - information about the derivatives 664
 - network 413
 - networks of constraints 420
 - payoff 522
 - problems 1300
 - reinforcement 522
- sparsity
 - constant cubic ~ 929
 - of evidence 1366
- spatial arrangement
 - of items 1170
 - tasks 39
- spatial arrangements 1170
 - classification of ~ 1170
 - for choice 1170
 - for computation 1170
 - for perception 1170
- spatial
 - configuration 201
 - correspondence 393
 - filters, Gaussian derivative ~ 1274
- spatial frequency
 - carrier grid 24
 - channels 202
 - independent ~ 202
- spatial
 - geometry 691
 - linking 679
 - occupancy 1224
 - orientation, 3D ~ 262
 - planning 392
- spatial reasoning 666, 1113, 1283
 - techniques 201
- spatial
 - relations 69
 - relationships 69, 691
 - representation in AI 38
- spatial representations
 - learning ~ 1176
 - qualitative ~ 666
- spatial
 - substrate 573
 - tasks 431
- spatially
 - located creatures 1170
 - oriented information processor 38
- spatio-disparity space SDS 1276
- spatio-temporal
 - aggregation 203
 - derivatives 1281
- speaker's interpersonal goals toward the hearer 564
- specialization 227
 - of CLP 948
 - to a task 1210
 - to an environment 1210
- specialized representations 692
- specializing rules 264
- specific task competence 1226
- specification 208
 - abstract ~ 238
 - inheritance ~ 935
 - initial ~ 330
- specification language 1185, 1360
 - for connectionist networks 1185
- specification
 - for connectionist networks 1185

- of a set of bodies 69
 - of graphics systems 532
 - of knowledge 233
 - of nonmonotonic systems 379
 - of routines to query and update a knowledge base 1311
 - of spatial relations 69
 - of the model, initial ~ 400
 - of the plan rationale 274
 - of vision systems 532
 - problem ~ 896
 - program ~ 238
 - task level ~ 532
 - techniques 473
 - tolerance ~ 483
- specifications
 - for artificial agents 548
 - for subproblems hierarchy of ~ 330
 - Horn clause ~ 308
 - of a component 662
- specificity 638, 682, 1378
 - checking ~ 680
 - considerations 1338
 - definition of ~ 898
 - notion of ~ 680
 - of conclusions 363
 - ordering 586
- specifying
 - cognitive models languages for ~ 1360
 - probability distributions complexity of ~ 1175
- spectral features 263
- spectrum prediction 263
- speech 117
 - act theory 931
 - acts 1058
 - acts, indirect ~ 176
 - connected ~ 117
 - continuous ~ 50
 - synthesis 1060
- speech understanding 215
 - continuous ~ 49
 - mechanical ~ 49
- speech understanding system 117, 215
 - HARPY 117
 - prototype ~ 49
- speech utterances, continuous ~ 49
- speed-up learning 1288
- speeding up problem solving 1359
- speedup 221, 1018
- speedup learning 1363
 - data 1363
 - methods 1363
- spelling correction application 1070
- spherical projection 265
- spin glasses 1304
- splitting 118
 - heuristics in automatic theorem proving 13
 - of a problem 63
- Spohn's ordinal conditional functions 651
- sponge-like component 94
- spreading activation 923
- spurious
 - noise 243
 - qualitative behaviors 369
- square roots of nonnegative elements 473
- squeeze tree search technique 254
- SR hybrid algebra on signs and reals 658
- SSS* 384
 - = alpha-beta + transposition tables 1374
 - algorithm 143, 252, 1374
 - algorithm, Stockman's ~ 1374
 - search procedure generalization of ~ 362
 - alternatives to ~ 384
 - management costs of ~ 384
 - storage needs of ~ 384
- stabilities 1113
- stability 294, 360, 1279, 1352
 - of complex structures 47
 - types of ~ 1159
- stabilization
 - behavior 1159
 - of environments 1159
- stabilizing an environment program FIXPOINT 1159
- stable
 - equilibrium 293
 - marriage problem 1194
 - model semantics 962
 - set semantics 566
 - strategies 1352
- stack discipline 90
- staged search algorithm 487
- Stalnaker's minimal change 1243
- standard
 - analytic techniques 359
 - backtracking 168
 - circumscription 511
 - complexity classes 1389
 - Edmonds' algorithm 8
 - graph searching methodologies 1034
 - model 1154
 - models of space and time 1204
 - reasoning algorithms 1204
 - treatment of planning 1211
 - two-valued semantics 501

- Stanford 54
 - Logic Group 992
 - Research Institute Artificial Intelligence Group 7
- STAR
 - abstraction 1359
 - methodology for learning structural descriptions 235
- state 291
 - description language 94
 - of an agent 931
 - of the search 95
 - set 307
- state space search 143
 - algorithms recursive ~ 1206
 - time-efficient ~ 1206
- state variables 1239
- state-based minimisation 1189
- state-of-the-art EBL system PRODIGY/EBL 1004
- state-space 241
 - learning systems 241
 - problem solving in robotics 83
- strategy learning technique RWM 576
- statements of normality 1097
- states of the environment 1176
- static
 - analysis 1004
 - BBN TASKNET 1289
- STATIC effectiveness of ~ 930
- static
 - evaluators 52
 - knowledge 561
 - load balancing schemes 1018
 - model 362
 - ordering strategies 1110
- STATIC
 - PE-based analyzer of problem space definitions
 - 1004
 - program for extracting knowledge 930
- static
 - representation 1074, 1274
 - type checking 288
- STATIC's algorithms 1004
- static-board evaluator 447
- stating combinatorial problems 119
- stationary distribution 912
- stationary monocular views 192
- statistical
 - analysis of genetic pedigrees 912
 - clustering 903
 - correlations 1378
 - dependencies 1236
 - dependency detection 1236
 - estimation of orientation of a textured plane 587
 - information 597, 1378
 - knowledge bases 1378
 - learning 1386
 - mechanics 1292, 1304, 1405
 - methods 192
 - model of the performance of a problem solver 1363
 - physics 1304
 - relatedness measure 66
- steady-state behaviors 1113
- Stefik, M.J. 499
- Stein 1205
- stereo 195, 572, 1310
 - algorithms 202
 - analysis 376
 - data 572
 - geometric ~ 569
 - images 1276
 - matching a pair of ~ 1276
 - segmentation of ~ 1284
 - surface reconstruction from ~ 1284
- stereo
 - inputs 202
 - matching 1270
- stereo vision 1276
 - system 1310
- stereographic plane 196
- stereological technique 283
- stereology 283
 - mathematical principle 283
- stereopsis human ~ 202
- stereotyped algorithmic fragments 582
- stereotypic behavior of typical AI agents 1157
- Stewart, W. Wilson 1131
- stochastic
 - differential equation model 1280
 - domains 1239
 - modeling 1244
 - modeling of genetic algorithms 1244
 - models for genetic algorithms 1390
 - simulation 400, 598, 1396
- stochastically
 - more efficient 179
 - more informed 179
- Stockman's SSS* algorithm 1374
- storage
 - minimum amount of ~ 8
 - needs of SSS*, high ~ 384
 - requirement 143
 - restrictions 13

- stored
 - descriptions 96
 - pattern 111
 - prototype locating a ~ 1274
 - state algorithms 1165
- stories, first-order representation of ~ 430
- storing concept descriptions 114
- story
 - comprehension 171, 430, 1169
 - understanding system experimental ~ 233
- STP, simple temporal problem 632
- strategic
 - approaches to AI 607
 - knowledge 57, 237, 242
 - model of negotiation 1174
- strategic search 242
 - algorithms 242
- strategies 242
 - for organizing domain models 659
 - for solving problems 319
 - for the synthesis of algorithms 167
 - problem specific ~ 242
- strategy 242
 - for troubleshooting 296
 - indirect ~ 206
- strategy-based model of adversary planning 189
- stratified programs 639
- STREAK system for summary generation 1373
- strength, computational ~ 693
- strength-based prioritization of knowledge 524
- stretching 1310
- strict
 - behaviorism 1172
 - computational behaviorist position 1172
 - links 935
 - sentences 671
- string-matching algorithm, linear ~ 167
- strings of LISP atoms 79
- STRIPS 51, 980, 1303
 - knowledge representation system 94
 - plan, generalized ~ 36
- STRIPS planning 1117
 - propositional ~ 1117, 1303
- STRIPS problem
 - domain 83
 - solver 19
- STRIPS
 - representation of a problem domain 51
 - robot problem-solving system 36
 - system 83
 - variants of ~ 1234
- STRIPS-style operators 1233
- strong
 - AI thesis 932
 - model of generalization 459
- strongly
 - condensed clause 963
 - ordered trees 240
 - regular graphs 254
- structural
 - ambiguities 425
 - component 501
 - constraints describing a text 1100
 - constraints. 596
 - decomposition 1341
 - description of a specific system 659
 - descriptions 188, 347
 - disambiguation 425
 - equations 361
 - knowledge 237
- structural learning 188
 - with forgetting 1214
- structural
 - properties of optimal assignments to decision variables 578
 - reasoning 1370
 - representation 1370
 - similarity 492
 - subsumption 501
 - theory of explanation-based learning 930
 - transformations molecular ~ 1226
- structurally related words 1074
- structure 989
 - and behavior, describing ~ 296
 - and behavior, knowledge of ~ 296
 - descriptions, qualitative ~ 369
- structure identification 954
 - in relational data 954
- structure
 - matching algorithm 68
 - of computer programs 333
 - of discourse 1085
 - of equations 295
 - of jointed objects 222
 - of natural language 895
 - of plans 896
 - parameters for graph coloring 1298
 - regularity 484
 - [See also "structures"]
- structure-driven algorithms for truth maintenance 1249
- structure-mapping
 - algorithm 526
 - engine 526
 - engine SME 526
 - theory 526

- structured
 - associations 418
 - networks learning of modular ~ 1214
 - objects 347
 - program, hierarchically ~ 330
 - programming methodology 316
 - set of if/then associations 237
- structures
 - in empirical data 954
 - of vertices edges and faces, organized ~ 139
 - out of toy blocks 47
 - [See also "structure"]
- structuring
 - a problem space 62
 - in belief networks 368
- stub gateway 1218
- student's problem solving 184
- study of intelligence 610
- sub-implication 301
- sub-part repetitions 1310
- sub-tree 138
- sub-type linking 679
- subadditive domains 1352
- subassembly 1153
- subgoal
 - assertions 316
 - collections 1076
 - distance 407
 - interactions 530
- subgoal, universal ~ 402
- subgoals 21, 347, 407, 1076, 1230
 - plan for ~ 1230
 - problems with non-serializable ~ 319
- subjective
 - Bayesian approach 964
 - Bayesian updating 186
 - inference 358
 - information 186
 - probabilities 1378
- subjunctive
 - conditional 1096
 - query answering 1096
 - reasoning 1097
- sublanguages, comparative analysis of ~ 1364
- sublogics 1388
- submicron technology 295
- suboptimal
 - cost path 370
 - solution 1305
- subproblem 420
 - factoring 914
- subproblems 63, 182, 307, 576
 - independent ~ 182
 - interact 182
 - nearly independent ~ 182
- subsequent evidence 394
- subsort resolution 904
- substitution
 - property 98
 - rule for equality 9
- substitutional framework 635
- substitutive self-reference 426
- substrings 94
- subsumed subgoals 377
- subsumption 459, 501, 512, 648, 963, 1339
 - computational complexity of ~ 687
 - conditions, Loveland's ~ 10
 - decidability of ~ 512
 - in attributive concept descriptions 611
 - in terminologies 567
 - inferences 1339
 - linear resolution with ~ 32
 - NP-completeness of ~ 687
 - of concept descriptions 567
 - problems, co-NP-hard ~ 687
 - PSPACE-completeness of ~
 - structural ~ 501
 - term ~ 1339
 - tractable ~ 501
- subsumption-based knowledge representation
 - language 1339
 - CLASSIC 1339
- subsumptions, semantically supported set of ~ 501
- subtree 1344
 - values 1066
- subtypes
 - predicate ~ 1180
 - treatment of ~ 473
- success probabilities 1259
- successful problem solvers 53
- successive
 - communications 1358
 - refinement 145
 - relaxation 914
- succinct representation 1389
- sufficiently small errors 558
- summarizing quantitative data 1373
- summary generation system STREAK 1373
- superimposed activity patterns 590
- supermarkets 1170
- superposition 908
 - for nonlinear systems 908
 - qualitative ~ 908
- superset 917
- supply and demand curves 1218
- support

- knowledge 237
- set selection 1222
- set selection task 1222
- supposed behavior 395
- suppressing noise 1276
- SUPREM architecture 343, 493
- surface 193, 195, 198, 572, 1310
 - 3D shape of a textured ~ 484
 - boundary 194
 - cases in languages 76
 - contours 193, 480
 - curvature 195
 - cut by parallel planes 1077
 - description, generic ~ 480
 - estimation, active ~ 1284
 - height information 569
 - high frequency components of a ~ 569
 - information 279
 - low frequency components of a ~ 569
 - markings projected ~ 1026
 - model fractal ~ 364
 - motion 283
- surface orientation 194, 195, 265, 273, 283, 480, 1001
 - estimation 587, 1026
 - local ~ 321
- surface
 - patches 196
 - perception 194
 - physical ~ 193
- surface reconstruction
 - from stereo images 1284
 - global ~ 1275
- surface
 - region reconstructible ~ 1275
 - representation of objects 572
 - shape 192, 193, 484
 - simplicial polyhedral ~ 572
 - slant probability density 321
 - slopes 569
 - smoothness 196
 - tilt 321
 - [See also "surfaces"]
- surface topography 569
 - Venusian ~ 569
- surface-based description 376
- surface-vanishing line formula 565
- surfaces 156, 262, 289
 - and edges, coherence rules for ~ 42
 - blending ~ 481
 - curved ~ 192, 195, 484, 1077
 - detection of stereo disparity ~ 1276
 - developable ~ 195
 - natural 3D ~ 364
 - objects with curved ~ 322
 - planar ~ 192, 484
 - primary ~ 481
 - rough ~ 364
 - shaded ~ 364
 - smooth ~ 364, 571, 1275
 - textured ~ 364, 565
 - three-dimensional ~ 999
 - visible ~ 192
 - zero-Gaussian curvature ~ 1077
 - [See also "surface"]
- surveillance
 - application, traffic ~ 1289
 - systems, visual ~ 1289
- Sussman, G.J. 333
- Sussman, J. 333
- Sussman's anomaly 919
- SW5 modal logic 1220
- SWALE learning system 525
- SWALE's explanations 525
- symbol grounding problem 600
- symbol processing 590
 - connectionist 589
 - simulation of human intelligence 610
- symbol structures, composite ~ 590
- symbolic
 - algebra system Minima 658
 - algebraic solution 957
 - approach to qualitative kinematics 915
 - constraints, propagation of ~ 201
 - description, high-level ~ 1113
 - descriptions 235
 - directional instructions 1278
 - evaluator, SYMEVAL 374
 - factorization of multivariate polynomials 86
 - information 115, 666, 1283
 - labels 199
- symbolic logic 250, 601
 - formal proof in ~ 88
- symbolic
 - machinery 1338
 - manipulations on algebraic expressions 157
 - primitives 376
- symbolic processing 238
 - run-time ~ 1209
- symbolic programming 140
 - knowledge about elementary ~ 180
- symbolic reasoning 201, 661, 915, 957
 - about change 1104
- symbolic relationships 1283
- symbolic representation 1185, 1254
 - of shape and space 666

- of kinematic pairs 573
- symbolic
 - scene descriptions 376
 - shape representation 573
 - structures in connectionist systems 594
 - systems 1185
- symbols 568
- SYMEVAL, experimental deductive system 374
- symmetric contour, rotationally ~ 1026
- SYMMETRIC LOGIC 374
- symmetric
 - networks 1185
 - TSP 1302
- symmetries 1077
 - mechanical discovery of ~ 98
- symmetry 98
 - analyses 427
 - analysis, process-based ~ 427
 - axes of ~ 357
 - structure 427
 - time-reverse ~ 98
- symmetry-seeking model 456
- symptom–fault rules 297
- synergies qualitative ~ 578
- synergy
 - among constructions 923
 - in a circuit 157
- syntactic
 - ambiguity, resolution of ~ 1059
 - analysis 129
 - categories 1100
- syntactic characterization 486
 - of circumscriptive theories 486
 - of the merging operation 1268
- syntactic
 - constructions 923
 - form 125, 345, 582
 - generalizations 1187
- syntactic information 49, 1060
 - to direct a search 46
- syntactic
 - item, modifiers of a ~ 216
 - knowledge 923
 - level 1080
 - mistakes 125
 - operators, primitive ~ 247
 - processing 239
 - restrictions 1111
 - status of time 669
 - structure, representations of ~ 923
 - structures 216
 - theory of belief and action 356
 - transformation 1268
 - viewpoint of proof development 535
- syntactically close 1101
- syntax 125, 287, 923, 1059, 1268
 - and semantics 425
 - classical ~ 895
 - for generation 923
 - in a parallel generator 923
 - independence of the ~ 1268
 - natural language ~ 895
 - nonstandard ~ 895
 - of propositional logic 593
 - taxonomic ~ 895
- syntax-directed program synthesis 167
- synthesis
 - algorithm, Freuder's ~ 529
 - and analysis of electrical networks 157
 - automatic program ~ 70, 153
 - deductive ~ 167
 - efficient ~ 238
 - of a procedure from example computations 137
 - of algorithms, strategies for the ~ 167
 - of arbitrary specialized agents, automated ~ 1210
 - of autonomous agents 1158
 - of divide-and-conquer algorithms 330
 - of solutions with uncertainties 906
 - of uncertainties 906
 - plan ~ 82
 - plans 134
 - process 137, 238
 - resources 238
 - rule 316
 - semantics-supported program ~ 167
 - speech ~ 1060
 - syntax-directed program ~ 167
 - system, computer-based ~ 126
 - system, experimental program ~ 180
 - techniques from ALICE 354
- synthesizing 251
 - recursive functions 153
- synthetic
 - aperture radar, SAR 569
 - data 484
 - programming 316
 - psychology 340
- system analysis, causal approaches to ~ 361
- system behavior, descriptions of ~ 371
 - economist's approach to ~ 361
 - engineer's approach to ~ 361
 - in the form of histories 908
- system
 - design, empirical ~ 1373

- for circuit design VEXED 1341
 - for formal reasoning FOL 152
 - for mechanical design MEET 1341
 - for natural language story understanding Wimp3 1006
 - functionality 220
 - system identification 1176
 - qualitative ~ 1265
 - system
 - maintenance 690
 - of governing equations 1113
 - system's final state 371
 - systematic treatment of subtypes 473
 - Szechwan cooking 583
- T**
- T-junction of contour fragments 571
- tabu search 1387
- tabular
 - format for expressing expert-modeled rules 264
 - parsing bidirectional ~ 1118
 - structure 129
- tabulated board games of checkers 52
- TACITUS project 1059
- tactical sufficiency 555
- tactics 1251
- tag ambiguity 1356
- taggers
 - for parsers 1356
 - single-tag Markov-model ~ 1356
- tagging models 1356
- tangents to the occluding contour 1275
- target
 - analogue 436
 - behavior 1152
 - chemical structure 134
 - mental models 545
 - representation 239
 - theory 1101
- target-language programs 238
- target-matching expression 1216
- task
 - analysis 1193
 - analysis of Othello 230
 - complexity 1362
 - distribution 234, 1174
- task domain knowledge 190
- representation of ~ 190
- task
 - formalism TF 668
 - level specification 532
 - modeling 1193
 - oriented domains 1352
 - performance human ~ 269
 - relevant properties 606
 - specialization to a ~ 1210
- task-driven text interpretation 1073
- task-specific knowledge 376, 959
- Taughner, Schubert ~ and Miller 1169
- tautologies in proofs by resolution 10
- tax mechanism, Clarke ~ 1353
- taxonomic
 - classification 625
 - plan reasoning 1339
 - representation 635
 - syntax 895
- taxonomical
 - hierarchy 904
 - information 904
- taxonomy
 - of mental processes 932
 - of subgoal collections 1076
 - of subgoal collections, Korf's ~ 1076
 - of tractable CSPs 1343
 - of types of mental states 932
 - of types of stability 1159
 - plan ~ 1339
- Taylor, Charles 1134
- Taylor expansion 1281
- TCSP, temporal constraint satisfaction problem 632
- teachers, unreliable ~ 673
- teaching
 - concept ~ 113
 - of programming, computer aided ~ 81
 - system 113
- TEAM, transportable natural-language interface system 399
- technology chess program 30
- TEIRESIAS
 - assistance system for building knowledge
- based
 - systems 141
 - expert system 679
- teleological
 - analysis 294
 - relations 1196
 - structure of plans 896
- tell-operations 282
- temporal
 - abstraction 662
 - analog of static reason maintenance 394
 - arguments 669
 - aspects of problem-solving 110
 - beginnings of events 693

- temporal constraint
 - networks 632
 - satisfaction problem TCSP 632
- temporal
 - constraints 632, 1197
 - data association problems 1067
 - database management 394
 - disjointness, point-based ~ 1197
 - endings of events 693
 - formalism 454
 - incidence, logic of ~ 546
 - information 408, 632, 956, 1088, 1169
 - information qualitative 956
 - intervals, disjointness of ~ 1169
- temporal knowledge 110
 - mechanizing ~ 110
- temporal
 - linking 679
 - location 546
- temporal logic 281, 395, 669
 - based planner, interval ~ 1211
 - in AI 408
 - non-reified ~ 669
 - reified ~ 1246
 - Shoham's ~ 669
- temporal
 - meaning in a sentence 25
 - methods 145
 - objects 1357
 - ontology, diversification of the ~ 546
 - ordering of action 1170
 - priorities 630
 - problems 632
- temporal projection 419, 1189
 - computational complexity of ~ 1063
- temporal qualitative analysis 295
- temporal reasoning 394, 419, 450, 454, 466, 693, 1063, 1104, 1145, 1246, 1357, 1411
 - nonmonotonic ~ 464
 - probabilistic ~ 1104
 - scalability in ~ 1169
- temporal references 25, 110
 - in natural language 25
- temporal
 - relationships 1339
 - representation 419
 - separation between events 1236
 - terms 669
- temporalizing
 - the belief operators 931
 - the knowledge operators 931
- tense
 - marker 25
 - relations 25
- tenses, analysis of ~ 25
- tensor
 - calculus representation 1281
 - product 594
 - product representation 594
- term subsumption 1339
- term-rewriting
 - method 314
 - system for Boolean algebra canonical ~ 314
 - systems 314
- terminal
 - equivalence 157
 - node scores 99
 - nodes 122
 - nodes scored, expected number of ~ 99
 - payoffs 243
 - positions 162
- terminating
 - contour fragment 571
 - the search 1340
- termination 487, 632
 - hypothesis 1141
 - of algorithms 1141
 - of generalised ripling 974
 - of local constraint propagation algorithms 462
 - of the process of finding the justified facts 680
 - of the search 138
- terminological
 - axioms 1385
 - inferences 433
 - information 625
- terminological knowledge 625
 - representation 567
 - representation languages 611
- terminological
 - language 567, 625, 1339
 - logics 501, 512
 - reasoning 433, 567
- terminological representation
 - language 567
 - systems 1116
- terrain elevation
 - data 569
 - estimates 569
- terrain navigation 475
- terrorism, domain specific dictionary for ~ 1371
- test
 - battery for rational database updating 1375
 - for intelligence in machines 933
- test functions

- construction principles for ~ 1372
 - for search algorithms 1372
- test suites construction, principles for ~ 1372
- test-pattern generation 951
- testing
 - condensedness 963
 - consistency 671, 1338
 - constraints for satisfiability 1068
 - DRP 1150
 - entailment 671
 - for validity 1191
 - satisfiability ~ 1304
- tetrahedra 572
- Tetris computer game 1170
- text analysis
 - automatic ~ 1060
 - program 239
- text
 - categorization 1073
 - formatting 1085
 - generation system 329
 - interpretation 1073
 - planners 1085
 - pre-processing 1073
- text understanding 260
 - system 1079
 - system, KERNEL 1079
- text-based intelligent systems 1149
- text-to-speech system, Bell laboratories ~ 1060
- TEXT, system for generating responses 329
- texts, multisentence ~ 1085
- textual summaries 1373
- texture 24, 192, 279, 283, 587
 - curves of the ~ 283
 - discrete ~ 484
 - distribution 484
 - observed ~ 484
 - pattern 265
 - shape from ~ 1026
 - statistics intrinsic ~ 587
 - [See also "textures"]
- textured
 - images 565
 - plane 587
 - surface 364, 484, 565
 - surface, 3D shape of a ~ 484
- textures, natural ~ 192
 - [See also "texture"]
- TF, task formalism 668
- TFA, topological flow analysis 1215
- Thagard, Paul R. 537
- thematic roles 595
- theorem prover 57, 101, 500, 508, 692, 699, 913, 1119
 - automated ~ 324
 - automatic ~ 63
 - circumscriptive ~ 508
 - first-order resolution logic ~ 17
 - for elementary number theory 101
 - mechanical ~ 434
 - of Quinlan and Hunt 37
 - plane geometry ~ 63
 - sequent-style back chaining ~ 535
- theorem provers 166
 - human ~ 62
- theorem proving 19, 21, 32, 40, 62, 90, 181, 374, 916, 948
 - automated ~ 275
 - automatic ~ 13, 26, 107, 118, 166, 500
 - by heuristics 13
 - geometric ~ 1217
 - geometry ~ 471, 472
 - heuristic ~ 22
 - mechanical ~ 213
 - metatheoretic ~ 1036
 - methods first-order theorem-proving
 - methods- 314
 - non-clausal ~ 208
 - non-resolution ~ 107
 - program 22
 - program, implementation of ~ 22
 - propositional ~ 948
 - refutational ~ 314
 - search 46
 - strategies 181
 - system, man-machine ~ 48
 - technique IMPLY 48
- theoretical
 - dynamics 612
 - knowledge of a domain 1135
 - linguistics 1060
 - terms 523
- theories
 - extending ~ 246
 - forming ~ 246
 - of causal ordering 360, 361
 - of naming 1168
 - of reasoning 633
 - of vision computational ~ 203
 - with binary clauses 1245
- THEORIST
 - default reasoning implementation 453
 - prediction in ~ 971
 - system 1138
 - system for nonmonotonic reasoning 971
- theory 4

- approximation 1162
- change 1375
- construction 1370
- for argumentation 1194
- for interpretation tasks DATMI 663
- theory formation 246, 247, 287, 453
- by heuristic search 246
- theory
 - in AI 600
 - of abstraction 927
 - of action and time 281
 - of action and time, Allen's ~ 546
 - of analogy 436
 - of analogy, Gentner's 526
 - of approximate reasoning 381
- theory of belief 356
 - and action, syntactic ~ 356
 - revision 651, 1038
- theory of causal
 - ordering 1083
 - reasoning 1145
- theory
 - of cognitive learning 55
 - of coherent lower previsions 1258
 - of commonsense understanding 294
 - of conflict resolution 958
 - of cooperative behavior 226
 - of diagnosis 395, 528, 1040
 - of distributions 484
 - of efficiency transformations on production systems 211
 - of epistemic queries 1142
- theory of evidence 1062
 - approximation method in the ~ 1062
 - Dempster–Shafer ~ 328
- theory
 - of expectations
 - of explanation 291, 1145
 - of human stereopsis 202
 - of inductive learning 235
- theory of inheritance 898
 - skeptical ~ 550
 - theories 898
- theory
 - of interactions 658
 - of language generation 318
 - of measurement 1040
 - of nonmonotonic inheritance 935
 - of quotation and unquotation 315
 - of reasoning with abstraction 927
 - of representation for commonsense
 - algorithmic world knowledge 82
 - of the Origami world 156
 - of warrant 680
 - possibility ~ 1388
 - refinement 1071, 1135
 - revision 1288
 - unification, resolution with ~ 1068
- theory-based
 - heuristics 250
 - taxonomy of types of mental states 932
- thermodynamics 359, 660
 - engineering ~ 659
- theta-subsumption 459
- thinking
 - human ~ 933
 - origins of ~ 1052
- Thomason
 - Horty, ~ and Touretzky 620
 - Montague and ~ 426
 - Touretzky, Horty and ~ 1404
- thought
 - computer models of ~ 74
 - machine models of ~ 933
- thrashing behavior 97
- three-dimensional
 - configurations, recovery of ~ 156
 - data obtained by stereo 572
 - forms part structure of ~ 357
 - information 201
 - information, deduction of ~ 201
 - model 479
 - model of a scene 478
 - models projections of ~ 393
 - movers' problem 392
 - object recognition 393
 - objects, knowledge of ~ 393
 - objects, perspective view of ~ 322
 - objects, world knowledge about the ~ 139
 - quantification of objects 201
 - scene 14, 29, 139
 - scene projection of a ~ 204
 - shape 102
 - shapes recovering ~ 279
- three-dimensional structure 192, 289
 - of jointed objects 222
 - of moving rigid and jointed objects 222
 - of rigid objects 222
 - of visible surfaces 192
- three-dimensional surfaces 194, 999
- three-layer model 1218
 - brain-gatekeeper-user ~ 1218
- three-layer structure 1218
- three-layered hierarchy 1218
- three-valued
 - extensions 639

- forms of McCarthy's circumscription 639
 - nonmonotonic formalisms 639
 - semantics 962
- thresholds of knowledge 607, 608
- thumb rules of ~ 115
- tic-tac-toe 158
- tightest entailed probability interval 1124
- tightness of constraints 1346
- tightness of the constraints 1300
- time 1104, 1223
 - and action, Allen's theory of ~ 546
- time and space complexity 529, 953
 - optimal worst-case ~ 529
- time
 - and space difficulties 56
 - and storage restrictions 13
 - as a continuous phenomenon 43
- time complexity 302, 457, 965, 1233
 - average ~ 1125
 - of OPT-2 1308
 - of the labeling problem 1137
 - optimal in ~ 354
 - worst-case ~ 1192
- time
 - computation ~ 965, 1227
 - constraints 64, 668, 1174, 1239
 - cost 1344
 - differences 632
 - in language 25
 - inference 136
 - intervals or points relationships between ~ 956
- time points 1223
 - pair of ~ 669
- time
 - reasoning about ~ 394
 - relations 25
 - representation 1169
 - semantic status of ~ 669
 - specialist 110
 - spent in decision making 1090
 - syntactic status of ~ 669
 - variables 295
 - windows 1231
- time-constrained environments, problem solving in ~ 1090
- time-dependent 1227
- time-efficient state space search 1206
- time-reverse symmetry 98
- time-segment 25
 - relation 25
- time-sharing connections 591
- time-varying
 - data 210
 - images 456
- time, understanding of ~ 110
- timegraph 1169
 - consistency of a ~ 1169
 - querying a ~ 1169
- timetable compilation
 - for a single-track railway 27
 - program 27
- time-space tradeoff 407
- TMS
 - assumption-based ~ 351
 - justifications 450
 - representation 450
 - representations and structure of ~ 146
 - truth maintenance system 146, 351, 450, 566
- Toast, computer program acting as a short-order breakfast cook 1207
- Todd, Peter 1329
- token reification approach 1246
- tolerance
 - for errors 1362
 - information 483
- tolerance propagation
 - approach 950
 - TP 950
- tolerance
 - specification 483
 - to deformation 1270
 - zones 483
- toleranced
 - features 483
 - part 483
- Tolman, Edward Chace 1011
- Tong, R.M. 1030
- tool kit for constructing matching algorithms 526
- top-down
 - decomposition 330
 - foveal targeting 1274
 - hierarchy of winner-take-all processes 1273
 - predictions 260
 - processing 1118
- topography
 - of natural terrain 569
 - surface ~ 569
- topological
 - connectivity 412
 - data structures 1278
 - direction-giving 1278
 - flow analysis (TFA) 1215
 - information 268
 - linear spaces 500
 - measure 1037

- relationships 414
- relationships between landmarks 1278
- space 565
- topological structure
 - at boundaries 1204
 - of a phase portrait, automatic analysis of the ~ 1215
- topologically equivalent views 571
- topology 376, 470, 935, 954
 - belief network ~ 1175
 - of a path 268
 - of boundaries 1204
 - of the constraint graph 1300
 - of the constraint net 950
 - of the graphs 1175
 - of the inheritance hierarchy 622
- total
 - ordering planning framework 1094
 - pre-ordering 1057
- totally ordered sequences of actions 1076
- Touretzky 966
- Touretzky, David 1046
- Touretzky
 - et al 1205
 - et al.'s theoretic framework 1205
 - Horty and Thomason 620, 1404
- Touretzky's inheritance notion 966
- tournament game-playing programs 1374
- tower-of-Hanoi problem 45, 158, 1193
- toy
 - animals 96
 - blocks, structures out of ~ 47
 - problems 607
- TP, tolerance propagation 950
- trace 690
- traces, execution ~ 1236
- track moving objects 1289
- tracker, untrained ~ 1280
- trackers, tuning ~ 1280
- tracking 41
- tracking visual
 - contours 1280
 - motion 1280
- tractability
 - classification 894
 - completeness trade-off problem 1288
 - computational ~ 567, 1254
 - of plan validation 1063
 - refinements 1229
 - results 1311
- tractable
 - algorithm 433
 - class of abduction problems 631
 - computationally ~ 890
 - constraint satisfaction problem 1355
 - constraints 1122, 1355
 - CSPs 1343
 - domain-independent algorithm 1103
 - incremental updating method 962
 - information processing problems 108
 - planning 1117
 - problems 966, 1117, 1122, 1357
 - procedure 441, 954
 - reasoning 1162
 - simulation of qualitative models 664
 - subsumption 501
- trade-offs 363
 - between image intensity and surface orientation 195
 - negative set of ~ 1111
- tradeoff
 - among multiple competing objectives 1082
 - between precision and computation time 1124
 - between search space redundancy and premature commitment to contributors 1129
 - design ~ 1229
 - of storage for execution time 143
- trading
 - computation time for decision quality 1227
 - optimality for computational efficiency 1121
- traditional
 - constraint satisfaction techniques 1357
 - doxastic logic 1086
 - EBL algorithms 1123
 - logical representation 635
 - parsing 111
 - parsing methods 111
 - refinement techniques 1359
- traffic surveillance application 1289
- trainable device 33
- training 584, 1135
 - corpus 1371
 - examples 432, 1071, 1121, 1185
 - motion of an object 1280
 - procedures iterative ~ 590
 - strategies 1152
 - with user feedback 414
- trait attributions, understanding ~
- trajectories of control actions 1241
- trajectory traversals 1278
- transcription phonetic ~ 50
- transfer
 - frames 121
 - of control mechanisms 234

- of expertise Interactive ~ 141
 - of knowledge interactive ~ 141
- transferable belief
 - approach 1065
 - model 1065
- transform
 - 1-subdivision ~ 254
 - 1-superline ~ 254
 - 2-subdivision ~ 254
 - 2-superline ~ 254
 - Hough ~ 574
 - nonlinear ~ 262
 - phase 570
 - the uncertainties of propositions 906
- transformation 635, 1268, 1305
 - heterogeneous ~ 906
 - imaging ~ 1271
 - of formulas 40
 - of process-records 427
 - of unsorted deductive systems into sorted systems 635
 - rules 1054
 - sequences 1195
 - system, experimental program ~ 180
- transformational
 - analysis 129
 - approach to automatic programming 140
- transformations 478
 - formatting ~ 129
 - functional ~ 538
 - generalizing ~ 235
 - in the image plane 1270
 - model-preserving ~ 532
 - molecular structural ~ 1226
 - on production systems theory of efficiency ~ 211
 - parameterized ~ 1310
 - polynomial ~ 1234
 - program ~ 172
 - sensorimotor ~ 1208
 - truth-value preserving ~ 101, 127
- transformed graph 254
- transforming
 - language 414
 - the searching process of GAs 1390
- transient properties 1113
- transistor models 295
- transition 1305
- transition analysis 295, 551, 658
 - technique 371
- transition network
 - augmented ~ 155
 - augmented recursive ~ 28
- grammatical notation 28
- parser 28
- transition
 - pattern 1302
 - point 1184
 - probabilities 663, 1239
 - regime 1304
 - rules 551
- transitional views 571
- transitive
 - closure of roles 1379
- transitivity 675
 - axioms 377
 - weak form of ~ 675
- translatable into circumscription 397
- translating
 - complete sentences by using multiple examples 1216
 - defaults to circumscription 397
- translation 582
 - example-based ~ 1216
 - machine ~ 1080
 - modular ~ 397, 1365
 - non-modular 1365
 - of default logic into autoepistemic logic 449
 - of formal proofs into English 88
- translational errors 1278
- translations 222
 - of network propositions predicate calculus 84
- transmissions 665
- transparent operation 1082
- transportability 399
- transportable natural-language interface system TEAM 399
- transportation management, electricity 1173
- transporting knowledge bases 1116
- transposition tables 1066, 1374
- trauma management 1345
- TraumaAID 2.0, consultation system for multiple trauma management 1345
- travel agent 100
 - GUS in the role of a ~ 100
- traveling salesman problem 650, 1305, 1405
 - asymmetric ~ 1302
 - TSP 1302
- treating incomplete and uncertain knowledge 673
- treatment
 - medical ~ 133
 - of subtypes 473
- tree
 - clustering 502
 - cooperation 906
 - of frames of reference 268

- of processors 221
 - pruning alpha-beta ~ 257
 - representation 1350
- tree search 164, 254, 384, 1342
 - algorithm 225
 - algorithm B* ~ 138, 225
 - algorithm, heuristic ~ 929
 - algorithms minimax ~
 - best-first 1342
 - depth-first ~ 1342
 - efficiency 168
 - in chess programs 77
 - operations 168
 - optimal admissible ~ 331
 - problems 1305
- tree searching 206
 - problems 650
- tree with random costs 248
 - [See also "trees"]
- tree-based methods 1370
- tree-growth procedure 447
- tree-structured 1146
 - attributes 460
 - constraint satisfaction problems 1146
 - CSP 420
 - representation 368
- trees
 - clique ~ 1212
 - containing chance nodes 257
 - Markov ~ 1212
 - of depth 2 99
 - of depth 3 99
 - of depth 4 99
 - [See also "tree"]
- Tretiak and Pastor 417
- tri-dimensionality 194
- trial and error learning by ~ 903
- triangle table 36
- triangular quasi-algebraic sets 472
- triangulation Delaunay ~ 572
- trihedral
 - corners 195
 - scenes line drawings of ~ 1137
 - solid-object world 156
 - world 156
- trimming 487
- trip planning 190
- trivially serializable subgoals 1076
- TRL reified temporal logic 1246
- troubleshooting 662
 - digital circuits 396
 - digital electronic circuits 296
 - of complex circuits 662
 - problems 545
 - strategy for ~ 296
- true
 - skeptical inheritance 898
 - terminal payoffs 243
- truth and meaning 510
- truth assignments 1124
 - consistent with the given sentences 1124
- truth
 - conditional ~ 1248
 - conditions 425
- truth criteria 1094
 - modal ~ 1248
- truth maintenance 1249
 - algorithms for ~ 1249
 - architecture 352
 - assumption-based ~ 396, 516, 527, 987
- truth maintenance system 146, 149, 435, 450, 539, 585, 916
 - assumption-based ~ 353
 - TMS 351, 450, 566
 - nonmonotonic ~ 566
- truth
 - necessary ~ 1248
 - of facts spanning intervals of time 394
 - possible ~ 1248
- truth preserving
 - inference rules 18
 - rules completeness of ~ 18
- truth, reasoning about ~ 509
- truth set 1086
 - of a mutual belief expression 1086
- truth value 363
 - of a geometry statement 472
 - of sentences 348
- truth-functional consistency
- truth-functionally normalized 208
- truth-preserving deductive rules 235
- truth-value preserving transformations 101, 127
- truths of the minimal models 346
- TSP
 - phase transition 1405
 - traveling salesman problem 1302
- tunable distance measure 1037
- tuning
 - selective ~ 1273
 - the visual processing network 1273
- trackers 1280
- Turing machine
 - capable of given computations, finding a ~ 33
 - from sample computations, inference of a ~ 33
 - simulation of a ~ 33

- Turing test 933
- Turing-like indistinguishability tests 34
- Turkish 76
- tutor system for foreign languages 125
- tutoring systems, intelligent ~ 325, 326
- TWEAK planning algorithm 404
- two-dimensional
 - arrangements, generation of ~ 39
 - Euclidean traveling salesman 1405
 - image 393, 479
 - patterns 495
 - phrase layout 1100
 - picture plane 204
 - projection 194
 - shape domain 691
 - topological space 565
 - velocity field 289
- two-person games 1340
- two-place preference operators 1243
- two-player games 1344
 - search algorithm for ~ 1340
- two-player zero-sum games 1107
- two-predicate scope 401
- two-valued
 - grounded semantics 962
 - semantics, standard ~ 501
- two-way transfer of information 234
- type 0
 - grammars 87
 - string grammars 94
 - string productions 94
- type
 - checking 288
 - declarations 288
 - reasoning 1180
 - resolution problem 288
 - scheme 288
- type structure
 - of a computer program 1180
 - of the problem domain 1180
- type system, polymorphic ~ 288
- typed deduction 1180
 - procedure 1180
- typed
 - formulation 1180
 - predicate calculus 347, 1180
 - resolution principle 1180
- types
 - limited theory of ~ 26
 - of actions 281
 - of events 281
 - of processes 281
 - of properties 281
 - of stability 1159
 - of theory in artificial intelligence 108
 - problem ~ 45
- typical
 - AI agents 1157
 - behavior of classes of problems 1292
 - individuals 638
- typing 107
 - theory 1180
 - theory, conditional ~ 1180
- U
- ubiquity
 - of discovery 115
 - of phase transition phenomena 1405
- UCPOP
 - + EBL planning system 1380
 - a descendant of SNLP 1380
- Ullman, Marr and ~ 289
- Ullman's discrete relaxation 168
- ultrasonic range data 1067
- Ulysses-1 program 1277
- Ulysses-2 program 1277
- Ulysses-3 program 1277
- unambiguity property 382
- unambiguous inheritance networks 966
- unary constraints 632
- unbiased learning 378
- uncalibrated
 - cameras 1283
 - images 1270
- uncertain
 - evidence 391
 - input data 1277
- uncertain knowledge 673, 964, 1263
 - in expert systems 964
 - reason with ~ 348
- uncertain
 - reasoning 1212
 - subjective information 186
 - territory, planning routes through ~ 268
 - world 1104, 1289
- uncertainties
 - of propositions 906
 - synthesis of ~ 906
- uncertainty 320, 477, 557, 580, 1067, 1232, 1258, 1340
 - combining ~ 1258
 - control ~ 1232
 - cooperation under ~ 906
 - critical values of ~ 1232
 - data association ~ 1067

- data correspondence ~ 1067
- decision making under ~ 557
- due to noise 1067
- expressing ~ 557
- in control 667
- in expert systems 1258
- in intelligent systems 1062
- in sensing 667
- in the geometric models of the environment 477
- lower bound on ~ 1340
- management 527, 1388
- measures of ~ 1258
- model ~ 477
- noise ~ 1067
- problems involving ~ 1164
- qualitative assessment of ~ 964
- quantifying ~ 1378
- reasoning under ~ 622, 1377
- reasoning with ~ 557
- reduction 1232
- updating ~ 1258
- valuation 1057
- values 906
- unconditional plans 1063
- unconditionally independent hypotheses 1005
- unconstrained optimization problem 279
- uncovering trees 1350
- undecidability
 - of reasoning 1151
 - of strong condensedness 963
 - of subsumption in NIKL 512
 - results 1233
 - theorems 1233
- undecidable 586, 1311
 - formula 1055
- underconstrained
 - and satisfiable problems 1295
 - problem
 - problems 1299
 - region 1294
- underlying knowledge 45
- understand
 - connected discourse 136
 - connected speech 117
- understanding 251, 284, 285
 - a program 81
 - analogies 436
 - cognition 386, 387, 388, 389, 390
 - commonsense ~ 294
 - complex dynamics 661
 - image ~ 469, 585
 - image intensities 102
 - music with AI 1328
 - natural language ~ 125, 1166
 - novice programs 544
 - obstacle cancellations 579
 - of instructions 1166
 - of phenomena, human ~ 1083
 - of signals 1186
 - of time 110
 - planner behavior 1236
 - political conflicts program POLITICS 189
 - positioning 1283
 - processes signal ~ 1186
 - program ~ 582
 - simple picture programs system MYCROFT 73
 - speech ~ 117
 - system experimental story ~ 233
 - system language ~ 135
 - text ~ 260
 - the actions of others 130
 - the creative mind 1319
 - trait attributions 171
- undirected graphs 626
- undoing false conclusions 136
- unexceptional and consistent world, maximally ~ 455
- unexpected
 - context 135
 - execution events 1242
- unguided segmentation 104
- unification 635, 1068
 - algorithm 463
 - algorithm, Robinson's ~ 57
 - operation 67
 - resolution with theory ~ 1068
- unified
 - framework for inheritance theories 898
 - planning and control 1228
 - theories of cognition 1009, 1010, 1011
 - theory of cognition 1012, 1013, 1014, 1015, 1016, 1017
- uniform
 - asymptotic behavior 612
 - b-ary trees 1202
 - cost algorithm 248
 - random game trees 1344
 - semantics 1388
 - tree 122, 162, 248
 - trees of depths 2 and 3 99
 - trees of fanout N 99
- unimodularity 1391
- union-find algorithmic schema 463
- unions

- in attributive concept descriptions 611
- unique attribute 1111
 - representation 1111
- unique minimal unsatisfiable subset 1295
- uniqueness formula 511
- unit branch costs 179
- UNITRAN, interlingual machine translation system 1080
- universal attachment 1095
 - formal inference rule of ~ 1095
- universal attachment rule
 - completeness of ~ 1095
 - correctness of ~ 1095
 - soundness of ~ 1095
- universal
 - attachment system, implementation of a ~ 1095
 - form 1304
- universal formulas 345
 - inconsistency for ~ 345
- universal
 - logic of nonmonotonic reasoning 633
 - preference-based default theories 633
 - quantifier 401
 - sentences 380
 - set of elementary functions 1055
 - subgoalings 402
 - theory of default reasoning 633
- universality of phase transitions 1292
- universally quantified formulae 471
- universe 636
 - over which quantification scopes 636
- university of Texas at Austin 48
- unknown
 - logic formulas 1185
 - utterance optimal interpretation of an ~ 215
 - viewpoint 393
- unless operator 363
- unlimited memory 1342
 - version of of MREC GREC 1342
- unobservable processes 1171
- unplanned events 1104
- unpredictability of natural textures 192
- unpredictable
 - environments 1173
 - source behaviors 1186
- unquantified version of the logic of only knowing 1256
- unreliable
 - data 210
 - information sources 673
 - knowledge sources 1185
 - sensors 1104
 - teachers 673
- UNSAT regime 1304
- unsatisfiability 929
 - proving ~ 929
- unsatisfiable 698
 - problems 1294
 - subproblem 1199
 - subproblem hard ~ 1295
 - subset unique minimal ~ 1295
- unsolved problems in artificial intelligence 70
- unsorted deductive systems 635
- unsound approximation of classical reasoning 1384
- unsuccessful plans 105
- unsupervised learning problems 907
- untrained tracker 1280
- untyped resolution 1180
- UP
 - as hands-off manager 1171
 - universal plan 1171
- update
 - a knowledge base 1311
 - belief ~ 1250
 - operator 1250
 - procedure 441
 - semantics 1243
 - semantics of ~ 1250
- updated knowledge base 926
- updates, complexity of ~ 926
- updates to a knowledge base 1257
- updating 683
 - a belief 696
 - Bayesian ~ 186, 304, 1006
 - belief 1212
 - Dempster-Shafer ~ 391
 - matches 1270
 - messages 1367
- updating method 962
 - Bayesian ~ 366
 - incremental ~ 962
- updating
 - multiple ~ 366
- updating on uncertain evidence 391
 - Bayesian ~ 391
- updating
 - rational database ~ 1375
 - systems behaviour of ~ 1375
 - the probabilities of hypotheses 366
 - uncertainty 1258
- upper
 - previsions 1258
 - probability 1258
- upward inheritance 966
- urban scene 376

- real-world ~ 478
- use
 - of semantic information in the Q* algorithm 46
 - of space 1170
 - of syntactic information in the Q* algorithm 46
- use-independent characterization of knowledge 602
- useful side-effects 919
- user
 - model 533
 - optimization preferences 1242
 - preferences 1242
 - scheduling preferences 1242
- user's expectations 170
- user-friendly query of CAD and image databases 1037
- user-supplied information 22
- uses of plans 921
- using models of agents 654
- UTC unified theory of cognition 1011
- utility 625, 634, 933, 1111, 1399
 - agents' global ~ 1353
 - function 1288
 - of actions 1227
 - of computations 641
 - of EBL 1380
 - of representation services 625
 - of social laws 1160
 - problem 1288, 1386
- utterances
 - continuous speech ~ 49
 - intention in ~ 176
- V
- Valiant's learning framework 460
- valid equivalence relations 463
- validating a knowledge base 369
- validation
 - computational complexity of plan ~ 1063
 - of a computer simulation 34
 - structure 896
 - tractability of plan ~ 1063
- validation-structure-based planning theory 896
- validity 549
 - of formulas 1
 - of formulas in first-order logic 1
 - problem 1311
- valuation network 1212
- value
 - game-theoretical ~ 1066
 - of a move 1340
 - ordering heuristics 1346
 - theory multiattribute ~ 1082
- value-ordering heuristic 952
- value/variable pairs 594
- van Benthem, Johan 969
- van Harmelen, Friederis, ~ and Bundy 1004
- vanishing
 - line formula 565
 - lines 262
 - points 262
 - points in the image plane 1137
- Vapnik and Chervonenkis 460
- Vapnik–Chervonenkis dimension 460
- variability of estimates 912
- variable and value
 - heuristics, generic ~ 1346
 - ordering heuristics 1346
- variable binding 594
 - dynamic ~ 613
- variable
 - certainty of conclusions 363
 - conditional operator 409, 455
 - ordering heuristics 1346
 - precision logic 363
 - signal-to-noise ratios 1186
- variable/value ordering heuristics 1231
- variables 137
- variance of the number of solutions 1300
- variants
 - of default logic 1138
 - of STRIPS 1234
- variation
 - concomitant ~ 66
 - in real world data 29
 - of SOL-resolution 916
- variety of mismatches 1093
- varying
 - predicate symbols 345
 - predicates 699
- VAX-11/780 computer systems 220
- VBL explanation-based learning technique 1007
- vector values for game positions 1238
- vehicle guidance 104
- vehicles 340
- velocity 273
 - field 289
 - vector 1279
- Venusian surface topography 569
- verb acquisition 399
- verbal
 - analogy problems 66
 - behavior 23
- Vere 188

- verifiable geometric reasoning 482
- verification
 - hypothesis ~ 1271
 - model ~ 64
 - system program ~ 57
- VERIFY, program for proving correctness of digital hardware designs 298
- verifying integrity constraints in databases 1114
- version space
 - iterative ~ 1192
 - representation 672
 - strategy of Mitchell 672
- vertex 1137
 - expansion procedures 1389
 - feedback set problem 1253
 - partitioning 254
 - errors 279
- vertices 376
- very large
 - external memory 44
 - long-term memory 44
- very variable problem difficulty 1295
- VEXED system for circuit design 1341
- viable optimistic estimates to guide the search 1340
- view
 - bifurcation set 571
 - consistency problems 479
 - of a smooth opaque object 571
 - of the brain 652
 - single ~ 195
 - space geometry of ~ 571
- viewing
 - direction 195
 - perspective ~ 469
- viewpoint 1271
 - consistency constraint 393
 - control 1275
 - multiple ~ 572
- views
 - degenerate ~ 571
 - monocular ~ 192
 - topologically equivalent ~ 571
 - transitional ~ 571
- Vilain and Kautz's point algebra 632
- violated assumptions, minimal sets of ~ 396
- violating constraints 1231
- violation, constraints ~ 119
- virtual resolution, high ~ 613
- visibility property 572
- visible
 - fragments 571
 - rim 1275
 - surfaces 192
- visible-surface representations 200
- vision 203, 255, 273, 478, 479, 1132
 - active ~ 1165, 1275, 1277
 - animate ~ 613
 - architecture, active ~ 1274
 - attention in machine ~ 1273
 - computational ~ 302, 456
 - computational theory of ~ 200, 203
 - computer ~ 156, 191, 218, 255, 262, 398, 569, 1102, 1276, 1277, 1349
 - human ~ 200, 393
 - human and machine ~ 495
 - intermediate-level ~ 273
 - low-level ~ 194, 199, 273
 - machine ~ 479, 1077
 - model-based ~ 479
 - non-anthropomorphic method in ~ 24
 - problems, low-level ~ 1001
 - process 200, 376
 - project 7
 - psychology of computer ~ 89
 - purposive ~ 1275
 - robot and machine ~ 24
 - robotic ~ 255
 - search procedure inherent in ~ 1273
 - sensors 1067
 - stereo ~ 1276
- vision system 376, 478
 - computer ~ 322
 - MOSAIC 376, 478
 - robot ~ 1273
 - stereo ~ 1310
- vision systems
 - active ~ 1274
 - design of ~ 532, 1289
 - implementation of ~ 532
 - integration of ~ 1289
 - model-based ~ 201
 - of a robot system 1210
 - specification of ~ 532
 - VISIONS system for computer ~ 1208
- VISIONS system for computer vision 1208
- visual attention
 - model, implementation of a ~ 1273
 - modeling ~ 1273
 - primate ~ 1273
- visual behavior 613
 - complex ~ 1274
- visual
 - computation 613
 - constraints 456
 - event curves 1275
 - exploration, global ~ 1275

- image 1274
 - visual information, abstraction of ~ 203
 - visual interpretation 1289
 - of surface contours 193
 - visual mechanisms for problem solving 661
 - visual motion 289
 - learning to track ~ 1280
 - measurement of ~ 1279
 - of contours 1280
 - navigation in large environments 1278
 - objects models of ~ 383
 - patterns learning structures of ~ 642
 - visual perception 414
 - human ~ 1260
 - visual
 - primitives 376
 - process of grouping 203
 - visual processing 691
 - hierarchy 1273
 - human ~ 24
 - network, tuning the ~ 1273
 - pyramid 1273
 - visual
 - reasoning 661
 - search 1172
 - shape representation 691
 - similarity, human perception of ~ 1037
 - surveillance systems 1289
 - thinking 38
 - VLSI devices 247
 - vocabularies 1229
 - vocabulary of shape descriptors 691
 - volume
 - models 201
 - representation of free space 572
 - volumetric representations 200
 - von Neumann computer architecture 337
 - von Wright, G. H. 1243
 - von Wright's preference logic 1243
 - voting 1353
 - process 1353
- W**
- walking behavior 1158
 - Walsh
 - functions 124
 - polynomials, random ~ 1306
 - Waltz
 - algorithm 1140
 - filtering algorithm 302
 - filtering techniques 950
 - labeling for the trihedral world 156
 - Montanari and ~ 97
 - propagation algorithm 1140
 - Waltz's
 - discrete relaxation 168
 - filtering algorithm 104, 934
 - Wang's implementation of Berlekamp's algorithm 86
 - Ward, Thomas B. 1323
 - warrant, theory of ~ 680
 - warranted conclusions 913
 - Warren 216
 - Waterman, D.A. 144, 305, 306
 - Waterman's rule-learning program 335
 - Watkins' Q-Learning algorithm 1164
 - Watson, John 1011
 - weak
 - axiomatization of common belief 1198
 - characterization 530
 - weak form
 - of contraposition 675
 - of transitivity 675
 - weak inductive knowledge of events in the real world 65
 - weak isotropy 1026
 - principle 1026
 - weak method
 - for learning 319
 - of corpus analysis 1073
 - weak
 - rationality postulate 962
 - S5 1086
 - type of redundancy elimination 963
 - weak-perspective
 - approximation 1269
 - projection 1269
 - weak-theory domains 584
 - weaker
 - forms of reasoning 1151
 - logics 1311
 - weakly structured set of if/then associations 237
 - Webber, Bobrow and ~ 672
 - weight
 - of search tree nodes 905
 - placed on heuristics 6
 - weighted
 - abduction 1059
 - graph, shortest path in a ~ 8
 - knowledge bases 1268
 - majority rule 1268
 - pair 557
 - vertex feedback set problem 1253
 - weighted-greedy learning algorithm 1121
 - weighting factor 557

- weights and costs in the abduction scheme 1059
 - Weiss, S.M. 312
 - Weiss, Sholom M. 1084
 - Weld, Penberthy and ~ 1380
 - well structured problems 44
 - well-formed
 - FRAIL objects 425
 - semantic objects 425
 - well-founded
 - logic for approximate reasoning 1162
 - semantics 639, 1384
 - theories 698, 970
 - well-typed program 288
 - Wellman, Michael 1133
 - WHISPER, a computer problem-solving system 154
 - WHISPER's
 - high level reasoner 154
 - retina 154
 - white-knight declobbering clause 1248
 - Whitehead and Russell 37
 - Wilensky, R. 284, 285
 - Williams and Hogg 1296
 - Williams, de Kleer and ~ 1040
 - Wilson, Stewart W. 1131
 - Wimp3, system for natural language story understanding 1006
 - winner-take-all 1270
 - processes, top-down hierarchy of ~ 1273
 - winning strategies, preservation of ~ 35
 - Winograd, T. 386, 387, 388, 389, 390
 - Winston 188, 672
 - Winston, P.H. 334
 - Winston, Patrick Henry 89
 - Winston, Young et al 672
 - Winston's
 - ANALOGY program 383
 - empirical method for determining 'must-not' conditions 163
 - WIP, multimodal presentation system 1058
 - WISP, algorithm for estimation of surface orientation 1026
 - Witkin 587, 1026
 - word
 - choice 923
 - clusters 66, 1364
 - word meaning 66
 - representation of ~ 66
 - word sense representations 135
 - word-wise forward checking 250
 - words
 - in context 1074
 - semantics of ~ 1074
 - working memory 1111
 - workplace 1170
 - workshops 1170
 - world championship
 - caliber checkers program 685
 - level 452
 - level chess 555
 - world change
 - continuous ~ 1033
 - models of ~ 1033
 - world class Othello program 556
 - world
 - dynamic ~ 1130
 - knowledge 923, 1100
 - world model 19, 154
 - probabilistic ~ 1175
 - world modeling 1161
 - dynamic ~ 1067
 - world models 47
 - construction of ~ 43
 - world state 1114, 1239, 1240
 - expected ~ 896
 - likely ~ 1239
 - world-championship-level 230
 - Othello program 230
 - worlds of robots 64
 - worst case 934, 1222
 - analysis 122
 - bound 1253
 - complexity 463, 625, 962, 1110, 1162
 - complexity analysis 920, 1235
 - situations 572
 - space complexity 1192
 - time complexity 953, 1125, 1192
 - worth functions over states 1285
 - wrinkle 193
 - Wu's method 469, 1217
- X**
- x-th action logic 1243
 - XCON 981
 - XPLAIN expert
 - consulting program system 256
 - system 679
- Y**
- Yager, R.R. 1030
 - Yager, Ron 444
 - Yale shooting problem 508, 630
 - Young et al 672
 - Young et al.'s concept-learning program 335

Young, Winston ~ et al 672
Yuille and Poggio 440
Yun, Keng and ~ 1346

Z

Zadeh, L.A. 1030
Zeidenberg, Matthew 1050
zero-Gaussian curvature surfaces 1077
ZF set theory 385
Zhang, Kapur, Narendran and ~ 382
Zlotkin, G. 1285
zombie paths 620
Zucker, Pednault, ~ and Muresan 366, 683

M

-

R

D

7

Reference List of Indexed Articles¹

This Reference List of Indexed Articles belongs to the Index of Volumes 1-89 (pp. 3-189 of this issue).

1. Z. Manna, The correctness of nondeterministic programs 1 (1-2) (1970) 1-26
2. R.E. Fikes, REF-ARF: a system for solving problems stated as procedures 1 (1-2) (1970) 27-120
3. D.A. Waterman, Generalization learning techniques for automating the learning of heuristics 1 (1-2) (1970) 121-170
4. P.C. Gilmore, An examination of the Geometry Theorem Machine 1 (3-4) (1970) 171-187
5. B. Meltzer, The semantics of induction and the possibility of complete systems of inductive inference 1 (3-4) (1970) 189-192
6. I. Pohl, Heuristic search viewed as path finding in a graph 1 (3-4) (1970) 193-204
7. C.R. Brice and C.L. Fennema, Scene analysis using regions 1 (3-4) (1970) 205-226
8. U. Montanari, Heuristically guided search and chromosome matching 1 (3-4) (1970) 227-245
9. C.L. Chang, Renamable paramodulation for automatic theorem proving with equality 1 (3-4) (1970) 247-256
10. R.A. Yates, B. Raphael and T.P. Hart, Resolution graphs 1 (3-4) (1970) 257-289
11. K.M. Colby, S. Weber and F.D. Hilf, Artificial paranoia 2 (1) (1970) 1-25
12. D. Luckham and N.J. Nilsson, Extracting information from resolution proof trees 2 (1) (1970) 27-54
13. W.W. Bledsoe, Splitting and reduction heuristics in automatic theorem proving 2 (1) (1970) 55-77
14. M.B. Clowes, On seeing things 2 (1) (1970) 79-116
15. C.L. Chang and J.R. Slagle, An admissible and optimal algorithm for searching AND/OR graphs 2 (2) (1970) 117-128
16. E. Sandewall, Formal methods in the design of question-answering systems 2 (2) (1970) 129-145
17. R.E. Kling, A paradigm for reasoning by analogy 2 (2) (1970) 147-178
18. C.G. Morgan, Hypothesis generation by machine 2 (2) (1970) 179-187
19. R.E. Fikes and N.J. Nilsson, STRIPS: a new approach to the application of theorem proving to problem solving 2 (3-4) (1971) 189-208
20. A. Sloman, Interactions between philosophy and artificial intelligence: the role of intuition and non-logical reasoning in intelligence 2 (3-4) (1971) 209-225
21. R. Kowalski and D. Kuehner, Linear resolution with selection function 2 (3-4) (1971) 227-260
22. L.M. Norton, Experiments with a heuristic theorem-proving program for predicate calculus with equality 2 (3-4) (1971) 261-284
23. D.A. Waterman and A. Newell, Protocol analysis as a task for artificial intelligence 2 (3-4) (1971) 285-318
24. P.M. Will and K.S. Pennington, Grid coding: a preprocessing technique for robot and machine vision 2 (3-4) (1971) 319-329

¹ The gaps in the number sequence do not reflect missing articles or other incompleteness aspects; it is simply a reflection of a change in the way numbers were and are assigned.

25. B.C. Bruce, A model for temporal references and its application in a question answering program 3 (1-3) (1972) 1-25
26. W.W. Bledsoe, R.S. Boyer and W.H. Henneman, Computer proofs of limit theorems 3 (1-3) (1972) 27-60
27. A.L. Cherniavsky, A program for timetable compilation by a look-ahead method 3 (1-3) (1972) 61-76
28. R.M. Kaplan, Augmented transition networks as psychological models of sentence comprehension 3 (1-3) (1972) 77-100
29. G. Falk, Interpretation of imperfect line data as a three-dimensional scene 3 (1-3) (1972) 101-144
30. J.J. Gillogly, The technology chess program 3 (1-3) (1972) 145-163
31. L. Hodes, Solving problems by formula manipulation in logic and linear inequalities 3 (1-3) (1972) 165-174
32. E. Minicozzi and R. Reiter, A note on linear resolution strategies in consequence-finding 3 (1-3) (1972) 175-180
33. A.W. Biermann, On the inference of Turing machines from sample computations 3 (1-3) (1972) 181-198
34. K.M. Colby, F.D. Hilf, S. Weber and H.C. Kraemer, Turing-like indistinguishability tests for the validation of a computer simulation of paranoid processes 3 (1-3) (1972) 199-221
35. R.B. Banerji and G.W. Ernst, Strategy construction using homomorphisms between games 3 (1-3) (1972) 223-249
36. R.E. Fikes, P.E. Hart and N.J. Nilsson, Learning and executing generalized robot plans 3 (1-3) (1972) 251-288
37. L. Siklóssy, A. Rich and V. Marinov, Breadth-first search: some surprising results 4 (1) (1973) 1-27
38. R. Baker, A spatially-oriented information processor which simulates the motions of rigid objects 4 (1) (1973) 29-40
39. C.M. Eastman, Automated space planning 4 (1) (1973) 41-64
40. J.-P. Laurent, A program that computes limits using heuristics to evaluate the indeterminate forms 4 (2) (1973) 69-94
41. Y. Shirai, A context sensitive line finder for recognition of polyhedra 4 (2) (1973) 95-119
42. A.K. Mackworth, Interpreting pictures of polyhedral scenes 4 (2) (1973) 121-137
43. G.G. Hendrix, Modeling simultaneous actions and continuous processes 4 (3-4) (1973) 145-180
44. H.A. Simon, The structure of ill structured problems 4 (3-4) (1973) 181-201
45. M. Shimura and F.H. George, Rule-oriented methods in problem solving 4 (3-4) (1973) 203-223
46. J. Minker, D.H. Fishman and J.R. McSkimin, The Q* algorithm—a search strategy for a deductive question-answering system 4 (3-4) (1973) 225-243
47. S.E. Fahlman, A planning system for robot construction tasks 5 (1) (1974) 1-49
48. W.W. Bledsoe and P. Bruell, A man-machine theorem-proving system 5 (1) (1974) 51-72
49. W.A. Woods and J. Makhoul, Mechanical inference problems in continuous speech understanding 5 (1) (1974) 73-91
50. C.C. Tappert and N.R. Dixon, A procedure for adaptive control of the interaction between acoustic classification and linguistic decoding in automatic recognition of continuous speech 5 (2) (1974) 95-113
51. E.D. Sacerdoti, Planning in a hierarchy of abstraction spaces 5 (2) (1974) 115-135
52. A.K. Griffith, A comparison and evaluation of three machine learning procedures as applied to the game of checkers 5 (2) (1974) 137-148
53. J.M. Scandura, J.H. Durnin and W.H. Wulfeck II, Higher order rule characterization of heuristics for compass and straight edge constructions in geometry 5 (2) (1974) 149-183
54. I. Sobel, On calibrating computer controlled cameras for perceiving 3-D scenes (Technical Note) 5 (2) (1974) 185-198
55. M. Kochen, Representations and algorithms for cognitive learning 5 (3) (1974) 199-216
56. L.R. Harris, The heuristic search under conditions of error 5 (3) (1974) 217-234
57. R.J. Waldinger and K.N. Levitt, Reasoning about programs 5 (3) (1974) 235-316

58. J. McCarthy, Book review of "Artificial intelligence: a general survey", in: *Artificial Intelligence: A Paper Symposium* (Sir James Lighthill) 5 (3) (1974) 317-322
59. P.C. Maxwell, Alternative descriptions in line drawing analysis 5 (4) (1974) 325-348
60. J.A. Feldman and Y. Yakimovsky, Decision theory and artificial intelligence I: a semantics-based region analyzer 5 (4) (1974) 349-371
61. R.C. Schank and C.J. Rieger III, Inference and the computer understanding of natural language 5 (4) (1974) 373-412
62. A.J. Nevins, Plane geometry theorem proving using forward chaining 6 (1) (1975) 1-23
63. A.J. Nevins, A relaxation approach to splitting in an automatic theorem prover 6 (1) (1975) 25-39
64. L. Siklóssy and J. Roach, Model verification and improvement using DISPROVER 6 (1) (1975) 41-52
65. Y. Wilks, A preferential, pattern-seeking, semantics for natural language inference 6 (1) (1975) 53-74
66. R.M. Haralick and K. Ripken, An associative-categorical model of word meaning 6 (1) (1975) 75-99
67. D.H. Fishman and J. Minker, *II*-representation: a clause representation for parallel search 6 (2) (1975) 103-127
68. A.P. Ambler, H.G. Barrow, C.M. Brown, R.M. Burstall and R.J. Popplestone, A versatile system for computer-controlled assembly 6 (2) (1975) 129-156
69. A.P. Ambler and R.J. Popplestone, Inferring the positions of bodies from specified spatial relationships 6 (2) (1975) 157-174
70. Z. Manna and R. Waldinger, Knowledge and reasoning in program synthesis 6 (2) (1975) 175-208
71. E.B. Koffman and S.E. Blount, Artificial intelligence and automatic programming in CAI 6 (3) (1975) 215-234
72. H.A. Simon and J.B. Kadane, Optimal problem-solving search: all-or-none solutions 6 (3) (1975) 235-247
73. I.P. Goldstein, Summary of MYCROFT: a system for understanding simple picture programs 6 (3) (1975) 249-288
74. L. Uhr, Book review of *Computer Models of Thought and Language* (Roger C. Schank and Kenneth Mark Colby, eds.) 6 (3) (1975) 289-292
75. D.E. Knuth and R.W. Moore, An analysis of alpha-beta pruning 6 (4) (1975) 293-326
76. B. Bruce, Case systems for natural language 6 (4) (1975) 327-360
77. G.M. Adelson-Velskiy, V.L. Arlazarov and M.V. Donskoy, Some methods of controlling the tree search in chess programs 6 (4) (1975) 361-371
78. L.J. Mazlack, Computer construction of crossword puzzles using precedence relationships 7 (1) (1976) 1-19
79. C.L. Hedrick, Learning production systems from examples 7 (1) (1976) 21-49
80. R.E. Shostak, Refutation graphs 7 (1) (1976) 51-64
81. G.R. Ruth, Intelligent program analysis 7 (1) (1976) 65-85
82. C. Rieger, An organization of knowledge for problem solving and language comprehension 7 (2) (1976) 89-127
83. O. Štěpánková and I.M. Havel, A logical theory of robot problem solving 7 (2) (1976) 129-161
84. L.K. Schubert, Extending the expressive power of semantic networks 7 (2) (1976) 163-198
85. S.C. Shapiro, Book review of *Artificial Intelligence* (Earl B. Hunt) 7 (2) (1976) 199-201
86. B.G. Claybrook, A new approach to the symbolic factorization of multivariate polynomials 7 (3) (1976) 203-241
87. G. Levi and F. Sirovich, Generalized AND/OR graphs 7 (3) (1976) 243-259
88. D. Chester, The translation of formal proofs into English 7 (3) (1976) 261-278
89. A. Rosenfeld, Book review of *The Psychology of Computer Vision* (Patrick Henry Winston, ed.) 7 (3) (1976) 279-282
90. D. Brand, Analytic resolution in theorem proving 7 (4) (1976) 285-318
91. L. Beckman, A. Haraldson, Ö. Oskarsson and E. Sandewall, A partial evaluator, and its use as a programming tool 7 (4) (1976) 319-357

92. A. Martelli, On the complexity of admissible search algorithms **8** (1) (1977) 1-13
93. R. Davis, B. Buchanan and E. Shortliffe, Production rules as a representation for a knowledge-based consultation program **8** (1) (1977) 15-45
94. S.A. Vere, Relational production systems **8** (1) (1977) 47-68
95. D. Gelperin, On the optimality of A* **8** (1) (1977) 69-76
96. R. Nevatia and T.O. Binford, Description and recognition of curved objects **8** (1) (1977) 77-98
97. A.K. Mackworth, Consistency in networks of relations **8** (1) (1977) 99-118
98. B. Cohen, The mechanical discovery of certain problem symmetries **8** (1) (1977) 119-131
99. M.M. Newborn, The efficiency of the alpha-beta search on trees with branch-dependent terminal node scores **8** (2) (1977) 137-153
100. D.G. Bobrow, R.M. Kaplan, M. Kay, D.A. Norman, H. Thompson and T. Winograd, GUS, a frame-driven dialog system **8** (2) (1977) 155-173
101. F.M. Brown, Doing arithmetic without diagrams **8** (2) (1977) 175-200
102. B.K.P. Horn, Understanding image intensities **8** (2) (1977) 201-231
103. Y. Schukin, Book review of *Natural and Artificial Intelligence (Conceptual Approach)*—*Materials of the Fourth International Joint Conference on Artificial Intelligence* (in Russian) (V.V. Chavchanidze et al., eds.) **8** (2) (1977) 233-238
104. J.M. Tenenbaum and H.G. Barrow, Experiments in interpretation-guided segmentation **8** (3) (1977) 241-274
105. J. Pitrat, A chess combination program which uses plans **8** (3) (1977) 275-321
106. C. Hewitt, Viewing control structures as patterns of passing messages **8** (3) (1977) 323-364
107. W.W. Bledsoe, Non-resolution theorem proving **9** (1) (1977) 1-35
108. D. Marr, Artificial Intelligence—a personal view **9** (1) (1977) 37-48
109. H. Boley, Directed recursive labelnode hypergraphs: a new representation-language **9** (1) (1977) 49-85
110. K. Kahn and G.A. Gorry, Mechanizing temporal knowledge **9** (1) (1977) 87-108
111. R.C. Parkison, K.M. Colby and W.S. Faught, Conversational language comprehension using integrated pattern-matching and parsing **9** (2) (1977) 111-134
112. R.M. Stallman and G.J. Sussman, Forward reasoning and dependency-directed backtracking in a system for computer-aided circuit analysis **9** (2) (1977) 135-196
113. J.A. Self, Concept teaching **9** (2) (1977) 197-221
114. B.L. Cohen, A powerful and efficient structural pattern recognition system **9** (3) (1977) 223-255
115. D.B. Lenat, The ubiquity of discovery **9** (3) (1977) 257-285
116. J.R. Hobbs and S.J. Rosenschein, Making computational sense of Montague's intensional logic **9** (3) (1977) 287-306
117. M.F. Medress, F.S. Cooper, J.W. Forgie, C.C. Green, D.H. Klatt, M.H. O'Malley, E.P. Neuburg, A. Newell, D.R. Reddy, B. Ritea, J.E. Shoup-Hummel, D.E. Walker and W.A. Woods, *Speech understanding systems*. Report of a Steering Committee **9** (3) (1977) 307-316
118. D. Pastre, Automatic theorem proving in set theory **10** (1) (1978) 1-27
119. J.-L. Lauriere, A language and a program for stating and solving combinatorial problems **10** (1) (1978) 29-127
120. A. Bundy, Will it reach the top? Prediction in the mechanics world **10** (2) (1978) 129-146
121. P.H. Winston, Learning by creating and justifying transfer frames **10** (2) (1978) 147-172
122. G.M. Baudet, On the branching factor of the alpha-beta pruning algorithm **10** (2) (1978) 173-199
123. H.J. Berliner, A chronology of computer chess and its literature (Review Article) **10** (2) (1978) 201-214
124. F. O'Gorman, Edge detection using Walsh functions **10** (2) (1978) 215-223
125. R.M. Weischedel, W.M. Vogt and M. James, An artificial intelligence approach to language instruction (Technical Note) **10** (3) (1978) 225-240
126. C. Green and D. Barstow, On program synthesis knowledge **10** (3) (1978) 241-279
127. F.M. Brown, Towards the automation of set theory and its logic **10** (3) (1978) 281-316
128. B.G. Buchanan and E.A. Feigenbaum, Dendral and Meta-Dendral: their applications dimension **11** (1-2) (1978) 5-24

129. R. Grishman and L. Hirschman, Question answering from natural language medical data bases **11** (1-2) (1978) 25-43
130. C.F. Schmidt, N.S. Sridharan and J.L. Goodson, The plan recognition problem: an intersection of psychology and artificial intelligence **11** (1-2) (1978) 45-83
131. M. Stefik, Inferring DNA structures from segmentation data **11** (1-2) (1978) 85-114
132. P. Szolovits and S.G. Pauker, Categorical and probabilistic reasoning in medical diagnosis **11** (1-2) (1978) 115-144
133. S.M. Weiss, C.A. Kulikowski, S. Amarel and A. Safir, A model-based method for computer-aided medical decision-making **11** (1-2) (1978) 145-172
134. W.T. Wipke, G.I. Ouchi and S. Krishnan, Simulation and evaluation of chemical synthesis—SECS: an application of artificial intelligence techniques **11** (1-2) (1978) 173-193
135. Y. Wilks, Making preferences more active **11** (3) (1978) 197-223
136. E. Charniak, On the use of framed knowledge in language comprehension **11** (3) (1978) 225-265
137. M.A. Bauer, Programming by examples **12** (1) (1979) 1-21
138. H. Berliner, The B* tree search algorithm: a best-first proof procedure **12** (1) (1979) 23-40
139. K. Sugihara, Range-data analysis guided by a junction dictionary **12** (1) (1979) 41-69
140. D.R. Barstow, An experiment in knowledge-based automatic programming **12** (2) (1979) 73-119
141. R. Davis, Interactive transfer of expertise: acquisition of new inference rules **12** (2) (1979) 121-157
142. C.L. Chang and J.R. Slagle, Using rewriting rules for connection graphs to prove theorems **12** (2) (1979) 159-178
143. G.C. Stockman, A minimax algorithm better than alpha-beta? **12** (2) (1979) 179-196
144. R. Young, Book review of *Pattern-Directed Inference Systems* (R. Hayes-Roth and D.A. Waterman, eds.) **12** (2) (1979) 197-202
145. F.M. Brown and S.-Å. Tärnlund, Inductive reasoning on recursive equations **12** (3) (1979) 207-229
146. J. Doyle, A truth maintenance system **12** (3) (1979) 231-272
147. T. Winograd, Extended inference modes in reasoning by computer systems **13** (1-2) (1980) 5-26
148. J. McCarthy, Circumscription—a form of non-monotonic reasoning **13** (1-2) (1980) 27-39
149. D. McDermott and J. Doyle, Non-monotonic logic I **13** (1-2) (1980) 41-72
150. M. Davis, The mathematics of non-monotonic reasoning (Technical Note) **13** (1-2) (1980) 73-80
151. R. Reiter, A logic for default reasoning **13** (1-2) (1980) 81-132
152. R.W. Weyhrauch, Prolegomena to a theory of mechanized formal reasoning **13** (1-2) (1980) 133-170
153. R. Follett, Synthesising recursive functions with side effects **13** (3) (1980) 175-200
154. B.V. Funt, Problem-solving with diagrammatic representations **13** (3) (1980) 201-230
155. F.C.N. Pereira and D.H.D. Warren, Definite clause grammars for language analysis—a survey of the formalism and a comparison with augmented transition networks **13** (3) (1980) 231-278
156. T. Kanade, A theory of Origami world **13** (3) (1980) 279-311
157. G.J. Sussman and G.L. Steele Jr, CONSTRAINTS—a language for expressing almost-hierarchical descriptions **14** (1) (1980) 1-39
158. R.E. Korf, Toward a model of representation changes **14** (1) (1980) 41-78
159. R.J. Popplestone, A.P. Ambler and I.M. Bellos, An interpreter for a language for describing assemblies **14** (1) (1980) 79-107
160. M. Brady, Book review of *Techniques of Artificial Intelligence* (Stuart C. Shapiro) **14** (1) (1980) 109-110
161. K. Prazdny, Book review of *Cognitive Psychology* (J. Green, ed.) **14** (1) (1980) 110-112
162. J. Pearl, Asymptotic properties of minimax trees and game-searching procedures **14** (2) (1980) 113-138
163. S.A. Vere, Multilevel counterfactuals for generalizations of relational concepts and productions **14** (2) (1980) 139-164
164. D. Wilkins, Using patterns and plans in chess **14** (2) (1980) 165-203

165. H.J. Berliner, Backgammon computer program beats world champion (Performance Note) **14** (2) (1980) 205-220
166. F.M. Brown, An investigation into the goals of research in automatic theorem proving as related to mathematical reasoning **14** (3) (1980) 221-242
167. W. Bibel, Syntax-directed, semantics-supported program synthesis **14** (3) (1980) 243-261
168. R.M. Haralick and G.L. Elliott, Increasing tree search efficiency for constraint satisfaction problems **14** (3) (1980) 263-313
169. E.C. Freuder, On the knowledge required to label a picture graph **15** (1-2) (1980) 1-17
170. J.L. Weiner, BLAH, a system which explains its reasoning **15** (1-2) (1980) 19-48
171. J.G. Carbonell, Towards a process model of human personality traits **15** (1-2) (1980) 49-74
172. A. Adam and J.-P. Laurent, LAURA, a system to debug student programs **15** (1-2) (1980) 75-122
173. P. London, Book review of *Artificial Intelligence Programming* (Eugene Charniak, Christopher Riesbeck and Drew McDermott) **15** (1-2) (1980) 123-124
174. R. Sproull, Book review of *Artificial Intelligence and Pattern Recognition in Computer Aided Design* (J.C. Latombe, ed.) **15** (1-2) (1980) 125-126
175. J. McDermott, Book review of *Principles of Artificial Intelligence* (Nils J. Nilsson) **15** (1-2) (1980) 127-131
176. J.F. Allen and C.R. Perrault, Analyzing intention in utterances **15** (3) (1980) 143-178
177. R. Davis, Meta-rules: reasoning about control **15** (3) (1980) 179-222
178. R. Davis, Content reference: reasoning about rules **15** (3) (1980) 223-239
179. N. Huyn, R. Dechter and J. Pearl, Probabilistic analysis of the complexity of A^* **15** (3) (1980) 241-254
180. J. Darlington, An experimental program transformation and synthesis system **16** (1) (1981) 1-46
181. D.A. Plaisted, Theorem proving with abstraction **16** (1) (1981) 47-108
182. M. Stefik, Planning with constraints (MOLGEN: Part 1) **16** (2) (1981) 111-140
183. M. Stefik, Planning and meta-planning (MOLGEN: Part 2) **16** (2) (1981) 141-170
184. D.H. Sleeman and M.J. Smith, Modelling student's problem solving **16** (2) (1981) 171-188
185. A. Bundy and B. Welham, Using meta-level inference for selective application of multiple rewrite rule sets in algebraic manipulation **16** (2) (1981) 189-212
186. E.P.D. Pednault, S.W. Zucker and L.V. Muresan, On the independence assumption underlying subjective Bayesian updating **16** (2) (1981) 213-222
187. E. Charniak, A common representation for problem-solving and language-comprehension information **16** (3) (1981) 225-255
188. T.G. Dietterich and R.S. Michalski, Inductive learning of structural descriptions: evaluation criteria and comparative review of selected methods **16** (3) (1981) 257-294
189. J.G. Carbonell, Counterplanning: a strategy-based model of adversary planning in real-world situations **16** (3) (1981) 295-329
190. R.E. Fikes, Odyssey: a knowledge-based assistant **16** (3) (1981) 331-361
191. M. Brady, Preface—the changing shape of computer vision **17** (1-3) (1981) 1-15
192. A.P. Witkin, Recovering surface shape and orientation from texture **17** (1-3) (1981) 17-45
193. K.A. Stevens, The visual interpretation of surface contours **17** (1-3) (1981) 47-73
194. H.G. Barrow and J.M. Tenenbaum, Interpreting line drawings as three-dimensional surfaces **17** (1-3) (1981) 75-116
195. R.J. Woodham, Analysing images of curved surfaces **17** (1-3) (1981) 117-140
196. K. Ikeuchi and B.K.P. Horn, Numerical shape from shading and occluding boundaries **17** (1-3) (1981) 141-184
197. B.K.P. Horn and B.G. Schunck, Determining optical flow **17** (1-3) (1981) 185-203
198. T.O. Binford, Inferring surfaces from images **17** (1-3) (1981) 205-244
199. L.S. Davis and A. Rosenfeld, Cooperating processes for low-level vision: a survey **17** (1-3) (1981) 245-263
200. H.K. Nishihara, Intensity, visible-surface, and volumetric representations **17** (1-3) (1981) 265-284
201. R.A. Brooks, Symbolic reasoning among 3-D models and 2-D images **17** (1-3) (1981) 285-348

202. J.E.W. Mayhew and J.P. Frisby, Psychophysical and computational studies towards a theory of human stereopsis **17** (1-3) (1981) 349-385
203. B.E. Flinchbaugh and B. Chandrasekaran, A theory of spatio-temporal aggregation for vision **17** (1-3) (1981) 387-407
204. T. Kanade, Recovery of the three-dimensional shape of an object from a single view **17** (1-3) (1981) 409-460
205. S.W. Draper, The use of gradient and dual space in line-drawing interpretation **17** (1-3) (1981) 461-508
206. D.E. Wilkins, Using knowledge to control tree searching **18** (1) (1982) 1-51
207. D.S. Nau, The Last Player Theorem **18** (1) (1982) 53-65
208. N.V. Murray, Completely non-clausal theorem proving **18** (1) (1982) 67-85
209. A. Newell, The knowledge level **18** (1) (1982) 87-127
210. M. Stefik, J. Aikins, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E. Sacerdoti, The organization of expert systems, a tutorial **18** (2) (1982) 135-173
211. M.P. Georgeff, Procedural control in production systems **18** (2) (1982) 175-201
212. T.M. Mitchell, Generalization as search **18** (2) (1982) 203-226
213. D.A. Plaisted, A simplified problem reduction format **18** (2) (1982) 227-261
214. W. Bibel, A comparative study of several proof procedures **18** (3) (1982) 269-293
215. W.A. Woods, Optimal search strategies for speech understanding control **18** (3) (1982) 295-326
216. M.C. McCord, Using slots and modifiers in logic grammars for natural language **18** (3) (1982) 327-367
217. D. Dennett, Recent work in philosophy of interest to AI (Correspondent's Report) **19** (1) (1982) 3-5
218. M. Brady, Computer vision (Correspondent's Report) **19** (1) (1982) 7-16
219. C.L. Forgy, Rete: a fast algorithm for the many pattern/many object pattern match problem **19** (1) (1982) 17-37
220. J. McDermott, R1: a rule-based configurator of computer systems **19** (1) (1982) 39-88
221. R.A. Finkel and J.P. Fishburn, Parallelism in alpha-beta search **19** (1) (1982) 89-106
222. J.A. Webb and J.K. Aggarwal, Structure from motion of rigid and jointed objects **19** (1) (1982) 107-130
223. B.J. Grosz, Natural language processing (Correspondent's Report) **19** (2) (1982) 131-136
224. T. Lozano-Pérez, Robotics (Correspondent's Report) **19** (2) (1982) 137-143
225. A.J. Palay, The B* tree search algorithm—new results **19** (2) (1982) 145-163
226. S.J. Kaplan, Cooperative responses from a portable natural language query system **19** (2) (1982) 165-187
227. D.B. Lenat, The nature of heuristics **19** (2) (1982) 189-249
228. Z.W. Pylyshyn, Literature from cognitive psychology (Correspondent's Report) **19** (3) (1982) 251-255
229. D.S. Nau, An investigation of the causes of pathology in games **19** (3) (1982) 257-278
230. P.S. Rosenbloom, A world-championship-level Othello program **19** (3) (1982) 279-320
231. P.H. Winston, Learning new principles from precedents and exercises **19** (3) (1982) 321-350
232. J. Pearl, Knowledge versus search: a quantitative analysis using A* **20** (1) (1983) 1-13
233. W.G. Lehnert, M.G. Dyer, P.N. Johnson, C.J. Yang and S. Harley, BORIS—an experiment in in-depth understanding of narratives **20** (1) (1983) 15-62
234. R. Davis and R.G. Smith, Negotiation as a metaphor for distributed problem solving **20** (1) (1983) 63-109
235. R.S. Michalski, A theory and methodology of inductive learning **20** (2) (1983) 111-161
236. J.S. Aikins, Prototypical knowledge for expert systems **20** (2) (1983) 163-210
237. W.J. Clancey, The epistemology of a rule-based expert system—a framework for explanation **20** (3) (1983) 215-251
238. E. Kant, On the efficient synthesis of efficient programs **20** (3) (1983) 253-305
239. L.M. Norton, Automated analysis of instructional text **20** (3) (1983) 307-344

240. M.S. Campbell and T.A. Marsland, A comparison of minimax tree search algorithms **20** (4) (1983) 347-367
241. L. Rendell, A new basis for state-space learning systems and a successful implementation **20** (4) (1983) 369-392
242. M.P. Georgeff, Strategies in heuristic search **20** (4) (1983) 393-425
243. J. Pearl, On the nature of pathology in game searching **20** (4) (1983) 427-453
244. J. Pearl, Preface **21** (1-2) (1983) 1-6
245. H.A. Simon, Search and reasoning in problem solving **21** (1-2) (1983) 7-29
246. D.B. Lenat, Theory formation by heuristic search. The nature of heuristics II: background and examples **21** (1-2) (1983) 31-59
247. D.B. Lenat, EURISKO: a program that learns new heuristics and domain concepts. The nature of heuristics III: program design and results **21** (1-2) (1983) 61-98
248. R.M. Karp and J. Pearl, Searching for an optimal path in a tree with random costs **21** (1-2) (1983) 99-116
249. P.W. Purdom Jr, Search rearrangement backtracking and polynomial average time **21** (1-2) (1983) 117-133
250. B. Nudel, Consistent-labeling problems and their algorithms: expected-complexities and theory-based heuristics **21** (1-2) (1983) 135-178
251. V. Kumar and L.N. Kanal, A general branch and bound formulation for understanding and synthesizing And/Or tree search procedures **21** (1-2) (1983) 179-198
252. I. Roizen and J. Pearl, A minimax algorithm better than alpha-beta? Yes and no **21** (1-2) (1983) 199-220
253. D.S. Nau, Pathology on game trees revisited, and an alternative to minimaxing **21** (1-2) (1983) 221-224
254. G. Fowler, R. Haralick, F.G. Gray, C. Feustel and C. Grinstead, Efficient graph automorphism by vertex partitioning **21** (1-2) (1983) 245-269
255. M. Brady, Parallelism in vision (Correspondent's Report) **21** (3) (1983) 271-283
256. W.R. Swartout, XPLAIN: a system for creating and explaining expert consulting programs **21** (3) (1983) 285-325
257. B.W. Ballard, The *-minimax search procedure for trees containing chance nodes **21** (3) (1983) 327-350
258. R.G. Smith, Book review of *Machine Intelligence 10* (J.E. Hayes, D. Michie and Y.-H. Pao, eds.) **21** (3) (1983) 351-357
259. P.P. Schreiber, Book review of *Neural Assemblies—An Alternative Approach to Artificial Intelligence, Part I [Studies of Brain Function 7]* (Günther Palm) **21** (3) (1983) 358-359
260. M. Lebowitz, Memory-based parsing **21** (4) (1983) 363-404
261. N.M. Darwish, A quantitative analysis of the alpha-beta pruning algorithm **21** (4) (1983) 405-433
262. S.T. Barnard, Interpreting perspective images **21** (4) (1983) 435-462
263. N.A.B. Gray, Applications of artificial intelligence for organic chemistry: analysis of C-13 spectra **22** (1) (1984) 1-21
264. P. Politakis and S.M. Weiss, Using empirical analysis to refine expert system knowledge bases **22** (1) (1984) 23-48
265. K. Ikeuchi, Shape from regular patterns **22** (1) (1984) 49-75
266. J.A. Barnett, How much is control knowledge worth? A primitive example **22** (1) (1984) 77-89
267. M. Stefik, Book review of *The Sciences of the Artificial, 2nd Ed.* (H.A. Simon) **22** (1) (1984) 95-97
268. D. McDermott and E. Davis, Planning routes through uncertain territory **22** (2) (1984) 107-156
269. R. Reichman-Adar, Extended person-machine interface **22** (2) (1984) 157-218
270. M. Stefik, Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) **22** (2) (1984) 219-222
271. J. de Kleer, Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) **22** (2) (1984) 222-226
272. D.C. Dennett, Recent work in philosophy II (Correspondent's Report) **22** (3) (1984) 231-233

273. D.H. Ballard, Parameter nets 22 (3) (1984) 235-267
274. D.E. Wilkins, Domain-independent planning: representation and plan generation 22 (3) (1984) 269-301
275. L. Wos, S. Winker, B. Smith, R. Veroff and L. Henschen, A new use of an automated reasoning assistant: open questions in equivalential calculus and the study of infinite domains 22 (3) (1984) 303-356
276. J.R. Anderson, Cognitive Psychology (Correspondent's Report) 23 (1) (1984) 1-11
277. L. M  r  , A heuristic search algorithm with modifiable estimate 23 (1) (1984) 13-27
278. D.S. Nau, V. Kumar and L. Kanal, General branch and bound, and its relation to A* and AO* 23 (1) (1984) 29-58
279. K. Sugihara, An algebraic approach to shape-from-image problems 23 (1) (1984) 59-95
280. H. Berliner and M. Campbell, Using chunking to solve chess pawn endgames 23 (1) (1984) 97-120
281. J.F. Allen, Towards a general theory of action and time 23 (2) (1984) 123-154
282. H.J. Levesque, Foundations of a functional approach to knowledge representation 23 (2) (1984) 155-212
283. K. Kanatani, Detection of surface orientation and motion from texture by a stereological technique 23 (2) (1984) 213-237
284. D.M. Russell, Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (2) (1984) 239-242
285. D. Berlin, Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (2) (1984) 242-244
286. G.D. Ritchie and F.K. Hanna, AM: a case study in AI methodology 23 (3) (1984) 249-268
287. D.B. Lenat and J.S. Brown, Why AM and EURISKO appear to work 23 (3) (1984) 269-294
288. A. Mycroft and R.A. O'Keefe, A polymorphic type system for PROLOG 23 (3) (1984) 295-307
289. E.C. Hildreth, Computations underlying the measurement of visual motion 23 (3) (1984) 309-354
290. D.G. Bobrow, Qualitative reasoning about physical systems: an introduction 24 (1-3) (1984) 1-5
291. J. de Kleer and J.S. Brown, A qualitative physics based on confluences 24 (1-3) (1984) 7-83
292. K.D. Forbus, Qualitative process theory 24 (1-3) (1984) 85-168
293. B.J. Kuipers, Commonsense reasoning about causality: deriving behavior from structure 24 (1-3) (1984) 169-203
294. J. de Kleer, How circuits work 24 (1-3) (1984) 205-280
295. B.C. Williams, Qualitative analysis of MOS circuits 24 (1-3) (1984) 281-346
296. R. Davis, Diagnostic reasoning based on structure and behavior 24 (1-3) (1984) 347-410
297. M.R. Genesereth, The use of design descriptions in automated diagnosis 24 (1-3) (1984) 411-436
298. H.G. Barrow, VERIFY: a program for proving correctness of digital hardware designs 24 (1-3) (1984) 437-491
299. B.J. Grosz, Natural-language processing (Correspondent's Report) 25 (1) (1985) 1-4
300. T. Lozano-P  rez, Compliance in robot manipulation (Correspondent's Report) 25 (1) (1985) 5-12
301. G. Bossu and P. Siegel, Saturation, nonmonotonic reasoning and the closed-world assumption 25 (1) (1985) 13-63
302. A.K. Mackworth and E.C. Freuder, The complexity of some polynomial network consistency algorithms for constraint satisfaction problems 25 (1) (1985) 65-74
303. R.C. Moore, Semantical considerations on nonmonotonic logic 25 (1) (1985) 75-94
304. C. Glymour, Independence assumptions and Bayesian updating 25 (1) (1985) 95-99
305. C.L. Dym, Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) 25 (1) (1985) 101-104
306. J. de Kleer, Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) 25 (1) (1985) 105-107
307. S. Niizuma and T. Kitahashi, A problem-decomposition method using differences or equivalence relations between states 25 (2) (1985) 117-151
308. R. Alterman, A dictionary based on concept coherence 25 (2) (1985) 153-186

309. T.G. Dietterich and R.S. Michalski, Discovering patterns in sequences of events **25** (2) (1985) 187-232
310. K. VanLehn, Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell) **25** (2) (1985) 233-236
311. M.J. Stefik, Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell) **25** (2) (1985) 236-238
312. C.L. Dym, Book review of *A Practical Guide to Designing Expert Systems* (S.M. Weiss and C.A. Kulikowski) **25** (2) (1985) 238-239
313. E.E. Smith, Cognitive Psychology (Correspondent's Report) **25** (3) (1985) 247-253
314. J. Hsiang, Refutational theorem proving using term-rewriting systems **25** (3) (1985) 255-300
315. D. Perlis, Languages with self-reference I: foundations. (or: We can have everything in first-order logic!) **25** (3) (1985) 301-322
316. N. Dershowitz, Synthetic programming **25** (3) (1985) 323-373
317. D.G. Bobrow and P.J. Hayes, Artificial Intelligence—where are we? **25** (3) (1985) 375-415
318. D.E. Appelt, Planning English referring expressions **26** (1) (1985) 1-33
319. R.E. Korf, Macro-operators: a weak method for learning **26** (1) (1985) 35-77
320. M. Brady, Artificial Intelligence and Robotics **26** (1) (1985) 79-121
321. C.-H. Lee and A. Rosenfeld, Improved methods of estimating shape from shading using the light source coordinate system **26** (2) (1985) 125-143
322. S.J. Lee, R.M. Haralick and M.C. Zhang, Understanding objects with curved surfaces from a single perspective view of boundaries **26** (2) (1985) 145-169
323. D.E. Smith and M.R. Genesereth, Ordering conjunctive queries **26** (2) (1985) 171-215
324. C. Walthers, A mechanical solution of Schubert's steamroller by many-sorted resolution **26** (2) (1985) 217-224
325. D. Auguste, Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown) **26** (2) (1985) 233-238
326. M. Stefik, Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown) **26** (2) (1985) 238-245
327. B. Hayes-Roth, A blackboard architecture for control **26** (3) (1985) 251-321
328. J. Gordon and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space **26** (3) (1985) 323-357
329. K.R. McKeown, Discourse strategies for generating natural-language text **27** (1) (1985) 1-41
330. D.R. Smith, Top-down synthesis of divide-and-conquer algorithms **27** (1) (1985) 43-96
331. R.E. Korf, Depth-first iterative-deepening: an optimal admissible tree search **27** (1) (1985) 97-109
332. W.J. Clancey, Book review of *Conceptual Structures—Information Processing in Mind and Machine [Systems Programming Series]* (J.F. Sowa) **27** (1) (1985) 113-124
333. K.D. Forbus, Book review of *Structure and Interpretation of Computer Programs* (H. Abelson and G.J. Sussman with J. Sussman) **27** (1) (1985) 124-127
334. D. Reese, Book review of *Artificial Intelligence, 2nd Ed.* (P.H. Winston) **27** (1) (1985) 127-128
335. A. Bundy, B. Silver and D. Plummer, An analytical comparison of some rule-learning programs **27** (2) (1985) 137-181
336. Y. Descotte and J.-C. Latombe, Making compromises among antagonist constraints in a planner **27** (2) (1985) 183-217
337. L. Bic, Processing of semantic nets on dataflow architectures **27** (2) (1985) 219-227
338. V. Lifschitz, Closed-world databases and circumscription **27** (2) (1985) 229-235
339. M.J. Stefik, Book review of *Minds, Machines, and Evolution* (C. Hookway) **27** (2) (1985) 237-245
340. M.J. Stefik, Book review of *Vehicles: Experiments in Synthetic Psychology* (V. Braitenberg) **27** (2) (1985) 246-248
341. W.W. Bledsoe, K. Kunen and R. Shostak, Completeness results for inequality provers **27** (3) (1985) 255-288
342. W.J. Clancey, Heuristic classification **27** (3) (1985) 289-350

343. H. Berliner and C. Ebeling, The SUPREM architecture: a new intelligent paradigm (Research Note) **28** (1) (1986) 3-8
344. J. Pearl, On evidential reasoning in a hierarchy of hypotheses (Research Note) **28** (1) (1986) 9-15
345. V. Lifschitz, On the satisfiability of circumscription (Research Note) **28** (1) (1986) 17-27
346. D. Perlis and J. Minker, Completeness results for circumscription **28** (1) (1986) 29-42
347. R.E. Stepp and R.S. Michalski, Conceptual clustering of structured objects: a goal-oriented approach **28** (1) (1986) 43-69
348. N.J. Nilsson, Probabilistic logic **28** (1) (1986) 71-87
349. J. McCarthy, Applications of circumscription to formalizing common-sense knowledge **28** (1) (1986) 89-116
350. R. Rada, Book review of *Artificial Intelligence* (Elaine Rich) **28** (1) (1986) 119-121
351. J. de Kleer, An assumption-based TMS **28** (2) (1986) 127-162
352. J. de Kleer, Extending the ATMS **28** (2) (1986) 163-196
353. J. de Kleer, Problem solving with the ATMS **28** (2) (1986) 197-224
354. R. Mohr and T.C. Henderson, Arc and path consistency revisited (Research Note) **28** (2) (1986) 225-233
355. K. VanLehn, Book review of *The Architecture of Cognition* (John R. Anderson) **28** (2) (1986) 235-240
356. A.R. Haas, A syntactic theory of belief and action **28** (3) (1986) 245-292
357. A.P. Pentland, Perceptual organization and the representation of natural form **28** (3) (1986) 293-331
358. R.R. Kadesch, Subjective inference with multiple evidence (Research Note) **28** (3) (1986) 333-341
359. Y. Iwasaki and H.A. Simon, Causality in device behavior **29** (1) (1986) 3-32
360. J. de Kleer and J.S. Brown, Theories of causal ordering **29** (1) (1986) 33-61
361. Y. Iwasaki and H.A. Simon, Theories of causal ordering: reply to de Kleer and Brown **29** (1) (1986) 63-72
362. T. Ibaraki, Generalization of alpha-beta and SSS* search procedures **29** (1) (1986) 73-117
363. R.S. Michalski and P.H. Winston, Variable precision logic **29** (2) (1986) 121-146
364. A.P. Pentland, Shading into texture **29** (2) (1986) 147-170
365. M. Selfridge, A computer model of child language learning **29** (2) (1986) 171-216
366. R.W. Johnson, Independence and Bayesian updating methods (Research Note) **29** (2) (1986) 217-222
367. R.J. Kleiman, Book review of *Semantics and Cognition* (R. Jackendoff) **29** (2) (1986) 225-235
368. J. Pearl, Fusion, propagation, and structuring in belief networks **29** (3) (1986) 241-288
369. B. Kuipers, Qualitative simulation **29** (3) (1986) 289-338
370. P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Heuristic search through islands (Research Note) **29** (3) (1986) 339-347
371. D.S. Weld, The use of aggregation in causal simulation **30** (1) (1986) 1-34
372. M.L. Ginsberg, Counterfactuals **30** (1) (1986) 35-79
373. H.J. Levesque, Making believers out of computers **30** (1) (1986) 81-108
374. F.M. Brown, An experimental logic based on the fundamental deduction principle **30** (2) (1986) 117-263
375. M. Gelfond and H. Przymusinska, Negation as failure: careful closure procedure **30** (3) (1986) 273-287
376. M. Herman and T. Kanade, Incremental reconstruction of 3D scenes from multiple, complex images **30** (3) (1986) 289-341
377. D.E. Smith, M.R. Genesereth and M.L. Ginsberg, Controlling recursive inference **30** (3) (1986) 343-389
378. K. VanLehn, Learning one subprocedure per lesson **31** (1) (1987) 1-40
379. D.W. Etherington, Formalizing nonmonotonic reasoning systems **31** (1) (1987) 41-85
380. P.L. Mott, A theorem on the consistency of circumscription (Research Note) **31** (1) (1987) 87-98

381. R.R. Yager, Using approximate reasoning to represent default knowledge (Research Note) **31** (1) (1987) 99-112
382. D. Kapur and D.R. Musser, Proof by consistency **31** (2) (1987) 125-157
383. J.H. Connell and M. Brady, Generating and generalizing models of visual objects **31** (2) (1987) 159-183
384. T.A. Marsland, A. Reinefeld and J. Schaeffer, Low overhead alternatives to SSS* (Research Note) **31** (2) (1987) 185-199
385. D. Perlis, Circumscribing with sets (Research Note) **31** (2) (1987) 201-211
386. A. Vellino, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 213-220
387. M.J. Stefik and D.G. Bobrow, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 220-226
388. L.A. Suchman, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 227-232
389. W.J. Clancey, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 232-250
390. T. Winograd and F. Flores, On *Understanding Computers and Cognition: A New Foundation for Design*, a response to the reviews **31** (2) (1987) 250-261
391. H.E. Kyburg Jr, Bayesian and non-Bayesian evidential updating **31** (3) (1987) 271-293
392. B.R. Donald, A search algorithm for motion planning with six degrees of freedom **31** (3) (1987) 295-353
393. D.G. Lowe, Three-dimensional object recognition from single two-dimensional images **31** (3) (1987) 355-395
394. T.L. Dean and D.V. McDermott, Temporal data base management **32** (1) (1987) 1-55
395. R. Reiter, A theory of diagnosis from first principles **32** (1) (1987) 57-95
396. J. de Kleer and B.C. Williams, Diagnosing multiple faults **32** (1) (1987) 97-130
397. T. Imielinski, Results on translating defaults to circumscription (Research Note) **32** (1) (1987) 131-146
398. D.E. Shaw, On the range of applicability of an artificial intelligence machine **32** (2) (1987) 151-172
399. B.J. Grosz, D.E. Appelt, P.A. Martin and E.C.N. Pereira, TEAM: an experiment in the design of transportable natural-language interfaces **32** (2) (1987) 173-243
400. J. Pearl, Evidential reasoning using stochastic simulation of causal models (Research Note) **32** (2) (1987) 245-257
401. S. Cushing, Some quantifiers require two-predicate scopes (Research Note) **32** (2) (1987) 259-267
402. J. Shrager, Book review of *Universal Subgoaling and Chunking: The Automatic Generation and Learning of Goal Hierarchies* (John Laird, Paul Rosenbloom and Allen Newell) **32** (2) (1987) 269-273
403. E. Davis, Constraint propagation with interval labels **32** (3) (1987) 281-331
404. D. Chapman, Planning for conjunctive goals **32** (3) (1987) 333-377
405. J.Y. Halpern and M.O. Rabin, A logic to reason about likelihood **32** (3) (1987) 379-405
406. J.E. Laird, A. Newell and P.S. Rosenbloom, SOAR: an architecture for general intelligence **33** (1) (1987) 1-64
407. R.E. Korf, Planning as search: a quantitative approach **33** (1) (1987) 65-88
408. Y. Shoham, Temporal logics in AI: semantical and ontological considerations **33** (1) (1987) 89-104
409. J.P. Delgrande, A first-order conditional logic for prototypical properties **33** (1) (1987) 105-130
410. T.D. Koschmann, Book review of *Mind over Machine: The Power of Human Intuition and Expertise in the Era of the Computer* (Hubert L. Dreyfus and Stuart E. Dreyfus) **33** (1) (1987) 135-140
411. S. Rock, Book review of *Robot Technology, Volume 1: Modelling and Control, and Volume 2: Interaction with the Environment* (Philippe Coiffet) **33** (1) (1987) 141-142
412. B.A. Huberman and T. Hogg, Phase transitions in artificial intelligence systems **33** (2) (1987) 155-171

413. J. Pearl, Distributed revision of composite beliefs **33** (2) (1987) 173-215
414. S.N. Srihari and R.M. Božinović, A multi-level perception approach to reading cursive script **33** (2) (1987) 217-255
415. S.W. Smoliar, Book review of *Conceptual Structures: Information Processing in Mind and Machine* (J.F. Sowa) **33** (2) (1987) 259-266
416. G. Shafer and R. Logan, Implementing Dempster's rule for hierarchical evidence **33** (3) (1987) 271-298
417. H.-H. Nagel, On the estimation of optical flow: relations between different approaches and some new results **33** (3) (1987) 299-324
418. P.S. Jacobs, Knowledge-intensive natural language generation **33** (3) (1987) 325-378
419. S. Hanks and D. McDermott, Nonmonotonic logic and temporal projection **33** (3) (1987) 379-412
420. R. Dechter and J. Pearl, Network-based heuristics for constraint-satisfaction problems **34** (1) (1987) 1-38
421. R. Fagin and J.Y. Halpern, Belief, awareness, and limited reasoning **34** (1) (1987) 39-76
422. R.L. Rivest, Game tree searching by min/max approximation **34** (1) (1987) 77-96
423. P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Admissibility of AO* when heuristics overestimate (Research Note) **34** (1) (1987) 97-113
424. R.P. Loui, Book review of *Change in View* (G. Harman) **34** (1) (1987) 119-124
425. G. Hirst, Semantic interpretation and ambiguity **34** (2) (1988) 131-177
426. D. Perlis, Languages with self-reference II: knowledge, belief, and modality **34** (2) (1988) 179-212
427. M. Leyton, A process-grammar for shape **34** (2) (1988) 213-247
428. S.W. Smoliar, Book review of *Epistemology and Cognition* (A.I. Goldman) **34** (2) (1988) 251-264
429. A.I. Goldman, On *Epistemology and Cognition*, a response to the review by S.W. Smoliar **34** (2) (1988) 265-267
430. E. Charniak, Motivation analysis, abductive unification, and nonmonotonic equality **34** (3) (1988) 275-295
431. W.K. Yeap, Towards a computational theory of cognitive maps **34** (3) (1988) 297-360
432. J.N. MacGregor, The effects of order on learning classifications by example: heuristics for finding the optimal order (Research Note) **34** (3) (1988) 361-370
433. B. Nebel, Computational complexity of terminological reasoning in BACK (Research Note) **34** (3) (1988) 371-383
434. D. Cvetković and I. Pevac, Man-machine theorem proving in graph theory **35** (1) (1988) 1-23
435. J.P. Martins and S.C. Shapiro, A model for belief revision **35** (1) (1988) 25-79
436. R. Greiner, Learning by understanding analogies **35** (1) (1988) 81-125
437. C.-H. Lee, A comparison of two evidential reasoning schemes (Research Note) **35** (1) (1988) 127-134
438. M.J. Stefik, On Book Reviews: policy and process **35** (1) (1988) 135-136
439. D.S. Weld, Book review of *Women, Fire, and Dangerous Things* (George Lakoff) **35** (1) (1988) 137-141
440. C.-H. Lee, Interpreting image curve from multiframes **35** (2) (1988) 145-163
441. M.L. Ginsberg and D.E. Smith, Reasoning about action I: a possible worlds approach **35** (2) (1988) 165-195
442. A. Ginsberg, S.M. Weiss and P. Politakis, Automatic knowledge base refinement for classification systems **35** (2) (1988) 197-226
443. R.M. Keller, Defining operationality for explanation-based learning **35** (2) (1988) 227-241
444. D. Dubois and H. Prade, Default reasoning and possibility theory (Research Note) **35** (2) (1988) 243-257
445. J. Pearl, Embracing causality in default reasoning (Research Note) **35** (2) (1988) 259-271
446. M.P. Wellman, Book review of *Expert Critiquing Systems: Practice-Based Medical Consultation by Computer* (P.L. Miller) **35** (2) (1988) 273-276
447. D.A. McAllester, Conspiracy numbers for min-max search **35** (3) (1988) 287-310

448. M.L. Ginsberg and D.E. Smith, Reasoning about action II: the qualification problem **35** (3) (1988) 311-342
449. K. Konolige, On the relation between default and autoepistemic logic **35** (3) (1988) 343-382
450. P.H. Morris, The anomalous extension problem in default reasoning **35** (3) (1988) 383-399
451. W. Bibel, Constraint satisfaction from a deductive viewpoint (Research Note) **35** (3) (1988) 401-413
452. K.-F. Lee and S. Mahajan, A pattern classification approach to evaluation function learning **36** (1) (1988) 1-25
453. D. Poole, A logical framework for default reasoning **36** (1) (1988) 27-47
454. Y. Shoham and D. McDermott, Problems in formal temporal reasoning **36** (1) (1988) 49-61
455. J.P. Delgrande, An approach to default reasoning based on a first-order conditional logic: revised report **36** (1) (1988) 63-90
456. D. Terzopoulos, A. Witkin and M. Kass, Constraints on deformable models: recovering 3D shape and nonrigid motion **36** (1) (1988) 91-123
457. C.-C. Han and C.-H. Lee, Comments on Mohr and Henderson's path consistency algorithm (Research Note) **36** (1) (1988) 125-130
458. S.W. Smoliar, Book review of *The Robot's Dilemma: The Frame Problem in Artificial Intelligence* (Zenon W. Pylyshyn, ed.) **36** (1) (1988) 131-137
459. W. Buntine, Generalized subsumption and its applications to induction and redundancy **36** (2) (1988) 149-176
460. D. Haussler, Quantifying inductive bias: AI learning algorithms and Valiant's learning framework **36** (2) (1988) 177-221
461. D. Perlis, Autocircumscription (Research Note) **36** (2) (1988) 223-236
462. H.-W. Gsgen and J. Hertzberg, Some fundamental properties of local constraint propagation (Research Note) **36** (2) (1988) 237-247
463. G. Escalada-Imaz and M. Ghallab, A practically efficient and almost linear unification algorithm (Research Note) **36** (2) (1988) 249-263
464. Y. Shoham, Chronological ignorance: experiments in nonmonotonic temporal reasoning **36** (3) (1988) 279-331
465. D.S. Weld, Comparative analysis **36** (3) (1988) 333-373
466. T. Dean and M. Boddy, Reasoning about partially ordered events **36** (3) (1988) 375-399
467. F. van Harmelen and A. Bundy, Explanation-based generalisation = partial evaluation (Research Note) **36** (3) (1988) 401-412
468. D. Kapur and J.L. Mundy, Geometric reasoning and artificial intelligence: introduction to the Special Volume **37** (1-3) (1988) 1-11
469. D. Kapur and J.L. Mundy, Wu's method and its application to perspective viewing **37** (1-3) (1988) 15-36
470. D.S. Arnon, Geometric reasoning with logic and algebra **37** (1-3) (1988) 37-60
471. D. Kapur, A refutational approach to geometry theorem proving **37** (1-3) (1988) 61-93
472. H.-P. Ko, Geometry theorem proving by decomposition of quasi-algebraic sets: an application of the Ritt-Wu principle **37** (1-3) (1988) 95-122
473. J.A. Goguen, Modular algebraic specification of some basic geometrical constructions **37** (1-3) (1988) 123-153
474. J.T. Schwartz and M. Sharir, A survey of motion planning and related geometric algorithms **37** (1-3) (1988) 157-169
475. J.S.B. Mitchell, An algorithmic approach to some problems in terrain navigation **37** (1-3) (1988) 171-201
476. J. Canny, Constructing roadmaps of semi-algebraic sets I: completeness **37** (1-3) (1988) 203-222
477. B.R. Donald, A geometric approach to error detection and recovery for robot motion planning with uncertainty **37** (1-3) (1988) 223-271
478. E.L. Walker and M. Herman, Geometric reasoning for constructing 3D scene descriptions from images **37** (1-3) (1988) 275-290

479. M. Barry, D. Cyrlluk, D. Kapur, J. Mundy and V.-D. Nguyen, A multi-level geometric reasoning system for vision **37** (1-3) (1988) 291-332
480. R. Horaud and M. Brady, On the geometric interpretation of image contours **37** (1-3) (1988) 333-353
481. C. Hoffmann and J. Hopcroft, The geometry of projective blending surfaces **37** (1-3) (1988) 357-376
482. V.J. Milenkovic, Verifiable implementations of geometric algorithms using finite precision arithmetic **37** (1-3) (1988) 377-401
483. A. Fleming, Geometric relationships between toleranced features **37** (1-3) (1988) 403-412
484. K. Kanatani and T.-C. Chou, Shape from texture: general principle **38** (1) (1989) 1-48
485. T.C. Przymusiński, An algorithm to compute circumscription **38** (1) (1989) 49-73
486. M. Gelfond, H. Przymusińska and T. Przymusiński, On the relationship between circumscription and negation as failure **38** (1) (1989) 75-94
487. J.B.H. Kwa, BS*: an admissible bidirectional staged heuristic search algorithm (Research Note) **38** (1) (1989) 95-109
488. A. Rabinov, A generalization of collapsible cases of circumscription (Research Note) **38** (1) (1989) 111-117
489. S.W. Smoliar, Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) **38** (1) (1989) 119-124
490. J.F. Sowa, Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) **38** (1) (1989) 125-131
491. N. Nilsson, On *Logical Foundations of Artificial Intelligence*, a response to the reviews by S. Smoliar and J. Sowa **38** (1) (1989) 132-133
492. F. Gardin and B. Meltzer, Analogical representations of naive physics **38** (2) (1989) 139-159
493. H. Berliner and C. Ebeling, Pattern knowledge and search: the SUPREM architecture **38** (2) (1989) 161-198
494. G.F. Shvarts, Fixed points in the propositional nonmonotonic logic (Research Note) **38** (2) (1989) 199-206
495. W.-C. Lin, C.-C. Liang and C.-T. Chen, A computational model for process-grammar (Research Note) **38** (2) (1989) 207-224
496. V. Lifschitz and A. Rabinov, Miracles in formal theories of action (Research Note) **38** (2) (1989) 225-237
497. A.K. Mackworth, Book review of *Computation and Cognition: Toward a Foundation of Cognitive Science* (Z.W. Pylyshyn) **38** (2) (1989) 239-240
498. M.J. Stefik, Book review of *Computation and Cognition: Toward a Foundation of Cognitive Science* (Z.W. Pylyshyn) **38** (2) (1989) 241-247
499. Z. Pylyshyn, On *Computation and Cognition: Toward a Foundation of Cognitive Science*, a response to the reviews by A.K. Mackworth and M.J. Stefik **38** (2) (1989) 248-251
500. D. Pastre, MUSCADET: an automatic theorem proving system using knowledge and metaknowledge in mathematics **38** (3) (1989) 257-318
501. P.F. Patel-Schneider, A four-valued semantics for terminological logics **38** (3) (1989) 319-351
502. R. Dechter and J. Pearl, Tree clustering for constraint networks (Research Note) **38** (3) (1989) 353-366
503. S. Marcus and J. McDermott, SALT: a knowledge acquisition language for propose-and-revise systems **39** (1) (1989) 1-37
504. R.P. Hall, Computational approaches to analogical reasoning: a comparative analysis **39** (1) (1989) 39-120
505. S.W. Smoliar, Book review of *Neural Darwinism: The Theory of Neuronal Group Selection* (Gerald M. Edelman) **39** (1) (1989) 121-136
506. L. Spector and J. Hendler, Book review of *Minimal Rationality* (Christopher Cherniak) **39** (1) (1989) 137-139
507. D.E. Smith, Controlling backward inference **39** (2) (1989) 145-208
508. M.L. Ginsberg, A circumscriptive theorem prover **39** (2) (1989) 209-230

509. G. Priest, Reasoning about truth (Research Note) **39** (2) (1989) 231-244
510. D. Perlis, Truth and meaning (Research Note) **39** (2) (1989) 245-250
511. P. Besnard, Y. Moinard and R.E. Mercer, The importance of open and recursive circumscription (Research Note) **39** (2) (1989) 251-262
512. P.F. Patel-Schneider, Undecidability of subsumption in NIKL (Research Note) **39** (2) (1989) 263-272
513. C. Ravi Shankar, Book review of *Prolog and Natural-Language Analysis* [CSLI Lecture Notes 10] (Fernando C.N. Pereira and Stuart M. Sheiber) **39** (2) (1989) 275-278
514. L. Shastri, Default reasoning in semantic networks: a formalization of recognition and inheritance **39** (3) (1989) 283-355
515. G. Tesauro and T.J. Sejnowski, A parallel network that learns to play backgammon **39** (3) (1989) 357-390
516. J. de Kleer and K. Konolige, Eliminating the fixed predicates from a circumscription (Research Note) **39** (3) (1989) 391-398
517. J.G. Carbonell, Introduction: paradigms for machine learning **40** (1-3) (1989) 1-9
518. J.H. Gennari, P. Langley and D. Fisher, Models of incremental concept formation **40** (1-3) (1989) 11-61
519. S. Minton, J.G. Carbonell, C.A. Knoblock, D.R. Kuokka, O. Etzioni and Y. Gil, Explanation-based learning: a problem solving perspective **40** (1-3) (1989) 63-118
520. J. Mostow, Design by derivational analogy: issues in the automated replay of design plans **40** (1-3) (1989) 119-184
521. G.E. Hinton, Connectionist learning procedures **40** (1-3) (1989) 185-234
522. L.B. Booker, D.E. Goldberg and J.H. Holland, Classifier systems and genetic algorithms **40** (1-3) (1989) 235-282
523. P. Langley and J.M. Zytkow, Data-driven approaches to empirical discovery **40** (1-3) (1989) 283-312
524. J.R. Anderson, A theory of the origins of human knowledge **40** (1-3) (1989) 313-351
525. R.C. Schank and D.B. Leake, Creativity and learning in a case-based explainer **40** (1-3) (1989) 353-385
526. B. Falkenhainer, K.D. Forbus and D. Gentner, The structure-mapping engine: algorithm and examples **41** (1) (1989) 1-63
527. K.B. Laskey and P.E. Lehner, Assumptions, beliefs and probabilities **41** (1) (1989) 65-77
528. R. Greiner, B.A. Smith and R.W. Wilkerson, A correction to the algorithm in Reiter's theory of diagnosis (Research Note) **41** (1) (1989) 79-88
529. M.C. Cooper, An optimal k -consistency algorithm (Research Note) **41** (1) (1989) 89-95
530. D. Joslin and J. Roach, A theoretical analysis of conjunctive-goal problems (Research Note) **41** (1) (1989) 97-106
531. D.S. Weld, Book review of *The Psychology of Everyday Things* (Donald A. Norman) **41** (1) (1989) 111-114
532. R. Reiter and A.K. Mackworth, A logical framework for depiction and image interpretation **41** (2) (1989) 125-155
533. K.F. McCoy, Generating context-sensitive responses to object-related misconceptions **41** (2) (1989) 157-195
534. P.P. Chakrabarti, S. Ghose, A. Acharya and S.C. de Sarkar, Heuristic search in restricted memory (Research Note) **41** (2) (1989) 197-221
535. X. Nie and D.A. Plaisted, Refinements to depth-first iterative-deepening search in automatic theorem proving (Research Note) **41** (2) (1989) 223-235
536. D. de Schreye, M. Bruynooghe and K. Verschaetse, On the existence of nonterminating queries for a restricted class of PROLOG-clauses (Research Note) **41** (2) (1989) 237-248
537. J. Shrager, Book review of *Induction: Process of Inference, Learning and Discovery* (John H. Holland, Keith J. Holyoak, Richard E. Nisbett, and Paul R. Thagard) **41** (2) (1989) 249-252
538. W.-M. Shen, Functional transformations in AI discovery systems **41** (3) (1990) 257-272

539. R. Dechter, Enhancement schemes for constraint processing: backjumping, learning, and cutset decomposition **41** (3) (1990) 273-312
540. E. Sacks, Automatic qualitative analysis of dynamic systems using piecewise linear approximations **41** (3) (1990) 313-364
541. J. Bell, The logic of nonmonotonicity (Research Note) **41** (3) (1990) 365-374
542. W.J. Clancey and E. Soloway, Artificial intelligence and learning environments: Preface **42** (1) (1990) 1-6
543. J.R. Anderson, C.F. Boyle, A.T. Corbett and M.W. Lewis, Cognitive modeling and intelligent tutoring **42** (1) (1990) 7-49
544. W.L. Johnson, Understanding and debugging novice programs **42** (1) (1990) 51-97
545. B.Y. White and J.R. Frederiksen, Causal model progressions as a foundation for intelligent learning environments **42** (1) (1990) 99-157
546. A. Galton, A critical examination of Allen's theory of action and time **42** (2-3) (1990) 159-188
547. R.E. Korf, Real-time heuristic search **42** (2-3) (1990) 189-211
548. P.R. Cohen and H.J. Levesque, Intention is choice with commitment **42** (2-3) (1990) 213-261
549. H.J. Levesque, All I know: a study in autoepistemic logic **42** (2-3) (1990) 263-309
550. J.F. Horty, R.H. Thomason and D.S. Touretzky, A skeptical theory of inheritance in nonmonotonic semantic networks **42** (2-3) (1990) 311-348
551. E. Sacks, A dynamic systems perspective on qualitative simulation **42** (2-3) (1990) 349-362
552. S. Minton, Quantitative results concerning the utility of explanation-based learning **42** (2-3) (1990) 363-391
553. G.F. Cooper, The computational complexity of probabilistic inference using Bayesian belief networks (Research Note) **42** (2-3) (1990) 393-405
554. H.J. Berliner and D.F. Beal, Introduction **43** (1) (1990) 1-5
555. H.J. Berliner, G. Goetsch, M.S. Campbell and C. Ebeling, Measuring the performance potential of chess programs **43** (1) (1990) 7-20
556. K.-F. Lee and S. Mahajan, The development of a world class Othello program **43** (1) (1990) 21-36
557. H. Horacek, Reasoning with uncertainty in computer chess **43** (1) (1990) 37-56
558. I. Althöfer, An incremental negamax algorithm **43** (1) (1990) 57-65
559. J. Schaeffer, Conspiracy numbers **43** (1) (1990) 67-84
560. D.F. Beal, A generalised quiescence search algorithm **43** (1) (1990) 85-98
561. T. Anantharaman, M.S. Campbell and F.-H. Hsu, Singular extensions: adding selectivity to brute-force searching **43** (1) (1990) 99-109
562. S.T. Dekker, H.J. van den Herik and I.S. Herschberg, Perfect knowledge revisited **43** (1) (1990) 111-123
563. A. Ligęza, Dynamic backward reasoning systems **43** (2) (1990) 127-152
564. E.H. Hovy, Pragmatics and natural language generation **43** (2) (1990) 153-197
565. S.S. Chen, J.M. Keller and R.M. Crownover, Shape from fractal geometry **43** (2) (1990) 199-218
566. C. Elkan, A rational reconstruction of nonmonotonic truth maintenance systems (Research Note) **43** (2) (1990) 219-234
567. B. Nebel, Terminological reasoning is inherently intractable (Research Note) **43** (2) (1990) 235-249
568. M. Derthick, Book review of *Connections and Symbols* [Reprinted from *Cognition: International Journal of Cognitive Science* 28 (1988)] (Steven Pinker and Jacques Mehler, eds.) **43** (2) (1990) 251-265
569. R.T. Frankot and R. Chellappa, Estimation of surface topography from SAR imagery using shape from shading techniques **43** (3) (1990) 271-310
570. D.S. Weld, Exaggeration **43** (3) (1990) 311-368
571. J.H. Rieger, The geometry of view space of opaque objects bounded by smooth surfaces **44** (1-2) (1990) 1-40
572. O.D. Faugeras, E. Le Bras-Mehlman and J.D. Boissonnat, Representing stereo data with the Delaunay triangulation **44** (1-2) (1990) 41-87

573. B. Faltings, Qualitative kinematics in mechanisms **44** (1-2) (1990) 89-119
574. W.E.L. Grimson, The combinatorics of object recognition in cluttered environments using constrained search **44** (1-2) (1990) 121-165
575. S. Kraus, D. Lehmann and M. Magidor, Nonmonotonic reasoning, preferential models and cumulative logics **44** (1-2) (1990) 167-207
576. H. Altay Güvenir and G.W. Ernst, Learning problem solving strategies using refinement and macro generation **44** (1-2) (1990) 209-243
577. P. Orponen, Dempster's rule of combination is #P-complete (Research Note) **44** (1-2) (1990) 245-253
578. M.P. Wellman, Fundamental concepts of qualitative probabilistic networks **44** (3) (1990) 257-303
579. J.W. Shavlik and G.F. DeJong, Learning in mathematically-based domains: understanding and generalizing obstacle cancellations **45** (1-2) (1990) 1-45
580. S.M. Weiss, R.S. Galen and P.V. Tadepalli, Maximizing the predictive value of production rules **45** (1-2) (1990) 47-71
581. R. Bhaskar and A. Nigam, Qualitative physics using dimensional analysis **45** (1-2) (1990) 73-111
582. L.M. Wills, Automated program recognition: a feasibility demonstration **45** (1-2) (1990) 113-171
583. K.J. Hammond, Explaining and repairing plans that fail **45** (1-2) (1990) 173-228
584. B.W. Porter, R. Bareiss and R.C. Holte, Concept learning and heuristic classification in weak-theory domains **45** (1-2) (1990) 229-263
585. S. Kasif, On the parallel complexity of discrete relaxation in constraint satisfaction networks **45** (3) (1990) 275-286
586. B. Selman and H.A. Kautz, Model-preference default theories **45** (3) (1990) 287-322
587. A. Blake and C. Marinos, Shape from texture: estimation, isotropy and moments **45** (3) (1990) 323-380
588. J. de Kleer, Using crude probability estimates to guide diagnosis (Research Note) **45** (3) (1990) 381-391
589. G.E. Hinton, Preface to the Special Issue on Connectionist Symbol Processing **46** (1-2) (1990) 1-4
590. D.S. Touretzky, BoltzCONS: dynamic symbol structures in a connectionist network **46** (1-2) (1990) 5-46
591. G.E. Hinton, Mapping part-whole hierarchies into connectionist networks **46** (1-2) (1990) 47-75
592. J.B. Pollack, Recursive distributed representations **46** (1-2) (1990) 77-105
593. M. Derthick, Mundane reasoning by settling on a plausible model **46** (1-2) (1990) 107-157
594. P. Smolensky, Tensor product variable binding and the representation of symbolic structures in connectionist systems **46** (1-2) (1990) 159-216
595. M.F. St. John and J.L. McClelland, Learning and applying contextual constraints in sentence comprehension **46** (1-2) (1990) 217-257
596. P. Thagard, K.J. Holyoak, G. Nelson and D. Gochfeld, Analog retrieval by constraint satisfaction **46** (3) (1990) 259-310
597. J.Y. Halpern, An analysis of first-order logics of probability **46** (3) (1990) 311-350
598. T. Hrycej, Gibbs sampling in Bayesian networks (Research Note) **46** (3) (1990) 351-363
599. V. Lifschitz, Frames in the space of situations (Research Note) **46** (3) (1990) 365-376
600. D. Kirsh, Foundations of AI: the big issues **47** (1-3) (1991) 3-30
601. N.J. Nilsson, Logic and artificial intelligence **47** (1-3) (1991) 31-56
602. L. Birmbaum, Rigor mortis: a response to Nilsson's "Logic and artificial intelligence" **47** (1-3) (1991) 57-77
603. C. Hewitt, Open Information Systems Semantics for Distributed Artificial Intelligence **47** (1-3) (1991) 79-106
604. L. Gasser, Social conceptions of knowledge and action: DAI foundations and open systems semantics **47** (1-3) (1991) 107-138
605. R.A. Brooks, Intelligence without representation **47** (1-3) (1991) 139-159
606. D. Kirsh, Today the earwig, tomorrow man? **47** (1-3) (1991) 161-184
607. D.B. Lenat and E.A. Feigenbaum, On the thresholds of knowledge **47** (1-3) (1991) 185-250

608. B.C. Smith, The owl and the electric encyclopedia 47 (1-3) (1991) 251-288
609. P.S. Rosenbloom, J.E. Laird, A. Newell and R. McCarl, A preliminary analysis of the Soar architecture as a basis for general intelligence 47 (1-3) (1991) 289-325
610. D.A. Norman, Approaches to the study of intelligence 47 (1-3) (1991) 327-346
611. M. Schmidt-Schauß and G. Smolka, Attributive concept descriptions with complements 48 (1) (1991) 1-26
612. E.P. Sacks, Automatic analysis of one-parameter planar ordinary differential equations by intelligent numeric simulation 48 (1) (1991) 27-56
613. D.H. Ballard, Animate vision 48 (1) (1991) 57-86
614. R.L. Greene, Connectionist hashed associative memory (Research Note) 48 (1) (1991) 87-98
615. R.E. Korf, Multi-player alpha-beta pruning (Research Note) 48 (1) (1991) 99-111
616. S.K. Andersen, Book review of *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference* (Judea Pearl) 48 (1) (1991) 117-124
617. W.L. Johnson, Book review of *Intelligent Tutoring Systems: Lessons Learned* (J. Psotka, L.D. Massey and S.A. Mutter, eds.) 48 (1) (1991) 125-134
618. U. Montanari and F. Rossi, Constraint relaxation may be perfect 48 (2) (1991) 143-170
619. F. Voorbraak, On the justification of Dempster's rule of combination 48 (2) (1991) 171-197
620. D. Makinson and K. Schlechta, Floating conclusions and zombie paths: two deep difficulties in the "directly skeptical" approach to defeasible inheritance nets 48 (2) (1991) 199-209
621. J. Bell, Extended causal theories (Research Note) 48 (2) (1991) 211-224
622. E. Neufeld, Notes on "A clash of intuitions" (Research Note) 48 (2) (1991) 225-240
623. D. McLeod and P.L. Yanover, Book review of *Expert Database Systems: Proceedings from the Second International Conference* (Larry Kerschberg, ed.) 48 (2) (1991) 245-252
624. S.W. Smoliar, Book review of *How to Build a Person: A Prolegomenon* (John Pollock) 48 (2) (1991) 253-256
625. J. Doyle and R.S. Patil, Two theses of knowledge representation: language restrictions, taxonomic classification, and the utility of representation services 48 (3) (1991) 261-297
626. M.A. Peot and R.D. Shachter, Fusion and propagation with multiple observations in belief networks (Research Note) 48 (3) (1991) 299-318
627. M.G. Dyer, A society of ideas on cognition: review of Marvin Minsky's *The Society of Mind* 48 (3) (1991) 321-334
628. M. Ginsberg, Book review of *The Society of Mind* (Marvin Minsky) 48 (3) (1991) 335-339
629. R.J. Brachman, H.J. Levesque and R. Reiter, Introduction to the Special Volume on Knowledge Representation 49 (1-3) (1991) 1-3
630. A.B. Baker, Nonmonotonic reasoning in the framework of situation calculus 49 (1-3) (1991) 5-23
631. T. Bylander, D. Allemang, M.C. Tanner and J.R. Josephson, The computational complexity of abduction 49 (1-3) (1991) 25-60
632. R. Dechter, I. Meiri and J. Pearl, Temporal constraint networks 49 (1-3) (1991) 61-95
633. J. Doyle and M.P. Wellman, Impediments to universal preference-based default theories 49 (1-3) (1991) 97-128
634. O. Etzioni, Embedding decision-analytic control in a learning architecture 49 (1-3) (1991) 129-159
635. A.M. Frisch, The substitutional framework for sorted deduction: fundamental results on hybrid reasoning 49 (1-3) (1991) 161-198
636. G. Hirst, Existence assumptions in knowledge representation 49 (1-3) (1991) 199-242
637. H.A. Kautz and B. Selman, Hard problems for simple default logics 49 (1-3) (1991) 243-279
638. D. Poole, The effect of knowledge on belief: conditioning, specificity and the lottery paradox in default reasoning 49 (1-3) (1991) 281-307
639. T. Przymusiński, Three-valued nonmonotonic formalisms and semantics of logic programs 49 (1-3) (1991) 309-343
640. M. Rayner, On the applicability of nonmonotonic logic to formal reasoning in continuous time 49 (1-3) (1991) 345-360
641. S. Russell and E. Wefald, Principles of metareasoning 49 (1-3) (1991) 361-395

642. Y. Suganuma, Learning structures of visual patterns from single instances **50** (1) (1991) 1-36
643. F.C.N. Pereira and M.E. Pollack, Incremental interpretation **50** (1) (1991) 37-82
644. H.J. Suermondt and G.F. Cooper, Initialization for the method of conditioning in Bayesian belief networks (Research Note) **50** (1) (1991) 83-94
645. R. Greiner, Finding optimal derivation strategies in redundant knowledge bases (Research Note) **50** (1) (1991) 95-115
646. G.F. DeJong and J. Gratch, Book review of *Learning Search Control Knowledge: An Explanation-Based Approach* (Steve Minton) **50** (1) (1991) 117-127
647. G. Sutcliffe, Compulsory reduction in linear derivation systems (Letter to the Editor) **50** (1) (1991) 131-132
648. N. Eisinger, H.J. Ohlbach and A. Präcklein, Reduction rules for resolution-based systems **50** (2) (1991) 141-181
649. G. Brewka, Cumulative default logic: in defense of nonmonotonic inference rules **50** (2) (1991) 183-205
650. U.K. Sarkar, P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Reducing reexpansions in iterative-deepening search by controlling cutoff bounds (Research Note) **50** (2) (1991) 207-221
651. D. Dubois and H. Prade, Epistemic entrenchment and possibilistic logic (Research Note) **50** (2) (1991) 223-239
652. W.J. Clancey, Book review of *The Invention of Memory: A New View of the Brain* (Israel Rosenfield) **50** (2) (1991) 241-284
653. D. McDermott, A general framework for reason maintenance **50** (3) (1991) 289-329
654. A.S. Maida, Maintaining mental models of agents who have existential misconceptions **50** (3) (1991) 331-383
655. M.D. Vose, Generalizing the notion of schema in genetic algorithms (Research Note) **50** (3) (1991) 385-396
656. B.C. Williams and J. de Kleer, Qualitative reasoning about physical systems: a return to roots **51** (1-3) (1991) 1-9
657. O. Raiman, Order of magnitude reasoning **51** (1-3) (1991) 11-38
658. B.C. Williams, A theory of interactions: unifying qualitative and quantitative algebraic reasoning **51** (1-3) (1991) 39-94
659. B. Falkenhainer and K.D. Forbus, Compositional modeling: finding the right model for the job **51** (1-3) (1991) 95-143
660. S. Addanki, R. Cremonini and J.S. Penberthy, Graphs of models **51** (1-3) (1991) 145-177
661. K.M.-K. Yip, Understanding complex dynamics by visual and symbolic reasoning **51** (1-3) (1991) 179-221
662. W.C. Hamscher, Modeling digital circuits for troubleshooting **51** (1-3) (1991) 223-271
663. D. DeCoste, Dynamic across-time measurement interpretation **51** (1-3) (1991) 273-341
664. B.J. Kuipers, C. Chiu, D.T. Dalle Molle and D.R. Throop, Higher-order derivative constraints in qualitative simulation **51** (1-3) (1991) 343-379
665. L. Joskowicz and E.P. Sacks, Computational kinematics **51** (1-3) (1991) 381-416
666. K.D. Forbus, P. Nielsen and B. Faltings, Qualitative spatial reasoning: the CLOCK project **51** (1-3) (1991) 417-471
667. J.-C. Latombe, A. Lazanas and S. Shekhar, Robot motion planning with uncertainty in control and sensing **52** (1) (1991) 1-47
668. K. Currie and A. Tate, O-Plan: the open planning architecture **52** (1) (1991) 49-86
669. F. Bacchus, J. Tenenbergh and J.A. Koomen, A non-reified temporal logic (Research Note) **52** (1) (1991) 87-108
670. I. Althöfer, Data compression using an intelligent generator: the storage of chess games as an example (Research Note) **52** (1) (1991) 109-113
671. M. Goldszmidt and J. Pearl, On the consistency of defeasible databases **52** (2) (1991) 121-149
672. C. Mellish, The description identification problem **52** (2) (1991) 151-167
673. M. Kubat, Conceptual inductive learning: the case of unreliable teachers (Research Note) **52** (2) (1991) 169-182

674. I. Althöfer and B. Balkenhol, A game tree with distinct leaf values which is easy for the alpha-beta algorithm (Research Note) **52** (2) (1991) 183-190
675. M. Freund, D. Lehmann and P. Morris, Rationality, transitivity, and contraposition (Research Note) **52** (2) (1991) 191-203
676. M.P. Wellman, Book review of *The Ecology of Computation* (B.A. Huberman, ed.) **52** (2) (1991) 205-218
677. D.W. Etherington, S. Kraus and D. Perlis, Nonmonotonicity and the scope of reasoning **52** (3) (1991) 221-261
678. H. Katsuno and A.O. Mendelzon, Propositional knowledge base revision and minimal change **52** (3) (1991) 263-294
679. W.J. Clancey, Model construction operators **53** (1) (1992) 1-115
680. G.R. Simari and R.P. Loui, A mathematical treatment of defeasible reasoning and its implementation **53** (2-3) (1992) 125-157
681. R.G. Simmons, The roles of associational and causal reasoning in problem solving **53** (2-3) (1992) 159-207
682. H. Geffner and J. Pearl, Conditional entailment: bridging two approaches to default reasoning **53** (2-3) (1992) 209-244
683. F.C. Lam and W.K. Yeap, Bayesian updating: on the interpretation of exhaustive and mutually exclusive assumptions (Research Note) **53** (2-3) (1992) 245-254
684. K. Konolige, Abduction versus closure in causal theories (Research Note) **53** (2-3) (1992) 255-272
685. J. Schaeffer, J. Culberson, N. Treloar, B. Knight, P. Lu and D. Szafron, A world championship caliber checkers program (Research Note) **53** (2-3) (1992) 273-289
686. L. De Raedt and M. Bruynooghe, Belief updating from integrity constraints and queries (Research Note) **53** (2-3) (1992) 291-307
687. F.M. Donini, M. Lenzerini, D. Nardi, B. Hollunder, W. Nutt and A. Marchetti Spaccamela, The complexity of existential quantification in concept languages (Research Note) **53** (2-3) (1992) 309-327
688. M. Perlín, Arc consistency for factorable relations (Research Note) **53** (2-3) (1992) 329-342
689. G.D. Kleiter, Bayesian diagnosis in expert systems **54** (1-2) (1992) 1-32
690. M.R. Wick and W.B. Thompson, Reconstructive expert system explanation **54** (1-2) (1992) 33-70
691. E. Saund, Putting knowledge into a visual shape representation **54** (1-2) (1992) 71-119
692. J. Van Baalen, Automated design of specialized representations **54** (1-2) (1992) 121-198
693. C. Freksa, Temporal reasoning based on semi-intervals **54** (1-2) (1992) 199-227
694. M.A. Arbib, Book review of *The Cognitive Structure of Emotions* (Andrew Ortony, Gerald L. Clore and Allan Collins) **54** (1-2) (1992) 229-240
695. H.S. Lee and M.I. Schor, Match algorithms for generalized Rete networks **54** (3) (1992) 249-274
696. J.Y. Halpern and R. Fagin, Two views of belief: belief as generalized probability and belief as evidence **54** (3) (1992) 275-317
697. J.Y. Halpern and Y. Moses, A guide to completeness and complexity for modal logics of knowledge and belief **54** (3) (1992) 319-379
698. C.J. Liao and B.I. Lin, Abstract minimality and circumscription (Research Note) **54** (3) (1992) 381-396
699. M. Cadoli, T. Eiter and G. Gottlob, An efficient method for eliminating varying predicates from a circumscription (Research Note) **54** (3) (1992) 397-410
889. X. Nie and D.A. Plaisted, A semantic backward chaining proof system **55** (1) (1992) 109-128
890. D. Lehmann and M. Magidor, What does a conditional knowledge base entail? **55** (1) (1992) 1-60
894. R. Dechter, From local to global consistency **55** (1) (1992) 87-108
895. D.A. McAllester and R. Givan, Natural language syntax and first-order inference **56** (1) (1992) 1-20
906. C. Zhang, Cooperation under uncertainty in distributed expert systems **56** (1) (1992) 21-69
907. R.M. Neal, Connectionist learning of belief networks **56** (1) (1992) 71-113

908. E.W. Coiera, Qualitative superposition **56** (2-3) (1992) 171-196
911. O. Dordan, Mathematical problems arising in qualitative simulation of a differential equation **55** (1) (1992) 61-86
912. J. York, Use of the Gibbs sampler in expert systems **56** (1) (1992) 115-130
913. J.L. Pollock, How to reason defeasibly **57** (1) (1992) 1-42
914. O. Hansson, A. Mayer and M. Valtorta, A new result on the complexity of heuristic estimates for the A* algorithm (Research Note) **55** (1) (1992) 129-143
915. B. Faltings, A symbolic approach to qualitative kinematics **56** (2-3) (1992) 139-170
916. K. Inoue, Linear resolution for consequence finding **56** (2-3) (1992) 301-353
917. J. de Kleer, A.K. Mackworth and R. Reiter, Characterizing diagnoses and systems **56** (2-3) (1992) 197-222
918. D.S. Weld, Reasoning about model accuracy **56** (2-3) (1992) 255-300
919. N. Gupta and D.S. Nau, On the complexity of blocks-world planning **56** (2-3) (1992) 223-254
920. D.E. Foulser, M. Li and Q. Yang, Theory and algorithms for plan merging **57** (2-3) (1992) 143-181
921. M.E. Pollack, The uses of plans **57** (1) (1992) 43-68
922. F. Lin and Y. Shoham, A logic of knowledge and justified assumptions **57** (2-3) (1992) 271-289
923. N. Ward, A parallel approach to syntax for generation **57** (2-3) (1992) 183-225
924. P. Dagum and M. Luby, Approximating probabilistic inference in Bayesian belief networks is NP-hard (Research Note) **60** (1) (1993) 141-153
925. N. Roos, A logic for reasoning with inconsistent knowledge **57** (1) (1992) 69-103
926. T. Eiter and G. Gottlob, On the complexity of propositional knowledge base revision, updates, and counterfactuals **57** (2-3) (1992) 227-270
927. F. Giunchiglia and T. Walsh, A theory of abstraction **57** (2-3) (1992) 323-389
928. P.B. Ladkin and A. Reinefeld, Effective solution of qualitative interval constraint problems (Research Note) **57** (1) (1992) 105-124
929. P.C. Jackson Jr, Proving unsatisfiability for problems with constant cubic sparsity (Research Note) **57** (1) (1992) 125-137
930. O. Etzioni, A structural theory of explanation-based learning **60** (1) (1993) 93-139
931. Y. Shoham, Agent-oriented programming **60** (1) (1993) 51-92
932. A. Sloman, The emperor's real mind: review of Roger Penrose's *The Emperor's New Mind: Concerning Computers, Minds and the Laws of Physics* **56** (2-3) (1992) 355-396
933. D. Michie, Turing's Test and conscious thought **60** (1) (1993) 1-22
934. P. Van Hentenryck, Y. Deville and C.-M. Teng, A generic arc-consistency algorithm and its specializations **57** (2-3) (1992) 291-321
935. K. Thirunarayan and M. Kifer, A theory of nonmonotonic inheritance based on annotated logic **60** (1) (1993) 23-50
937. C. Elkan and R. Greiner, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 41-52
938. R. Neches, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 65-79
939. D. McDermott, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 53-63
940. D. Skuce, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 81-94
941. J.F. Sowa, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 95-104
942. W. Croft, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) **61** (1) (1993) 105-112
943. D.S. Weld, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) **61** (1) (1993) 113-120

944. M.S. Tuttle, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) and *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 121-148
945. R.V. Guha and D.B. Lenat, Re: CycLing paper reviews (Response) **61** (1) (1993) 149-174
946. E. Davis, *Representations of Commonsense Knowledge*: response to the reviews **61** (1) (1993) 175-179
947. E.C. Freuder and A.K. Mackworth, Introduction to the Special Volume on Constraint-Based Reasoning **58** (1-3) (1992) 1-2
948. A.K. Mackworth, The logic of constraint satisfaction **58** (1-3) (1992) 3-20
949. E.C. Freuder and R.J. Wallace, Partial constraint satisfaction **58** (1-3) (1992) 21-70
950. E. Hyvönen, Constraint reasoning based on interval arithmetic: the tolerance propagation approach **58** (1-3) (1992) 71-112
951. P. Van Hentenryck, H. Simonis and M. Dincbas, Constraint satisfaction using constraint logic programming **58** (1-3) (1992) 113-159
952. S. Minton, M.D. Johnston, A.B. Philips and P. Laird, Minimizing conflicts: a heuristic repair method for constraint satisfaction and scheduling problems **58** (1-3) (1992) 161-205
953. P.R. Cooper and M.J. Swain, Arc consistency: parallelism and domain dependence **58** (1-3) (1992) 207-235
954. R. Dechter and J. Pearl, Structure identification in relational data **58** (1-3) (1992) 237-270
955. M. Zweben, E. Davis, B. Daun, E. Drascher, M. Deale and M. Eskey, Learning to improve constraint-based scheduling **58** (1-3) (1992) 271-296
956. P. van Beek, Reasoning about qualitative temporal information **58** (1-3) (1992) 297-326
957. G.A. Kramer, A geometric constraint engine **58** (1-3) (1992) 327-360
958. Q. Yang, A theory of conflict resolution in planning **58** (1-3) (1992) 361-392
959. R.K. Lindsay, B.G. Buchanan, E.A. Feigenbaum and J. Lederberg, DENDRAL: a case study of the first expert system for scientific hypothesis formation **61** (2) (1993) 209-261
960. S. Marcus, Book review of *A Practical Guide to Knowledge Acquisition* (A. Carlisle Scott, Jan E. Clayton and Elizabeth L. Gibson) **60** (1) (1993) 167-170
961. D.L. Battle and M.D. Vose, Isomorphisms of genetic algorithms (Research Note) **60** (1) (1993) 155-165
962. C. Witteveen and G. Brewka, Skeptical reason maintenance and belief revision **61** (1) (1993) 1-36
963. G. Gottlob and C.G. Fermüller, Removing redundancy from a clause **61** (2) (1993) 263-289
964. L.E. Sucar, D.F. Gillies and D.A. Gillies, Objective probabilities in expert systems **61** (2) (1993) 187-208
965. R.E. Korf, Linear-space best-first search **62** (1) (1993) 41-78
966. B. Selman and H.J. Levesque, The complexity of path-based defeasible inheritance **62** (2) (1993) 303-339
967. C.R. Perrault, Book review of *Meaning and Grammar: An Introduction to Semantics* (Gennaro Chierchia and Sally McConnell-Ginet) **63** (1-2) (1993) 493-502
968. J. Oberlander, Book review of *Intentions in Communication* (Philip R. Cohen, Jerry Morgan and Martha E. Pollack, eds.) **63** (1-2) (1993) 511-520
969. D. Israel, Book review of *Language in Action: Categories, Lambdas and Dynamic Logic* (Johan van Benthem) **63** (1-2) (1993) 503-510
970. M. Jaeger, Circumscription: completeness reviewed (Research Note) **60** (2) (1993) 293-301
971. M. Thielscher, On prediction in Theorist (Research Note) **60** (2) (1993) 283-292
972. C. Powley, C. Ferguson and R.E. Korf, Depth-first heuristic search on a SIMD machine **60** (2) (1993) 199-242
973. B. Drabble, EXCALIBUR: a program for planning and reasoning with processes **62** (1) (1993) 1-40
974. A. Bundy, A. Stevens, F. van Harmelen, A. Ireland and A. Smaill, Rippling: a heuristic for guiding inductive proofs **62** (2) (1993) 185-253
975. J.S. Aikins, Prototypical knowledge for expert systems: a retrospective analysis **59** (1-2) (1993) 207-211

976. W.J. Clancey, Notes on "Heuristic classification" **59** (1-2) (1993) 191-196
977. W.J. Clancey, Notes on "Epistemology of a rule-based expert system" **59** (1-2) (1993) 197-204
978. R. Davis, B.G. Buchanan and E.H. Shortliffe, Retrospective on "Production rules as a representation for a knowledge-based consultation program" **59** (1-2) (1993) 181-189
979. B. Hayes-Roth, Intelligent control **59** (1-2) (1993) 213-220
980. R.E. Fikes, STRIPS, a retrospective **59** (1-2) (1993) 227-232
981. J. McDermott, R1 ("XCON") at age 12: lessons from an elementary school achiever **59** (1-2) (1993) 241-247
982. M.J. Stefik, J.S. Aikins, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, Retrospective on "The organization of expert systems, a tutorial" **59** (1-2) (1993) 221-224
983. E.A. Feigenbaum and B.G. Buchanan, DENDRAL and Meta-DENDRAL: roots of knowledge systems and expert system applications **59** (1-2) (1993) 233-240
984. R.C. Moore, Autoepistemic logic revisited **59** (1-2) (1993) 27-30
985. N.J. Nilsson, Probabilistic logic revisited **59** (1-2) (1993) 39-42
986. A. Newell, Reflections on the knowledge level **59** (1-2) (1993) 31-38
987. J. de Kleer, A perspective on assumption-based truth maintenance **59** (1-2) (1993) 63-67
988. A.K. Mackworth and E.C. Freuder, The complexity of constraint satisfaction revisited **59** (1-2) (1993) 57-62
989. R. Davis, Retrospective on "Diagnostic reasoning based on structure and behavior" **59** (1-2) (1993) 149-157
990. J. de Kleer, A view on qualitative physics **59** (1-2) (1993) 105-114
991. K.D. Forbus, Qualitative process theory: twelve years after **59** (1-2) (1993) 115-123
992. M.R. Genesereth, From Dart to Designworld: a chronicle of research on automated engineering in the Stanford Logic Group **59** (1-2) (1993) 159-165
993. Y. Iwasaki and H.A. Simon, Retrospective on "Causality in device behavior" **59** (1-2) (1993) 141-146
994. B.J. Kuipers, Reasoning with qualitative models **59** (1-2) (1993) 125-132
995. B.J. Kuipers, Qualitative simulation: then and now **59** (1-2) (1993) 133-140
996. J. Gordon and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space: a retrospective **59** (1-2) (1993) 43-47
997. J. Pearl, Belief networks revisited **59** (1-2) (1993) 49-56
998. P. Szolovits and S.G. Pauker, Categorical and probabilistic reasoning in medicine revisited **59** (1-2) (1993) 167-180
999. H.G. Barrow and J.M. Tenenbaum, Retrospective on "Interpreting line drawings as three-dimensional surfaces" **59** (1-2) (1993) 71-80
1000. B.K.P. Horn and B.G. Schunck, "Determining optical flow": a retrospective **59** (1-2) (1993) 81-87
1001. K. Ikeuchi, Comment on "Numerical shape from shading and occluding boundaries" **59** (1-2) (1993) 89-94
1002. T. Kanade, From a real chair to a negative chair **59** (1-2) (1993) 95-101
1004. O. Etzioni, Acquiring search-control knowledge via static analysis **62** (2) (1993) 255-301
1005. D. Poole, Probabilistic Horn abduction and Bayesian networks **64** (1) (1993) 81-129
1006. E. Charniak and R.P. Goldman, A Bayesian model of plan recognition **64** (1) (1993) 53-79
1007. S. Mahadevan, T.M. Mitchell, J. Mostow, L. Steinberg and P.V. Tadepalli, An apprentice-based approach to knowledge acquisition **64** (1) (1993) 1-52
1009. M.A. Arbib, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1-2) (1993) 265-283
1010. D.C. Dennett, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1-2) (1993) 285-294
1011. M.R. Fehling, Unified theories of cognition: modeling cognitive competence (Book Review) **59** (1-2) (1993) 295-328
1012. B. Hayes-Roth, On building integrated cognitive agents: a review of Allen Newell's *Unified Theories of Cognition* **59** (1-2) (1993) 329-341

1013. M. Minsky, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1-2) (1993) 343-354
1014. J.B. Pollack, On wings of knowledge: a review of Allen Newell's *Unified Theories of Cognition* **59** (1-2) (1993) 355-369
1015. D. Purves, Brain or mind? A review of Allen Newell's *Unified Theories of Cognition* **59** (1-2) (1993) 371-373
1016. R.C. Schank and M.Y. Jona, Issues for psychology, AI, and education: a review of Newell's *Unified Theories of Cognition* **59** (1-2) (1993) 375-388
1017. P.S. Rosenbloom and J.E. Laird, On *Unified Theories of Cognition*: a response to the reviews **59** (1-2) (1993) 389-413
1018. A. Mahanti and C.J. Daniels, A SIMD approach to parallel heuristic search **60** (2) (1993) 243-282
1019. Y. Moses and Y. Shoham, Belief as defeasible knowledge **64** (2) (1993) 299-321
1020. J. McCarthy, History of circumscription **59** (1-2) (1993) 23-26
1021. D.G. Bobrow, Dedication **59** (1-2) (1993) 1-3
1022. D.G. Bobrow, Artificial intelligence in perspective: a retrospective on fifty volumes of the *Artificial Intelligence Journal* **59** (1-2) (1993) 5-20
1023. H.A. Simon, Allen Newell: the entry into complex information processing **59** (1-2) (1993) 251-259
1024. P.E. Agre, Interview with Allen Newell **59** (1-2) (1993) 415-449
1025. J.B. Paris and A. Vencovská, A model of belief **64** (2) (1993) 197-241
1026. J. Gårding, Shape from texture and contour by weak isotropy **64** (2) (1993) 243-297
1028. R.P. Gabriel, Book review of *The Art of the Metaobject Protocol* (Gregor Kiczales, Jim des Rivières, and Daniel G. Bobrow) **61** (2) (1993) 331-342
1029. E.P. Sacks, What's in a linkage? Review of *Solving Geometric Constraint Systems* (Glenn Kramer) **61** (2) (1993) 343-349
1030. Z. Shen, Book review of *Fuzzy Sets and Applications: Selected Papers by L.A. Zadeh* (R.R. Yager, S. Ovchinnikov, R.M. Tong and H.T. Nguyen, eds.) **61** (2) (1993) 351-358
1032. R. Stalnaker, A note on non-monotonic modal logic **64** (2) (1993) 183-196
1033. G.F. DeJong, Learning to plan in continuous domains **65** (1) (1994) 71-141
1034. E. Santos Jr, A linear constraint satisfaction approach to cost-based abduction **65** (1) (1994) 1-28
1036. F. Giunchiglia and L. Serafini, Multilanguage hierarchical logics, or: how we can do without modal logics **65** (1) (1994) 29-70
1037. J. Aisbett and G. Gibbon, A tunable distance measure for coloured solid models **65** (1) (1994) 143-164
1038. P. Gärdenfors and D. Makinson, Nonmonotonic inference based on expectations **65** (2) (1994) 197-245
1039. R.E. Valdés-Pérez, Conjecturing hidden entities by means of simplicity and conservation laws: machine discovery in chemistry **65** (2) (1994) 247-280
1040. A. Hou, A theory of measurement in diagnosis from first principles **65** (2) (1994) 281-328
1041. P.M. Todd, Book review of *Emergent Computation: Self-Organizing, Collective, and Cooperative Phenomena in Natural and Artificial Computing Networks* (Stephanie Forrest, ed.) **60** (1) (1993) 171-183
1042. N. Shankar, Book review of *Ontic: A Knowledge Representation System for Mathematics* (David A. McAllester) **62** (2) (1993) 355-362
1044. A.S. Weigend, Book review of *Introduction to the Theory of Neural Computation* (John A. Hertz, Anders S. Krogh and Richard G. Palmer) **62** (1) (1993) 93-111
1045. S. Becker, Book review of *Introduction to Neural and Cognitive Modeling* (D.S. Levine) **62** (1) (1993) 113-116
1046. S. Ahmad, Book review of *Connectionist Models: Proceedings of the 1990 Summer School* (David Touretzky, Jeffrey Elman, Terrence Sejnowski and Geoffrey Hinton, eds.) **62** (1) (1993) 117-127
1047. D.E. Rose, Book review of *Advances in Connectionist and Neural Computation Theory, Volume 1: High-Level Connectionist Models* (John A. Barnden and Jordan B. Pollack, eds.) **62** (1) (1993) 129-139

1048. B. Martin, Book review of *Neural Connections, Mental Computation* (Lynn Nadel, Lynn A. Cooper, Peter Culicover and R. Michael Harnish, eds.) **62** (1) (1993) 141-151
1049. R.K. Belew, Book review of *Neuroscience and Connectionist Theory* (Mark A. Gluck and David E. Rumelhart, eds.). Something old, something new, something borrowed, ... **62** (1) (1993) 153-161
1050. D.S. Touretzky, Book review of *Neural Networks in Artificial Intelligence* (Matthew Zeidenberg) **62** (1) (1993) 163-164
1051. N.H. Goddard, Book review of *The Perception of Multiple Objects: A Connectionist Approach* (Michael C. Mozer) **62** (1) (1993) 165-177
1052. J. O'Rourke, Triple Book Review of *Consciousness Explained* (Daniel C. Dennett), *The Evolution of Consciousness: Of Darwin, Freud, and Cranial Fire: The Origins of the Way We Think* (Robert Ornstein), and *Metaphysics of Consciousness* (William Seager) **60** (2) (1993) 303-312
1054. P.P. Chakrabarti, Algorithms for searching explicit AND/OR graphs and their applications to problem reduction search (Research Note) **65** (2) (1994) 329-345
1055. K. Ammon, An automatic proof of Gödel's incompleteness theorem (Research Note) **61** (2) (1993) 291-306
1056. W.J. Clancy, The biology of consciousness: comparative review of *The Strange, Familiar, and Forgotten: An Anatomy of Consciousness* (Israel Rosenfield) and *Bright Air, Brilliant Fire: On the Matter of the Mind* (Gerald M. Edelman) **60** (2) (1993) 313-356
1057. L. Fariñas del Cerro, A. Herzig and J. Lang, From ordering-based nonmonotonic reasoning to conditional logics **66** (2) (1994) 375-393
1058. W. Wahlster, E. André, W. Finkler, H.-J. Profitlich and T. Rist, Plan-based integration of natural language and graphics generation **63** (1-2) (1993) 387-427
1059. J.R. Hobbs, M.E. Stickel, D.E. Appelt and P. Martin, Interpretation as abduction **63** (1-2) (1993) 69-142
1060. J. Hirschberg, Pitch accent in context: predicting intonational prominence from text **63** (1-2) (1993) 305-340
1062. B. Tessem, Approximations for efficient computation in the theory of evidence (Research Note) **61** (2) (1993) 315-329
1063. B. Nebel and C. Bäckström, On the computational complexity of temporal projection, planning, and plan validation **66** (1) (1994) 125-160
1064. M. Gyssens, P.G. Jeavons and D.A. Cohen, Decomposing constraint satisfaction problems using database techniques **66** (1) (1994) 57-89
1065. P. Smets and R. Kennes, The transferable belief model **66** (2) (1994) 191-234
1066. L.V. Allis, M. van der Meulen and H.J. van den Herik, Proof-number search **66** (1) (1994) 91-124
1067. I.J. Cox and J.J. Leonard, Modeling a dynamic environment using a Bayesian multiple hypothesis approach **66** (2) (1994) 311-344
1068. H.-J. Bürckert, A resolution principle for constrained logics **66** (2) (1994) 235-271
1069. E. Charniak and S.E. Shimony, Cost-based abduction and MAP explanation **66** (2) (1994) 345-374
1070. R.L. Greene, Efficient retrieval from sparse associative memory **66** (2) (1994) 395-410
1071. D. Ourston and R.J. Mooney, Theory refinement combining analytical and empirical methods **66** (2) (1994) 273-309
1072. A. Bertoni and M. Dorigo, Implicit parallelism in genetic algorithms (Research Note) **61** (2) (1993) 307-314
1073. P.S. Jacobs and L.F. Rau, Innovations in text interpretation **63** (1-2) (1993) 143-191
1074. J. Pustejovsky and B. Boguraev, Lexical knowledge representation and natural language processing **63** (1-2) (1993) 193-223
1076. A. Barrett and D.S. Weld, Partial-order planning: evaluating possible efficiency gains **67** (1) (1994) 71-112
1077. F. Ulupinar and R. Nevatia, Recovery of 3-D objects with multiple curved surfaces from 2-D contours **67** (1) (1994) 1-28
1078. E.P. Stabler Jr, Parsing as non-Horn deduction **63** (1-2) (1993) 225-264
1079. M.S. Palmer, R.J. Passonneau, C. Weir and T. Finin, The KERNEL text understanding system **63** (1-2) (1993) 17-68

1080. B.J. Dorr, Interlingual machine translation: a parameterized approach **63** (1-2) (1993) 429-492
1081. P. Hájek, Epistemic entrenchment and arithmetical hierarchy (Research Note) **62** (1) (1993) 79-87
1082. D.A. Klein and E.H. Shortliffe, A framework for explaining decision-theoretic advice **67** (2) (1994) 201-243
1083. Y. Iwasaki and H.A. Simon, Causality and model abstraction **67** (1) (1994) 143-194
1084. A. Segre and G. Gordon, Book review of *Computer Systems That Learn* (Sholom M. Weiss and Casimir A. Kulikowski) **62** (2) (1993) 363-378
1085. E.H. Hovy, Automated discourse generation using discourse structure relations **63** (1-2) (1993) 341-385
1086. M. Colombetti, Formal semantics for mutual belief (Research Note) **62** (2) (1993) 341-353
1088. R.S. Crouch and S.G. Pulman, Time and modality in a natural language interface to a planning system **63** (1-2) (1993) 265-304
1089. G. Schwarz and M. Truszczyński, Minimal knowledge problem: a new approach **67** (1) (1994) 113-141
1090. M. Boddy and T.L. Dean, Deliberation scheduling for problem solving in time-constrained environments **67** (2) (1994) 245-285
1092. J.L. Pollock, Justification and defeat **67** (2) (1994) 377-407
1093. B. Blumenthal and B.W. Porter, Analysis and empirical studies of derivational analogy **67** (2) (1994) 287-327
1094. S. Kambhampati and S. Kedar, A unified framework for explanation-based generalization of partially ordered and partially instantiated plans **67** (1) (1994) 29-70
1095. K.L. Myers, Hybrid reasoning using universal attachment **67** (2) (1994) 329-375
1096. C. Boutilier, Unifying default reasoning and belief revision in a modal framework **68** (1) (1994) 33-85
1097. C. Boutilier, Conditional logics of normality: a modal approach **68** (1) (1994) 87-154
1098. J. Wong, Norvig's *Paradigms of Artificial Intelligence Programming*: a student's perspective (Book Review) **64** (1) (1993) 161-167
1099. J.H. Martin, Norvig's *Paradigms of Artificial Intelligence Programming*: an instructor's perspective (Book Review) **64** (1) (1993) 169-180
1100. E. Cohen, Computational theory for interpreting handwritten text in constrained domains **68** (1) (1994) 1-31
1101. W.W. Cohen, Grammatically biased learning: learning logic programs using an explicit antecedent description language **68** (2) (1994) 303-366
1102. L.M. Kirousis, Fast parallel constraint satisfaction (Research Note) **64** (1) (1993) 147-160
1103. C.A. Knoblock, Automatically generating abstractions for planning **68** (2) (1994) 243-302
1104. S. Hanks and D. McDermott, Modeling a dynamic and uncertain world I: symbolic and probabilistic reasoning about change **66** (1) (1994) 1-55
1105. P.L. Hammer and A. Kogan, Optimal compression of propositional Horn knowledge bases: complexity and approximation (Research Note) **64** (1) (1993) 131-145
1106. F.C.N. Pereira and B.J. Grosz, Introduction **63** (1-2) (1993) 1-15
1107. D. Mutchler, The multi-player version of minimax displays game-tree pathology (Research Note) **64** (2) (1993) 323-336
1110. R. Dechter and I. Meiri, Experimental evaluation of preprocessing algorithms for constraint satisfaction problems **68** (2) (1994) 211-241
1111. M. Tambe and P.S. Rosenbloom, Investigating production system representations for non-combinatorial match **68** (1) (1994) 155-199
1112. G. Gerla, Inferences in probability logic **70** (1-2) (1994) 33-52
1113. F. Zhao, Extracting and representing qualitative behaviors of complex systems in phase space **69** (1-2) (1994) 51-92
1114. R. Reiter, Proving properties of states in the situation calculus (Research Note) **64** (2) (1993) 337-351

1116. J. Heinsohn, D. Kudenko, B. Nebel and H.-J. Profitlich, An empirical analysis of terminological representation systems **68** (2) (1994) 367-397
1117. T. Bylander, The computational complexity of propositional STRIPS planning **69** (1-2) (1994) 165-204
1118. G. Satta and O. Stock, Bidirectional context-free grammar parsing for natural language processing **69** (1-2) (1994) 123-164
1119. S.-J. Lee and D.A. Plaisted, Problem solving by searching for models with a theorem prover **69** (1-2) (1994) 205-233
1120. S. Kasif and A.L. Delcher, Local consistency in parallel constraint satisfaction networks **69** (1-2) (1994) 307-327
1121. H. Almuallim and T.G. Dietterich, Learning Boolean concepts in the presence of many irrelevant features **69** (1-2) (1994) 279-305
1122. M.C. Cooper, D.A. Cohen and P.G. Jeavons, Characterising tractable constraints (Research Note) **65** (2) (1994) 347-361
1123. A. Segre and C. Elkan, A high-performance explanation-based learning algorithm **69** (1-2) (1994) 1-50
1124. A.M. Frisch and P. Haddawy, Anytime deduction for probabilistic logic **69** (1-2) (1994) 93-122
1125. C. Bessière, Arc-consistency and arc-consistency again (Research Note) **65** (1) (1994) 179-190
1128. J.F. Dillenburg and P.C. Nelson, Perimeter search (Research Note) **65** (1) (1994) 165-178
1129. S. Kambhampati, Multi-contributor causal structures for planning: a formalization and evaluation **69** (1-2) (1994) 235-278
1130. J.A. Toth, Book review of *Reasoning Agents in a Dynamic World: The Frame Problem* (Kenneth M. Ford and Patrick J. Hayes, eds.) **73** (1-2) (1995) 323-369
1131. M. Brand, P. Prokopowicz and C. Elliott, Book review of *From Animals to Animats: Proceedings of the First International Conference on Simulation of Adaptive Behavior* (Jean-Arcady Meyer and Stewart W. Wilson, eds.) **73** (1-2) (1995) 307-322
1132. D.M. Lyons, Book review of *Vision, Instruction, and Action* (David Chapman) **73** (1-2) (1995) 387-401
1133. J. Hendler, Book review of *Planning and Control* (Thomas Dean and Michael Wellman) **73** (1-2) (1995) 379-386
1134. S.W. Smoliar, Book review of *Artificial Life* (Christopher G. Langton, ed.), *Artificial Life II* (Christopher G. Langton, Charles Taylor, J. Doyne Farmer, Steen Rasmussen, eds.) and *Artificial Life II: Video Proceedings* (Christopher G. Langton, ed.) **73** (1-2) (1995) 371-377
1135. G.G. Towell and J.W. Shavlik, Knowledge-based artificial neural networks **70** (1-2) (1994) 119-165
1136. C.P. Williams and T. Hogg, Exploiting the deep structure of constraint problems **70** (1-2) (1994) 73-117
1137. P. Parodi and V. Torre, On the complexity of labeling perspective projections of polyhedral scenes **70** (1-2) (1994) 239-276
1138. J.P. Delgrande, T. Schaub and W.K. Jackson, Alternative approaches to default logic **70** (1-2) (1994) 167-237
1139. P. Hájek, Epistemic entrenchment and arithmetical hierarchy (Errata) **65** (1) (1994) 191
1140. B. Faltings, Arc-consistency for continuous variables (Research Note) **65** (2) (1994) 363-376
1141. C. Walther, On proving the termination of algorithms by machine **71** (1) (1994) 101-157
1142. V. Lifschitz, Minimal belief and negation as failure **70** (1-2) (1994) 53-72
1143. D.C. Wilkins and Y. Ma, The refinement of probabilistic rule sets: sociopathic interactions **70** (1-2) (1994) 1-32
1144. P.P. Nayak, Causal approximations **70** (1-2) (1994) 277-334
1145. L.A. Stein and L. Morgenstern, Motivated action theory: a formal theory of causal reasoning **71** (1) (1994) 1-42
1146. R.J. Bayardo Jr and D.P. Miranker, An optimal backtrack algorithm for tree-structured constraint satisfaction problems **71** (1) (1994) 159-181
1148. L. Giordano and A. Martelli, On cumulative default logics **66** (1) (1994) 161-179

1149. P. Norvig, Book review of *Text-Based Intelligent Systems* (Paul Jacobs, ed.) 66 (1) (1994) 181-188
1150. F. Bacchus and Q. Yang, Downward refinement and the efficiency of hierarchical problem solving 71 (1) (1994) 43-100
1151. G. Lakemeyer, Limited reasoning in first-order knowledge bases 71 (2) (1994) 213-255
1152. M. Dorigo and M. Colombetti, Robot shaping: developing autonomous agents through learning 71 (2) (1994) 321-370
1153. R.H. Wilson and J.-C. Latombe, Geometric reasoning about mechanical assembly 71 (2) (1994) 371-396
1154. L. Li, Possible world semantics and autoepistemic reasoning 71 (2) (1994) 281-320
1155. Y. Roth and R. Jain, Knowledge caching for sensor-based systems 71 (2) (1994) 257-280
1156. A. Gelsey, Automated reasoning about machines 74 (1) (1995) 1-53
1157. B. Hayes-Roth, An architecture for adaptive intelligent systems 72 (1-2) (1995) 329-365
1158. R.D. Beer, A dynamical systems perspective on agent-environment interaction 72 (1-2) (1995) 173-215
1159. K.J. Hammond, T.M. Converse and J.W. Grass, The stabilization of environments 72 (1-2) (1995) 305-327
1160. Y. Shoham and M. Tennenholtz, On social laws for artificial agent societies: off-line design 73 (1-2) (1995) 231-252
1161. D.J. Musliner, E.H. Durfee and K.G. Shin, World modeling for the dynamic construction of real-time control plans 74 (1) (1995) 83-127
1162. M. Schaerf and M. Cadoli, Tractable reasoning via approximation 74 (2) (1995) 249-310
1163. Y. Lespérance and H.J. Levesque, Indexical knowledge and robot action—a logical account 73 (1-2) (1995) 69-115
1164. A.G. Barto, S.J. Bradtke and S.P. Singh, Learning to act using real-time dynamic programming 72 (1-2) (1995) 81-138
1165. S.D. Whitehead and L.-J. Lin, Reinforcement learning of non-Markov decision processes 73 (1-2) (1995) 271-306
1166. B. Webber, N. Badler, B. Di Eugenio, C. Geib, L. Levison and M. Moore, Instructions, intentions and expectations 73 (1-2) (1995) 253-269
1168. A.J. Grove, Naming and identity in epistemic logic, Part II: a first-order logic for naming 74 (2) (1995) 311-350
1169. A. Gerevini and L. Schubert, Efficient algorithms for qualitative reasoning about time 74 (2) (1995) 207-248
1170. D. Kirsh, The intelligent use of space 73 (1-2) (1995) 31-68
1171. M. Schoppers, The use of dynamics in an intelligent controller for a space faring rescue robot 73 (1-2) (1995) 175-230
1172. J.K. Tsotsos, Behaviorist intelligence and the scaling problem 75 (2) (1995) 135-160
1173. N.R. Jennings, Controlling cooperative problem solving in industrial multi-agent systems using joint intentions 75 (2) (1995) 195-240
1174. S. Kraus, J. Wilkenfeld and G. Zlotkin, Multiagent negotiation under time constraints 75 (2) (1995) 297-345
1175. S.E. Shimony, Finding MAPs for belief networks is NP-hard (Research Note) 68 (2) (1994) 399-410
1176. K. Basye, T. Dean and L.P. Kaelbling, Learning dynamics: system identification for perceptually challenged agents 72 (1-2) (1995) 139-171
1177. B.R. Donald, On information invariants in robotics 72 (1-2) (1995) 217-304
1178. C. Boutilier and V. Becher, Abduction as belief revision 77 (1) (1995) 43-94
1180. T.-C. Wang, A typed resolution principle for deduction with conditional typing theory 75 (2) (1995) 161-194
1181. R. Sun, Robust reasoning: integrating rule-based and similarity-based reasoning 75 (2) (1995) 241-295

1182. G. Gottlob and Zhang Mingyi, Cumulative default logic: finite characterization, algorithms, and complexity (Research Note) **69** (1-2) (1994) 329-345
1183. G.N. Kartha, Two counterexamples related to Baker's approach to the frame problem (Research Note) **69** (1-2) (1994) 379-391
1184. T. Hogg and C.P. Williams, The hardest constraint problems: a double phase transition (Research Note) **69** (1-2) (1994) 359-377
1185. G. Pinkas, Reasoning, nonmonotonicity and learning in connectionist networks that capture propositional knowledge **77** (2) (1995) 203-247
1186. V.R. Lesser, S.H. Nawab and F.I. Klassner, IPUS: an architecture for the integrated processing and understanding of signals **77** (1) (1995) 129-171
1187. W.W. Cohen, Pac-learning non-recursive Prolog clauses **79** (1) (1995) 1-38
1188. M. Kaminski, A comparative study of open default theories **77** (2) (1995) 285-319
1189. M. Shanahan, A circumscriptive calculus of events **77** (2) (1995) 249-284
1191. C.H. Papadimitriou and M. Sideri, Default theories that always have extensions (Research Note) **69** (1-2) (1994) 347-357
1192. G. Sablon, L. De Raedt and M. Bruynooghe, Iterative versionspaces (Research Note) **69** (1-2) (1994) 393-409
1193. H. Eriksson, Y. Shahar, S.W. Tu, A.R. Puerta and M.A. Musen, Task modeling with reusable problem-solving methods **79** (2) (1996) 293-326
1194. P.M. Dung, On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n -person games **77** (2) (1995) 321-357
1195. R. Olsson, Inductive functional programming using incremental program transformation **74** (1) (1995) 55-81
1196. J.E. Larsson, Diagnosis based on explicit means-end models **80** (1) (1996) 29-93
1197. A. Gerevini and L. Schubert, On point-based temporal disjointness (Research Note) **70** (1-2) (1994) 347-361
1198. L. Lismont and P. Mongin, A non-minimal but very weak axiomatization of common belief (Research Note) **70** (1-2) (1994) 363-374
1199. I.P. Gent and T. Walsh, Easy problems are sometimes hard (Research Note) **70** (1-2) (1994) 335-345
1200. W. Zhang and R.E. Korf, Performance of linear-space search algorithms **79** (2) (1996) 241-292
1201. L. De Raedt and S. Džeroski, First-order jk -clausal theories are PAC-learnable (Research Note) **70** (1-2) (1994) 375-392
1202. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Agent searching in a tree and the optimality of iterative deepening (Research Note) **71** (1) (1994) 195-208
1204. M.M. Fleck, The topology of boundaries **80** (1) (1996) 1-27
1205. G. Simonet and R. Ducournau, On Stein's paper: resolving ambiguity in nonmonotonic inheritance hierarchies (Research Note) **71** (1) (1994) 183-193
1206. A. Reinefeld and P. Ridinger, Time-efficient state space search (Research Note) **71** (2) (1994) 397-408
1207. P.E. Agre, Computational research on interaction and agency **72** (1-2) (1995) 1-52
1208. M.A. Arbib and J.-S. Liaw, Sensorimotor transformations in the worlds of frogs and robots **72** (1-2) (1995) 53-79
1209. S.J. Rosenschein and L.P. Kaelbling, A situated view of representation and control **73** (1-2) (1995) 149-173
1210. I. Horswill, Analysis of adaptation and environment **73** (1-2) (1995) 1-30
1211. D.M. Lyons and A.J. Hendriks, Exploiting patterns of interaction to achieve reactive behavior **73** (1-2) (1995) 117-148
1212. H. Xu, Computing marginals for arbitrary subsets from marginal representation in Markov trees (Research Note) **74** (1) (1995) 177-189
1213. R. Fagin, J.Y. Halpern and M.Y. Vardi, A nonstandard approach to the logical omniscience problem **79** (2) (1996) 203-240
1214. M. Ishikawa, Learning of modular structured networks **75** (1) (1995) 51-62

1215. T. Nishida and S. Doshita, Qualitative analysis of behavior of systems of piecewise linear differential equations with two state variables **75** (1) (1995) 3-29
1216. S. Sato, MBT2: a method for combining fragments of examples in example-based translation **75** (1) (1995) 31-50
1217. T. Matsuyama and T. Nitta, Geometric theorem proving by integrated logical and algebraic reasoning **75** (1) (1995) 93-113
1218. S. Goto and H. Nojima, Equilibrium analysis of the distribution of information in human society **75** (1) (1995) 115-130
1219. K. Yoshida and H. Motoda, CLIP: concept learning from inference patterns **75** (1) (1995) 63-92
1220. G. Schwarz, In search of a "true" logic of knowledge: the nonmonotonic perspective **79** (1) (1995) 39-63
1221. K.M.-k. Yip, Model simplification by asymptotic order of magnitude reasoning **80** (2) (1996) 309-348
1222. B. Selman and H.J. Levesque, Support set selection for abductive and default reasoning **82** (1-2) (1996) 259-272
1223. P. Haddawy, A logic of time, chance, and action for representing plans **80** (2) (1996) 243-308
1224. M. Shanahan, Default reasoning about spatial occupancy (Research Note) **74** (1) (1995) 147-163
1225. H. Kautz, M. Kearns and B. Selman, Horn approximations of empirical data **74** (1) (1995) 129-145
1226. R.E. Valdés-Pérez, Machine discovery in chemistry: new results (Research Note) **74** (1) (1995) 191-201
1227. S. Zilberstein and S. Russell, Optimal composition of real-time systems **82** (1-2) (1996) 181-213
1228. R. Levinson, A general programming language for unified planning and control **76** (1-2) (1995) 319-375
1229. S. Kambhampati, C.A. Knoblock and Q. Yang, Planning as refinement search: a unified framework for evaluating design tradeoffs in partial-order planning **76** (1-2) (1995) 167-238
1230. M.L. Ginsberg, Approximate planning **76** (1-2) (1995) 89-123
1231. N. Sadeh, K. Sycara and Y. Xiong, Backtracking techniques for the job shop scheduling constraint satisfaction problem **76** (1-2) (1995) 455-480
1232. A. Lazanas and J.-C. Latombe, Motion planning with uncertainty: a landmark approach **76** (1-2) (1995) 287-317
1233. K. Erol, D.S. Nau and V.S. Subrahmanian, Complexity, decidability and undecidability results for domain-independent planning (Technical Note) **76** (1-2) (1995) 75-88
1234. C. Bäckström, Expressive equivalence of planning formalisms (Technical Note) **76** (1-2) (1995) 17-34
1235. B. Nebel and J. Koehler, Plan reuse versus plan generation: a theoretical and empirical analysis **76** (1-2) (1995) 427-454
1236. A.E. Howe and P.R. Cohen, Understanding planner behavior **76** (1-2) (1995) 125-166
1237. A. Preditis and R. Davis, Quantitatively relating abstractness to the accuracy of admissible heuristics (Research Note) **74** (1) (1995) 165-175
1238. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Searching game trees under a partial order **82** (1-2) (1996) 237-257
1239. T. Dean, L.P. Kaelbling, J. Kirman and A. Nicholson, Planning under time constraints in stochastic domains **76** (1-2) (1995) 35-74
1240. N. Kushmerick, S. Hanks and D.S. Weld, An algorithm for probabilistic planning **76** (1-2) (1995) 239-286
1241. A. Saffiotti, K. Konolige and E.H. Ruspini, A multivalued logic approach to integrating planning and control **76** (1-2) (1995) 481-526
1242. K. Miyashita and K. Sycara, CABINS: a framework of knowledge acquisition and iterative revision for schedule improvement and reactive repair **76** (1-2) (1995) 377-426
1243. Z. Huang, M. Masuch and L. Pólos, ALX, an action logic for agents with bounded rationality **82** (1-2) (1996) 75-127

1244. D. Reynolds and J. Gomatam, Stochastic modelling of Genetic Algorithms **82** (1-2) (1996) 303-330
1245. D. Roth, On the hardness of approximate reasoning **82** (1-2) (1996) 273-302
1246. L. Vila and H. Reichgelt, The token reification approach to temporal reasoning **83** (1) (1996) 59-74
1247. R.J. Hickey, Noise modelling and evaluating learning from examples **82** (1-2) (1996) 157-179
1248. S. Kambhampati and D.S. Nau, On the nature and role of modal truth criteria in planning **82** (1-2) (1996) 129-155
1249. R. Dechter and A. Dechter, Structure-driven algorithms for truth maintenance **82** (1-2) (1996) 1-20
1250. C. Boutilier, Abduction to plausible causes: an event-based model of belief update **83** (1) (1996) 143-166
1251. F. Giunchiglia and P. Traverso, A metatheory of a mechanized object theory **80** (2) (1996) 197-241
1253. A. Becker and D. Geiger, Optimization of Pearl's method of conditioning and greedy-like approximation algorithms for the vertex feedback set problem **83** (1) (1996) 167-188
1254. S.O. Hansson, Knowledge-level analysis of belief base operations **82** (1-2) (1996) 215-235
1255. D. Bojadžiev, Sloman's view of Gödel's sentence (Research Note) **74** (2) (1995) 389-393
1256. J.Y. Halpern and G. Lakemeyer, Levesque's axiomatization of only knowing is incomplete (Research Note) **74** (2) (1995) 381-387
1257. V. Brusoni, L. Console and P. Terenziani, On the computational complexity of querying bounds on differences constraints (Research Note) **74** (2) (1995) 367-379
1258. P. Walley, Measures of uncertainty in expert systems **83** (1) (1996) 1-58
1259. R. Greiner and P. Orponen, Probably approximately optimal satisficing strategies **82** (1-2) (1996) 21-44
1260. A. Shimaya, Interpreting non-3-D line drawings **77** (1) (1995) 1-41
1261. K. Shirai, Guest editor's preface **75** (1) (1995) 1-2
1262. V. Lifschitz, Nested abnormality theories (Research Note) **74** (2) (1995) 351-365
1263. D. Geiger and D. Heckerman, Knowledge representation and inference in similarity networks and Bayesian multinets **82** (1-2) (1996) 45-74
1264. Y. Moses and M. Tennenholtz, Off-line reasoning for on-line efficiency: knowledge bases **83** (2) (1996) 229-239
1265. A.C.C. Say and S. Kuru, Qualitative system identification: deriving structure from behavior **83** (1) (1996) 75-141
1266. G. Manzini, BIDA*: an improved perimeter search algorithm (Research Note) **75** (2) (1995) 347-360
1267. J.Y. Halpern, The effect of bounding the number of primitive propositions and the depth of nesting on the complexity of modal logic (Research Note) **75** (2) (1995) 361-372
1268. J. Lin, Integration of weighted knowledge bases **83** (2) (1996) 363-378
1269. R. Basri and E. Rivlin, Localization and homing using combinations of model views **78** (1-2) (1995) 327-354
1270. Z. Zhang, R. Deriche, O. Faugeras and Q.-T. Luong, A robust technique for matching two uncalibrated images through the recovery of the unknown epipolar geometry **78** (1-2) (1995) 87-119
1271. A. Zisserman, D. Forsyth, J. Mundy, C. Rothwell, J. Liu and N. Pillow, 3D object recognition using invariance **78** (1-2) (1995) 239-288
1272. P.P. Nayak and L. Joskowicz, Efficient compositional modeling for generating causal explanations **83** (2) (1996) 193-227
1273. J.K. Tsotsos, S.M. Culhane, W.Y.K. Wai, Y. Lai, N. Davis and F. Nuflo, Modeling visual attention via selective tuning **78** (1-2) (1995) 507-545
1274. R.P.N. Rao and D.H. Ballard, An active vision architecture based on iconic representations **78** (1-2) (1995) 461-505
1275. K.N. Kutulakos and C.R. Dyer, Global surface reconstruction by purposive control of observer motion **78** (1-2) (1995) 147-177

1276. Y. Yang and A.L. Yuille, Multilevel enhancement and detection of stereo disparity surfaces **78** (1-2) (1995) 121-145
1277. D.A. Reece and S.A. Shafer, Control of perceptual attention in robot driving **78** (1-2) (1995) 397-430
1278. I.-P. Park and J.R. Kender, Topological direction-giving and visual navigation in large environments **78** (1-2) (1995) 355-395
1279. N.C. Gupta and L.N. Kanal, 3-D motion estimation from motion field **78** (1-2) (1995) 45-86
1280. A. Blake, M. Isard and D. Reynard, Learning to track the visual motion of contours **78** (1-2) (1995) 179-212
1281. M. Otte and H.-H. Nagel, Estimation of optical flow based on higher-order spatiotemporal derivatives in interlaced and non-interlaced image sequences **78** (1-2) (1995) 5-43
1282. D. McDermott and J. Hendler, Planning: What it is, What it could be, An introduction to the Special Issue on Planning and Scheduling **76** (1-2) (1995) 1-16
1283. R. Mohr, B. Boufama and P. Brand, Understanding positioning from multiple images **78** (1-2) (1995) 213-238
1284. S. Das and N. Ahuja, Active surface estimation: integrating coarse-to-fine image acquisition and estimation from multiple cues **83** (2) (1996) 241-266
1285. G. Zlotkin and J.S. Rosenschein, Compromise in negotiation: exploiting worth functions over states **84** (1-2) (1996) 151-176
1287. H.A. Simon, Artificial intelligence: an empirical science **77** (1) (1995) 95-127
1288. R. Greiner, PALO: a probabilistic hill-climbing algorithm **84** (1-2) (1996) 177-208
1289. H. Buxton and S. Gong, Visual surveillance in a dynamic and uncertain world **78** (1-2) (1995) 431-459
1290. R. Hirsch, Relation algebras of intervals **83** (2) (1996) 267-295
1292. T. Hogg, B.A. Huberman and C.P. Williams, Phase transitions and the search problem (Editorial) **81** (1-2) (1996) 1-15
1293. B. Selman, D.G. Mitchell and H.J. Levesque, Generating hard satisfiability problems **81** (1-2) (1996) 17-29
1294. J.M. Crawford and L.D. Auton, Experimental results on the crossover point in random 3-SAT **81** (1-2) (1996) 31-57
1295. I.P. Gent and T. Walsh, The satisfiability constraint gap **81** (1-2) (1996) 59-80
1296. P. Prosser, An empirical study of phase transitions in binary constraint satisfaction problems **81** (1-2) (1996) 81-109
1297. D.G. Mitchell and H.J. Levesque, Some pitfalls for experimenters with random SAT **81** (1-2) (1996) 111-125
1298. T. Hogg, Refining the phase transition in combinatorial search **81** (1-2) (1996) 127-154
1299. J.W. Freeman, Hard random 3-SAT problems and the Davis-Putnam procedure **81** (1-2) (1996) 183-198
1300. B.M. Smith and M.E. Dyer, Locating the phase transition in binary constraint satisfaction problems **81** (1-2) (1996) 155-181
1301. R. Schrag and J.M. Crawford, Implicates and prime implicates in Random 3-SAT **81** (1-2) (1996) 199-222
1302. W. Zhang and R.E. Korf, A study of complexity transitions on the asymmetric traveling salesman problem **81** (1-2) (1996) 223-239
1303. T. Bylander, A probabilistic analysis of propositional STRIPS planning **81** (1-2) (1996) 241-271
1304. B. Selman and S. Kirkpatrick, Critical behavior in the computational cost of satisfiability testing **81** (1-2) (1996) 273-295
1305. J.C. Pemberton and W. Zhang, Epsilon-transformation: exploiting phase transitions to solve combinatorial optimization problems **81** (1-2) (1996) 297-325
1306. S.H. Clearwater and T. Hogg, Problem structure heuristics and scaling behavior for genetic algorithms **81** (1-2) (1996) 327-347
1307. S. Kraus, An overview of incentive contracting **83** (2) (1996) 297-346
1308. H. Almuallim, An efficient algorithm for optimal pruning of decision trees **83** (2) (1996) 347-362

1310. I.D. Reid and J.M. Brady, Recognition of object classes from range data **78** (1-2) (1995) 289-326
1311. G. Lakemeyer, Limited reasoning in first-order knowledge bases with full introspection **84** (1-2) (1996) 209-255
1312. J. Batali, Book review of *The Rediscovery of the Mind* (John R. Searle) **77** (1) (1995) 177-193
1313. V. Akman, Book review of *Formalizing Common Sense: Papers by John McCarthy* (V. Lifschitz, ed.) **77** (2) (1995) 359-369
1314. F. Giunchiglia, An epistemological science of common sense (Book Review) **77** (2) (1995) 371-392
1316. K.B. Haase, Too many ideas, just one word: a review of Margaret Boden's *The Creative Mind: Myths and Mechanisms* **79** (1) (1995) 69-82
1317. R. Lustig, Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) **79** (1) (1995) 83-96
1318. D. Perkins, An unfair review of Margaret Boden's *The Creative Mind* from the perspective of creative systems **79** (1) (1995) 97-109
1319. A. Ram, L. Wills, E. Domeshek, N. Nersessian and J. Kolodner, Understanding the creative mind: a review of Margaret Boden's *The Creative Mind* **79** (1) (1995) 111-128
1320. R.C. Schank and D.A. Foster, The engineering of creativity: a review of Boden's *The Creative Mind* **79** (1) (1995) 129-143
1321. S.R. Turner, Book review of *The Creative Mind* (Margaret Boden) **79** (1) (1995) 145-159
1322. M.A. Boden, Modelling creativity: reply to reviewers **79** (1) (1995) 161-182
1323. S.W. Smoliar, Book review of *Creative Cognition* (Ronald A. Finke, Thomas B. Ward and Steven M. Smith) **79** (1) (1995) 183-196
1325. J. Berger, Book review of *Computers and Musical Style* (David Cope) **79** (2) (1996) 343-348
1326. E. Handelman, Book review of *Interactive Music Systems: Machine Listening and Composing* (Robert Rowe) **79** (2) (1996) 349-359
1327. S.W. Smoliar, Book review of *Music, Mind and Machine: Studies in Computer Music, Music Cognition and Artificial Intelligence* (Peter Desain and Henkjan Honing) **79** (2) (1996) 361-371
1328. G.A. Wiggins, Book review of *Understanding Music with AI—Perspectives on Cognitive Musicology* (M. Balaban, K. Ebcioglu and O. Laske, eds.) **79** (2) (1996) 373-385
1329. B. Garton, Book review of *Music and Connectionism* (Peter Todd and D. Gareth Loy, eds.) **79** (2) (1996) 387-398
1331. H.M. Collins, Embedded or embodied? a review of Hubert Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 99-117
1332. J. Haugeland, Body and world: a review of *What Computers Still Can't Do: A Critique of Artificial Reason* (Hubert L. Dreyfus) **80** (1) (1996) 119-128
1333. T. Koschmann, Of Hubert Dreyfus and dead horses: some thoughts on Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 129-141
1334. J. McCarthy, Book review of *What Computers Still Can't Do* (Hubert Dreyfus) **80** (1) (1996) 143-150
1335. J.D. Strom and L. Darden, Is artificial intelligence a degenerating program?: a review of Hubert Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 151-170
1336. H.L. Dreyfus, Response to my critics **80** (1) (1996) 171-191
1337. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, A correction to "Agent searching in a tree and the optimality of iterative deepening" (Research Note) **77** (1) (1995) 173-176
1338. M. Goldszmidt and J. Pearl, Qualitative probabilities for default reasoning, belief revision, and causal modeling **84** (1-2) (1996) 57-112
1339. P.T. Devanbu and D.J. Litman, Taxonomic plan reasoning **84** (1-2) (1996) 1-35
1340. H.J. Berliner and C. McConnell, B* probability based search **86** (1) (1996) 97-156
1341. L. Steinberg and N. Langrana, EVEXED and MEET for mechanical design: testing structural decomposition and constraint propagation **84** (1-2) (1996) 37-56
1342. A.K. Sen and A. Bagchi, Graph search methods for non-order-preserving evaluation functions: applications to job sequencing problems **86** (1) (1996) 43-73
1343. R. Ben-Eliyahu and R. Dechter, Default reasoning using classical logic **84** (1-2) (1996) 113-150

1344. R.E. Korf and D.M. Chickering, Best-first minimax search **84** (1-2) (1996) 299-337
1345. R. Rymon, Goal-directed diagnosis—a diagnostic reasoning framework for exploratory-corrective domains **84** (1-2) (1996) 257-297
1346. N. Sadeh and M.S. Fox, Variable and value ordering heuristics for the job shop scheduling constraint satisfaction problem **86** (1) (1996) 1-41
1348. J. Lin, A semantics for reasoning consistently in the presence of inconsistency **86** (1) (1996) 75-95
1349. N. Ahuja and R. Horaud, Introduction to the Special Volume on Computer Vision **78** (1-2) (1995) 1-3
1350. I. Meiri, R. Dechter and J. Pearl, Uncovering trees in constraint networks **86** (2) (1996) 245-267
1351. B.J. Grosz and S. Kraus, Collaborative plans for complex group action **86** (2) (1996) 269-357
1352. G. Zlotkin and J.S. Rosenschein, Mechanism design for automated negotiation, and its application to task oriented domains **86** (2) (1996) 195-244
1353. E. Ephrati and J.S. Rosenschein, Deriving consensus in multiagent systems **87** (1-2) (1996) 21-74
1355. P.G. Jeavons and M.C. Cooper, Tractable constraints on ordered domains (Research Note) **79** (2) (1996) 327-339
1356. E. Charniak, G. Carroll, J. Adcock, A. Cassandra, Y. Gotoh, J. Katz, M. Littman and J. McCann, Taggers for parsers **85** (1-2) (1996) 45-57
1357. I. Meiri, Combining qualitative and quantitative constraints in temporal reasoning **87** (1-2) (1996) 343-385
1358. Y. Xiang, A probabilistic framework for cooperative multi-agent distributed interpretation and optimization of communication **87** (1-2) (1996) 295-342
1359. R.C. Holte, T. Mkdmi, R.M. Zimmer and A.J. MacDonald, Speeding up problem solving by abstraction: a graph oriented approach **85** (1-2) (1996) 321-361
1360. R. Cooper, J. Fox, J. Farringdon and T. Shallice, A systematic methodology for cognitive modelling **85** (1-2) (1996) 3-44
1361. J. Koehler, Planning from second principles **87** (1-2) (1996) 145-186
1362. M.A. Walker, The effect of resource limits and task complexity on collaborative planning in dialogue **85** (1-2) (1996) 181-243
1363. A.M. Segre, G.J. Gordon and C.P. Elkan, Exploratory analysis of speedup learning data using expectation maximization **85** (1-2) (1996) 301-319
1364. R. Basili, M.T. Pazienza and P. Velardi, An empirical symbolic approach to natural language processing **85** (1-2) (1996) 59-99
1365. G. Schwarz, On embedding default logic into Moore's autoepistemic logic (Research Note) **80** (2) (1996) 349-359
1366. F.J. Díez, Local conditioning in Bayesian networks **87** (1-2) (1996) 1-20
1367. C.-K. Kwoh and D.F. Gillies, Using hidden nodes in Bayesian networks **88** (1-2) (1996) 1-38
1368. A.R. Golding and P.S. Rosenbloom, Improving accuracy by combining rule-based and case-based reasoning **87** (1-2) (1996) 215-254
1369. P. Cohen and B. Porter, Editorial **85** (1-2) (1996) 1-2
1370. A. Srinivasan, S.H. Muggleton, M.J.E. Sternberg and R.D. King, Theories for mutagenicity: a study in first-order and feature-based induction **85** (1-2) (1996) 277-299
1371. E. Riloff, An empirical study of automated dictionary construction for information extraction in three domains **85** (1-2) (1996) 101-134
1372. D. Whitley, S. Rana, J. Dzubera and K.E. Mathias, Evaluating evolutionary algorithms **85** (1-2) (1996) 245-276
1373. J. Robin and K. McKeown, Empirically designing and evaluating a new revision-based model for summary generation **85** (1-2) (1996) 135-179
1374. A. Plaat, J. Schaeffer, W. Pijls and A. de Bruin, Best-first fixed-depth minimax algorithms **87** (1-2) (1996) 255-293
1375. S.O. Hansson, A test battery for rational database updating (Research Note) **82** (1-2) (1996) 341-352

1376. R.E. Valdés-Pérez, A new theorem in particle physics enabled by machine discovery (Research Note) **82** (1-2) (1996) 331-339
1377. M. Pradhan, M. Henrion, G. Provan, B. Del Favero and K. Huang, The sensitivity of belief networks to imprecise probabilities: an experimental investigation **85** (1-2) (1996) 363-397
1378. F. Bacchus, A.J. Grove, J.Y. Halpern and D. Koller, From statistical knowledge bases to degrees of belief **87** (1-2) (1996) 75-143
1379. A. Borgida, On the relative expressiveness of description logics and predicate logics (Research Note) **82** (1-2) (1996) 353-367
1380. S. Kambhampati, S. Katukam and Yong Qu, Failure driven dynamic search control for partial order planners: an explanation based approach **88** (1-2) (1996) 253-315
1381. R. Khardon and D. Roth, Reasoning with models **87** (1-2) (1996) 187-213
1382. N.J. Nilsson, Book review of *Artificial Intelligence: A Modern Approach* (Stuart Russell and Peter Norvig) **82** (1-2) (1996) 369-380
1383. G.N. Reeke Jr, Book review of *The Computational Brain* (Patricia S. Churchland and Terrence J. Sejnowski) **82** (1-2) (1996) 381-391
1384. M. Cadoli, F.M. Donini and M. Schaerf, Is intractability of nonmonotonic reasoning a real drawback? **88** (1-2) (1996) 215-251
1385. F. Baader, M. Buchheit and B. Hollunder, Cardinality restrictions on concepts **88** (1-2) (1996) 195-213
1386. J. Gratch and G. DeJong, A statistical approach to adaptive problem solving **88** (1-2) (1996) 101-142
1387. R.R. Brooks, S.S. Iyengar and J. Chen, Automatic correlation and calibration of noisy sensor readings using elite genetic algorithms **84** (1-2) (1996) 339-354
1388. C.-J. Liao and B.I.-P. Lin, Possibilistic reasoning—a mini-survey and uniform semantics **88** (1-2) (1996) 163-193
1389. J.L. Balcázar, The complexity of searching implicit graphs (Research Note) **86** (1) (1996) 171-188
1390. D. Reynolds and J. Gomatam, Similarities and distinctions in sampling strategies for Genetic Algorithms (Research Note) **86** (2) (1996) 375-390
1391. E. Santos Jr and E.S. Santos, Polynomial solvability of cost-based abduction (Research Note) **86** (1) (1996) 157-170
1394. A. Bundy, F. Giunchiglia, R. Sebastiani and T. Walsh, Calculating criticalities **88** (1-2) (1996) 39-67
1395. E. Fink and Q. Yang, Automatically selecting and using primary effects in planning: theory and experiments **89** (1-2) (1997) 285-315
1396. G.D. Kleiter, Propagating imprecise probabilities in Bayesian networks **88** (1-2) (1996) 143-161
1397. D. Poole, Probabilistic conflicts in a search algorithm for estimating posterior probabilities in Bayesian networks **88** (1-2) (1996) 69-100
1398. R. Dearden and C. Boutilier, Abstraction and approximate decision-theoretic planning **89** (1-2) (1997) 219-283
1399. D. Ash and B. Hayes-Roth, Using action-based hierarchies for real-time diagnosis **88** (1-2) (1996) 317-347
1401. O. Etzioni, K. Golden and D.S. Weld, Sound and efficient closed-world reasoning for planning **89** (1-2) (1997) 113-148
1402. G. Kondrak and P. van Beek, A theoretical evaluation of selected backtracking algorithms **89** (1-2) (1997) 365-387
1403. K. Iwanuma and K. Oota, An extension of pointwise circumscription (Research Note) **86** (2) (1996) 391-402
1404. G. Simonet, On Sandewall's paper "Nonmonotonic inference rules for multiple inheritance with exceptions" (Research Note) **86** (2) (1996) 359-374
1405. I.P. Gent and T. Walsh, The TSP phase transition (Research Note) **88** (1-2) (1996) 349-358
1406. G.F. DeJong and S.W. Bennett, Permissive planning: extending classical planning to uncertain task domains **89** (1-2) (1997) 173-217

- 1407. J. Lobo and C. Uzcátegui, Abductive consequence relations **89** (1-2) (1997) 149-171
- 1408. M. Thielscher, Ramification and causality **89** (1-2) (1997) 317-364
- 1409. T.G. Dietterich, R.H. Lathrop and T. Lozano-Pérez, Solving the multiple instance problem with axis-parallel rectangles **89** (1-2) (1997) 31-71
- 1410. N.L. Zhang, Irrelevance and parameter learning in Bayesian networks (Research Note) **88** (1-2) (1996) 359-373
- 1411. C. Freksa, Erratum to "Temporal reasoning based on semi-intervals" [*Artif. Intell.* 54 (1992) 199-227] **87** (1-2) (1996) 387
- 1413. A. Darwiche and J. Pearl, On the logic of iterated belief revision **89** (1-2) (1997) 1-29
- 1414. A. Chella, M. Frixione and S. Gaglio, A cognitive architecture for artificial vision **89** (1-2) (1997) 73-111

M

-

R

D

7



Author Index—Volumes 1-89

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

- Acharya, A., see Chakrabarti, P.P. 41 (1990) 197-221
- Adam, A. and J.-P. Laurent, LAURA, a system to debug student programs 15 (1980) 75-122
- Adcock, J., see Charniak, E. 85 (1996) 45- 57
- Addanki, S., R. Cremonini and J.S. Penberthy, Graphs of models 51 (1991) 145-177
- Adelson-Velskiy, G.M., V.L. Arlazarov and M.V. Donskoy, Some methods of controlling the tree search in chess programs 6 (1975) 361-371
- Aggarwal, J.K., see Webb, J.A. 19 (1982) 107-130
- Agre, P.E., Book review of *Plans and Situated Actions: The Problem of Human-Machine Communication* (Lucy A. Suchman) 43 (1990) 369-384
- Agre, P.E., Interview with Allen Newell 59 (1993) 415-449
- Agre, P.E., Computational research on interaction and agency 72 (1995) 1- 52
- Ahmad, S., Book review of *Connectionist Models: Proceedings of the 1990 Summer School* (David Touretzky, Jeffrey Elman, Terence Sejnowski and Geoffrey Hinton, eds.) 62 (1993) 117-127
- Ahuja, N. and R. Horaud, Introduction to the Special Volume on Computer Vision 78 (1995) 1- 3
- Ahuja, N., see Das, S. 83 (1996) 241-266
- Aikins, J.S., Prototypical knowledge for expert systems 20 (1983) 163-210
- Aikins, J.S., Prototypical knowledge for expert systems: a retrospective analysis 59 (1993) 207-211
- Aikins, J.S., see Stefik, M.J. 18 (1982) 135-173
- Aikins, J.S., see Stefik, M.J. 59 (1993) 221-224
- Aisbett, J. and G. Gibbon, A tunable distance measure for coloured solid models 65 (1994) 143-164
- Akman, V., Book review of *Formalizing Common Sense: Papers by John McCarthy* (V. Lifschitz, ed.) 77 (1995) 359-369
- Allemang, D., see Bylander, T. 49 (1991) 25- 60

- Allen, J.F., Towards a general theory of action and time 23 (1984) 123–154
- Allen, J.F. and C.R. Perrault, Analyzing intention in utterances 15 (1980) 143–178
- Allis, L.V., M. van der Meulen and H.J. van den Herik, Proof-number search 66 (1994) 91–124
- Almuallim, H., An efficient algorithm for optimal pruning of decision trees 83 (1996) 347–362
- Almuallim, H. and T.G. Dietterich, Learning Boolean concepts in the presence of many irrelevant features 69 (1994) 279–305
- Altay Güvenir, H. and G.W. Ernst, Learning problem solving strategies using refinement and macro generation 44 (1990) 209–243
- Alterman, R., A dictionary based on concept coherence 25 (1985) 153–186
- Althöfer, I., An incremental negamax algorithm 43 (1990) 57–65
- Althöfer, I., Data compression using an intelligent generator: the storage of chess games as an example (Research Note) 52 (1991) 109–113
- Althöfer, I. and B. Balkenhol, A game tree with distinct leaf values which is easy for the alpha-beta algorithm (Research Note) 52 (1991) 183–190
- Amarel, S., see Weiss, S.M. 11 (1978) 145–172
- Ambler, A.P., H.G. Barrow, C.M. Brown, R.M. Burstall and R.J. Popplestone, A versatile system for computer-controlled assembly 6 (1975) 129–156
- Ambler, A.P. and R.J. Popplestone, Inferring the positions of bodies from specified spatial relationships 6 (1975) 157–174
- Ambler, A.P., see Popplestone, R.J. 14 (1980) 79–107
- Ammon, K., An automatic proof of Gödel's incompleteness theorem (Research Note) 61 (1993) 291–306
- Anantharaman, T., M.S. Campbell and F.-H. Hsu, Singular extensions: adding selectivity to brute-force searching 43 (1990) 99–109
- Andersen, S.K., Book review of *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference* (Judea Pearl) 48 (1991) 117–124
- Anderson, J.R., Cognitive Psychology (Correspondent's Report) 23 (1984) 1–11
- Anderson, J.R., A theory of the origins of human knowledge 40 (1989) 313–351
- Anderson, J.R., C.F. Boyle, A.T. Corbett and M.W. Lewis, Cognitive modeling and intelligent tutoring 42 (1990) 7–49
- Anderson, R.B., Book review of *Symbolic Logic and Mechanical Theorem Proving* (Chin-Liang Chang and Richard Chang-Tung Lee) 4 (1973) 245–246
- André, E., see Wahlster, W. 63 (1993) 387–427
- Appelt, D.E., Planning English referring expressions 26 (1985) 1–33
- Appelt, D.E., see Grosz, B.J. 32 (1987) 173–243
- Appelt, D.E., see Hobbs, J.R. 63 (1993) 69–142
- Arbib, M.A., Book review of *The Cognitive Structure of Emotions* (Andrew Ortony, Gerald L. Clore and Allan

- Collins) 54 (1992) 229–240
- Arbib, M.A., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 265–283
- Arbib, M.A. and J.-S. Liaw, Sensorimotor transformations in the worlds of frogs and robots 72 (1995) 53–79
- Arlazarov, V.L., see Adelson-Velskiy, G.M. 6 (1975) 361–371
- Arnon, D.S., Geometric reasoning with logic and algebra 37 (1988) 37–60
- Ash, D. and B. Hayes-Roth, Using action-based hierarchies for real-time diagnosis 88 (1996) 317–347
- Auguste, D., Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown, eds.) 26 (1985) 233–238
- Auguste, D., Erratum 27 (1985) 248
- Auton, L.D., see Crawford, J.M. 81 (1996) 31–57
- Baader, F., M. Buchheit and B. Hollunder, Cardinality restrictions on concepts 88 (1996) 195–213
- Bacchus, F., A.J. Grove, J.Y. Halpern and D. Koller, From statistical knowledge bases to degrees of belief 87 (1996) 75–143
- Bacchus, F., J. Tenenbergh and J.A. Koomen, A non-reified temporal logic (Research Note) 52 (1991) 87–108
- Bacchus, F. and Q. Yang, Downward refinement and the efficiency of hierarchical problem solving 71 (1994) 43–100
- Bäckström, C., Expressive equivalence of planning formalisms (Technical Note) 76 (1995) 17–34
- Bäckström, C., see Nebel, B. 66 (1994) 125–160
- Badler, N., see Webber, B. 73 (1995) 253–269
- Bagchi, A., see Sen A.K. 86 (1996) 43–73
- Baker, A.B., Nonmonotonic reasoning in the framework of situation calculus 49 (1991) 5–23
- Baker, R., A spatially-oriented information processor which simulates the motions of rigid objects 4 (1973) 29–40
- Balcázar, J.L., The complexity of searching implicit graphs (Research Note) 86 (1996) 171–188
- Balkenhol, B., see Althöfer, I. 52 (1991) 183–190
- Ballard, D.H., Parameter nets 22 (1984) 235–267
- Ballard, D.H., Animate vision 48 (1991) 57–86
- Ballard, D.H., see Rao, R.P.N. 78 (1995) 461–505
- Ballard, B.W., The *-minimax search procedure for trees containing chance nodes 21 (1983) 327–350
- Balzer, R., see Stefik, M.J. 18 (1982) 135–173
- Balzer, R., see Stefik, M.J. 59 (1993) 221–224
- Banerji, R.B. and G.W. Ernst, Strategy construction using homomorphisms between games 3 (1972) 223–249
- Bareiss, R., see Porter, B.W. 45 (1990) 229–263
- Barnard, S.T., Interpreting perspective images 21 (1983) 435–462

- Barnett, J.A., How much is control knowledge worth? A primitive example 22 (1984) 77–89
- Barrett, A. and D.S. Weld, Partial-order planning: evaluating possible efficiency gains 67 (1994) 71–112
- Barrow, H.G., VERIFY: a program for proving correctness of digital hardware designs 24 (1984) 437–491
- Barrow, H.G. and J.M. Tenenbaum, Interpreting line drawings as three-dimensional surfaces 17 (1981) 75–116
Erratum 18 (1982) 263
- Barrow, H.G. and J.M. Tenenbaum, Retrospective on “Interpreting line drawings as three-dimensional surfaces” 59 (1993) 71–80
- Barrow, H.G., see Ambler, A.P. 6 (1975) 129–156
- Barrow, H.G., see Tenenbaum, J.M. 8 (1977) 241–274
- Barry, M., D. Cyrluk, D. Kapur, J.L. Mundy and V.-D. Nguyen, A multi-level geometric reasoning system for vision 37 (1988) 291–332
- Barstow, D.R., An experiment in knowledge-based automatic programming 12 (1979) 73–119
Barstow, D.R., see Green, C. 10 (1978) 241–279
- Barto, A.G., S.J. Bradtke and S.P. Singh, Learning to act using real-time dynamic programming 72 (1995) 81–138
- Basili, R., M.T. Pazzienza and P. Velardi, An empirical symbolic approach to natural language processing 85 (1996) 59–99
- Basri, R. and E. Rivlin, Localization and homing using combinations of model views 78 (1995) 327–354
- Basye, K., T. Dean and L.P. Kaelbling, Learning dynamics: system identification for perceptually challenged agents 72 (1995) 139–171
- Batali, J., Book review of *The Rediscovery of the Mind* (John R. Searle) 77 (1995) 177–193
- Battle, D.L. and M.D. Vose, Isomorphisms of genetic algorithms (Research Note) 60 (1993) 155–165
- Baudet, G.M., On the branching factor of the alpha-beta pruning algorithm 10 (1978) 173–199
- Bauer, M.A., Programming by examples 12 (1979) 1–21
- Bayardo Jr, R.J. and D.P. Miranker, An optimal backtrack algorithm for tree-structured constraint satisfaction problems 71 (1994) 159–181
- Beal, D.F., A generalised quiescence search algorithm 43 (1990) 85–98
- Becher, V., see Boutilier, C. 77 (1995) 43–94
- Becker, A. and D. Geiger, Optimization of Pearl’s method of conditioning and greedy-like approximation algorithms for the vertex feedback set problem 83 (1996) 167–188
- Becker, S., Book review of *Introduction to Neural and Cognitive Modeling* (D.S. Levine) 62 (1993) 113–116
- Beckman, L., A. Haraldson, Ö. Oskarsson and E. Sandewall, A partial evaluator, and its use as a programming tool 7 (1976) 319–357

- Beer, R.D., A dynamical systems perspective on agent-environment interaction 72 (1995) 173–215
- Beierle, C., U. Hedtstück, U. Pletat, P.H. Schmitt and J. Siekmann, An order-sorted logic for knowledge representation systems 55 (1992) 149–191
- Belew, R.K., Book review of *Neuroscience and Connectionist Theory* (Mark A. Gluck and David E. Rumelhart, eds.) 62 (1993) 153–161
- Bell, J., The logic of nonmonotonicity (Research Note) 41 (1990) 365–374
- Bell, J., Extended causal theories (Research Note) 48 (1991) 211–224
- Bellos, I.M., see Popplestone, R.J. 14 (1980) 79–107
- Ben-Eliyahu, R. and R. Dechter, Default reasoning using classical logic 84 (1996) 113–150
- Bennett, S.W., see DeJong, G.F. 89 (1997) 173–217
- Benoit, J., see Stefik, M.J. 18 (1982) 135–173
- Benoit, J., see Stefik, M.J. 59 (1993) 221–224
- Berger, J., Book review of *Computers and Musical Style* (David Cope) 79 (1995) 343–348
- Berlin, D., Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (1984) 242–244
- Berliner, H.J., A chronology of computer chess and its literature (Review Article) 10 (1978) 201–214
- Berliner, H.J., The B* tree search algorithm: a best-first proof procedure 12 (1979) 23–40
- Berliner, H.J., Backgammon computer program beats world champion (Performance Note) 14 (1980) 205–220
- Berliner, H.J. and M.S. Campbell, Using chunking to solve chess pawn endgames 23 (1984) 97–120
- Berliner, H.J. and C. Ebeling, The SUPREM architecture: a new intelligent paradigm (Research Note) 28 (1986) 3–8
- Berliner, H.J. and C. Ebeling, Pattern knowledge and search: the SUPREM architecture 38 (1989) 161–198
- Berliner, H.J., G. Goetsch, M.S. Campbell and C. Ebeling, Measuring the performance potential of chess programs 43 (1990) 7–20
- Berliner, H.J. and C. McConnell, B* probability based search 86 (1996) 97–156
- Bertoni, A. and M. Dorigo, Implicit parallelism in genetic algorithms (Research Note) 61 (1993) 307–314
- Besnard, P., Y. Moinard and R.E. Mercer, The importance of open and recursive circumscription (Research Note) 39 (1989) 251–262
- Bessière, C., Arc-consistency and arc-consistency again (Research Note) 65 (1994) 179–190
- Bhaskar, R. and A. Nigam, Qualitative physics using dimensional analysis 45 (1990) 73–111
- Bibel, W., Syntax-directed, semantics-supported program synthesis 14 (1980) 243–261

- Bibel, W., A comparative study of several proof procedures 18 (1982) 269–293
- Bibel, W., Constraint satisfaction from a deductive viewpoint (Research Note) 35 (1988) 401–413
- Bibel, W., see Brüning, S. 64 (1993) 353–354
- Bic, L., Processing of semantic nets on dataflow architectures 27 (1985) 219–227
- Biermann, A.W., On the inference of Turing machines from sample computations 3 (1972) 181–198
- Binford, T.O., Inferring surfaces from images 17 (1981) 205–244
- Binford, T.O., see Nevatia, R. 8 (1977) 77–98
- Birnbaum, L., Rigor mortis: a response to Nilsson's "Logic and artificial intelligence" 47 (1991) 57–77
- Birnbaum, L., see Stefik, M.J. 18 (1982) 135–173
- Birnbaum, L., see Stefik, M.J. 59 (1993) 221–224
- Blake, A., M. Isard and D. Reynard, Learning to track the visual motion of contours 78 (1995) 179–212
- Blake, A. and C. Marinos, Shape from texture: estimation, isotropy and moments 45 (1990) 323–380
- Bledsoe, W.W., Splitting and reduction heuristics in automatic theorem proving 2 (1971) 55–77
- Bledsoe, W.W., Non-resolution theorem proving 9 (1977) 1–35
- Bledsoe, W.W., R.S. Boyer and W.H. Henneman, Computer proofs of limit theorems 3 (1972) 27–60
- Bledsoe, W.W. and P. Bruell, A man-machine theorem-proving system 5 (1974) 51–72
- Bledsoe, W.W., K. Kunen and R.E. Shostak, Completeness results for inequality provers 27 (1985) 255–288
- Blount, S.E., see Koffman, E.B. 6 (1975) 215–234
- Blumenthal, B. and B.W. Porter, Analysis and empirical studies of derivational analogy 67 (1994) 287–327
- Bobrow, D.G., Qualitative reasoning about physical systems: an introduction 24 (1984) 1–5
- Bobrow, D.G., Dedication 59 (1993) 1–3
- Bobrow, D.G., Artificial intelligence in perspective: a retrospective on fifty volumes of the *Artificial Intelligence Journal* 59 (1993) 5–20
- Bobrow, D.G., Editorial introduction 60 (1993) 197
- Bobrow, D.G. and P.J. Hayes, Artificial Intelligence—where are we? 25 (1985) 375–415
- Bobrow, D.G., R.M. Kaplan, M. Kay, D.A. Norman, H. Thompson and T. Winograd, GUS, a frame-driven dialog system 8 (1977) 155–173
- Bobrow, D.G., see Stefik, M.J. 31 (1987) 220–226
- Boddy, M. and T.L. Dean, Deliberation scheduling for problem solving in time-constrained environments 67 (1994) 245–285
- Boddy, M., see Dean, T.L. 36 (1988) 375–399

- Boden, M., Modelling creativity: a reply to the reviewers 79 (1995) 161–182
- Boguraev, B., see Pustejovsky, J. 63 (1993) 193–223
- Boissonat, J.D., see Faugeras, O.D. 44 (1990) 41– 87
- Bojadžiev, D., Sloman's view of Gödel's sentence (Research Note) 74 (1995) 389–393
- Boley, H., Directed recursive labelnode hypergraphs: a new representation-language 9 (1977) 49– 85
- Booker, L.B., D.E. Goldberg and J.H. Holland, Classifier systems and genetic algorithms 40 (1989) 235–282
- Borgida, A., On the relative expressiveness of description logics and predicate logics (Research Note) 82 (1996) 353–367
- Bossu, G. and P. Siegel, Saturation, nonmonotonic reasoning, and the closed-world assumption 25 (1985) 13– 63
- Boufama, B., see Mohr, R. 78 (1995) 213–238
- Boutilier, C., Unifying default reasoning and belief revision in a modal framework 68 (1994) 33– 85
- Boutilier, C., Conditional logics of normality: a modal approach 68 (1994) 87–154
- Boutilier, C., Abduction to plausible causes: an event-based model of belief update 83 (1996) 143–166
- Boutilier, C. and V. Becher, Abduction as belief revision 77 (1995) 43– 94
- Boutilier, C., see Dearden, R. 89 (1997) 219–283
- Boyer, R.S., see Bledsoe, W.W. 3 (1972) 27– 60
- Boyle, C.F., see Anderson, J.R. 42 (1990) 7– 49
- Božinović, R.M., see Srihari, S.N. 33 (1987) 217–255
- Brachman, R.J., H.J. Levesque and R. Reiter, Introduction to the Special Volume on Knowledge Representation 49 (1991) 1– 3
- Bradtke, S.J., see Barto, A.G. 72 (1995) 81–138
- Brady, M., Book review of *Artificial Intelligence and Natural Man* (Margaret Boden) 11 (1978) 267–269
- Brady, M., Book review of *Techniques of Artificial Intelligence* (Stuart C. Shapiro) 14 (1980) 109–110
- Brady, M., Preface—the changing shape of computer vision 17 (1981) 1– 15
- Brady, M., Computer vision (Correspondent's Report) 19 (1982) 7– 16
- Brady, M., Parallelism in vision (Correspondent's Report) 21 (1983) 271–283
- Brady, M., Artificial Intelligence and Robotics 26 (1985) 79–121
- Brady, M., see Connell, J.H. 31 (1987) 159–183
- Brady, M., see Horaud, R. 37 (1988) 333–353
- Brady, J.M., see Reid, I.D. 78 (1995) 289–326
- Brand, D., Analytic resolution in theorem proving 7 (1976) 285–318
- Brand, M., P. Prokopowicz and C. Elliott, Book review of *From Animals to Animats: Proceedings of the First International Conference on Simulation of Adaptive Behavior* (Jean-Arcady Meyer and Stewart W. Wilson, eds.) 73 (1995) 307–322
- Brand, P., see Mohr, R. 78 (1995) 213–238

- Bray, A.J., L.J. Cahill and J.P. Rae, Book review of *Foundations of Cognitive Science* (Michael I. Posner, ed.) 52 (1991) 319-328
- Brewka, G., Cumulative Default Logic: in defense of non-monotonic inference rules 50 (1991) 183-205
- Brewka, G., see Witteveen, C. 61 (1993) 1- 36
- Brice, C.R. and C.L. Fennema, Scene analysis using regions 1 (1970) 205-226
- Brooks, R.A., Symbolic reasoning among 3-D models and 2-D images 17 (1981) 285-348
- Brooks, R.A., Intelligence without representation 47 (1991) 139-159
- Brooks, R.R., S.S. Iyengar and J. Chen, Automatic correlation and calibration of noisy sensor readings using elite genetic algorithms 84 (1996) 339-354
- Brown, C.M., see Ambler, A.P. 6 (1975) 129-156
- Brown, F.M., Doing arithmetic without diagrams 8 (1977) 175-200
- Brown, F.M., Towards the automation of set theory and its logic 10 (1978) 281-316
- Brown, F.M., An investigation into the goals of research in automatic theorem proving as related to mathematical reasoning 14 (1980) 221-242
- Brown, F.M., An experimental logic based on the fundamental deduction principle 30 (1986) 117-263
- Brown, F.M. and S.-Å. Tärnlund, Inductive reasoning on recursive equations 12 (1979) 207-229
- Brown, J.S., see De Kleer, J. 24 (1984) 7- 83
- Brown, J.S., see De Kleer, J. 29 (1986) 33- 61
- Brown, J.S., see Lenat, D.B. 23 (1984) 269-294
- Bruce, B.C., A model for temporal references and its application in a question answering program 3 (1972) 1- 25
- Bruce, B.C., Case systems for natural language 6 (1975) 327-360
- Bruell, P., see Bledsoe, W.W. 5 (1974) 51- 72
- Brüning, S., M. Thielscher and W. Bibel, Letter to the Editor 64 (1993) 353-354
- Brusoni, V., L. Console and P. Terenziani, On the computational complexity of querying bounds on differences constraints (Research Note) 74 (1995) 367-379
- Bruynooghe, M., see De Raedt, L. 53 (1992) 291-307
- Bruynooghe, M., see De Schreye, D. 41 (1990) 237-248
- Bruynooghe, M., see Sablon, G. 69 (1994) 393-409
- Buchanan, B.G. and E.A. Feigenbaum, Dendral and Meta-Dendral: their applications dimension 11 (1978) 5- 24
- Buchanan, B.G., see Davis, R. 8 (1977) 15- 45
- Buchanan, B.G., see Davis, R. 59 (1993) 181-189
- Buchanan, B.G., see Feigenbaum, E.A. 59 (1993) 233-240
- Buchanan, B.G., see Lindsay, R.K. 61 (1993) 209-261
- Buchheit, M., see Baader, F. 88 (1996) 195-213

- Bundy, A., Will it reach the top? Prediction in the mechanics world 10 (1978) 129–146
- Bundy, A., F. Giunchiglia, R. Sebastiani and T. Walsh, Calculating criticalities 88 (1996) 39– 67
- Bundy, A., B. Silver and D. Plummer, An analytical comparison of some rule-learning programs 27 (1985) 137–181
- Bundy, A., A. Stevens, F. van Harmelen, A. Ireland and A. Smaill, Rippling: a heuristic for guiding inductive proofs 62 (1993) 185–253
- Bundy, A. and B. Welham, Using meta-level inference for selective application of multiple rewrite rule sets in algebraic manipulation 16 (1981) 189–211
- Bundy, A., see Van Harmelen, F. 36 (1988) 401–412
- Buntine, W., Generalized subsumption and its applications to induction and redundancy 36 (1988) 149–176
- Bürckert, H.-J., A resolution principle for constrained logics 66 (1994) 235–271
- Burstall, R.M., see Ambler, A.P. 6 (1975) 129–156
- Buxton, H. and S. Gong, Visual surveillance in a dynamic and uncertain world 78 (1995) 431–459
- Bylander, T., The computational complexity of propositional STRIPS planning 69 (1994) 165–204
- Bylander, T., A probabilistic analysis of propositional STRIPS planning 81 (1996) 241–271
- Bylander, T., D. Allemang, M.C. Tanner and J.R. Josephson, The computational complexity of abduction 49 (1991) 25– 60
- Cadoli, M., F.M. Donini and M. Schaerf, Is intractability of nonmonotonic reasoning a real drawback? 88 (1996) 215–251
- Cadoli, M., T. Eiter and G. Gottlob, An efficient method for eliminating varying predicates from a circumscription (Research Note) 54 (1992) 397–410
- Cadoli, M., see Schaerf, M. 74 (1995) 249–310
- Cahill, L.J., see Bray, A.J. 52 (1991) 319–328
- Campbell, M.S. and T.A. Marsland, A comparison of minimax tree search algorithms 20 (1983) 347–367
- Campbell, M.S., see Anantharaman, T. 43 (1990) 99–109
- Campbell, M.S., see Berliner, H.J. 23 (1984) 97–120
- Campbell, M.S., see Berliner, H.J. 43 (1990) 7– 20
- Canny, J., Constructing roadmaps of semi-algebraic sets I: completeness 37 (1988) 203–222
- Carbonell, J.G., Towards a process model of human personality traits 15 (1980) 49– 74
- Carbonell, J.G., Counterplanning: a strategy-based model of adversary planning in real world situations 16 (1981) 295–329
- Carbonell, J.G., Introduction: paradigms for machine learning 40 (1989) 1– 9
- Carbonell, J.G., see Minton, S. 40 (1989) 63–118

- Carroll, G., see Charniak, E. 85 (1996) 45- 57
- Cassandra, A., see Charniak, E. 85 (1996) 45- 57
- Chakrabarti, P.P., Algorithms for searching explicit AND/OR graphs and their applications to problem reduction search 65 (1994) 329-345
- Chakrabarti, P.P., S. Ghose and S.C. DeSarkar, Heuristic search through islands (Research Note) 29 (1986) 339-347
- Chakrabarti, P.P., S. Ghose and S.C. DeSarkar, Admissibility of AO* when heuristics overestimate (Research Note) 34 (1988) 97-113
- Chakrabarti, P.P., S. Ghose, A. Acharya and S.C. DeSarkar, Heuristic search in restricted memory (Research Note) 41 (1990) 197-221
- Chakrabarti, P.P., see Dasgupta, P. 71 (1994) 195-208
- Chakrabarti, P.P., see Dasgupta, P. 77 (1995) 173-176
- Chakrabarti, P.P., see Dasgupta, P. 82 (1996) 237-257
- Chakrabarti, P.P., see Sarkar, U.K. 50 (1991) 207-221
- Chandrasekaran, B., see Flinchbaugh, B.E. 17 (1981) 387-407
- Chang, C.L., Renamable paramodulation for automatic theorem proving with equality 1 (1970) 247-256
- Chang, C.L. and J.R. Slagle, An admissible and optimal algorithm for searching AND/OR graphs 2 (1971) 117-128
- Chang, C.L. and J.R. Slagle, Using rewriting rules for connection graphs to prove theorems 12 (1979) 159-178
- Chapman, D., Planning for conjunctive goals 32 (1987) 333-377
- Charniak, E., On the use of framed knowledge in language comprehension 11 (1978) 225-265
- Charniak, E., A common representation for problem-solving and language-comprehension information 16 (1981) 225-255
- Charniak, E., Motivation analysis, abductive unification, and nonmonotonic equality 34 (1988) 275-295
- Charniak, E., G. Carroll, J. Adcock, A. Cassandra, Y. Gotoh, J. Katz, M. Littman and J. McCann, Taggers for parsers 85 (1996) 45- 57
- Charniak, E. and R.P. Goldman, A Bayesian model of plan recognition 64 (1993) 53- 79
- Charniak, E. and S.E. Shimony, Cost-based abduction and MAP explanation 66 (1994) 345-374
- Chella, A., M. Frixione and S. Gaglio, A cognitive architecture for artificial vision 89 (1997) 73-111
- Chellappa, R., see Frankot, R.T. 43 (1990) 271-310
- Chen, C.-T., see Lin, W.-C. 38 (1989) 207-224
- Chen, J., see Brooks, R.R. 84 (1996) 339-354
- Chen, S.S., J.M. Keller and R.M. Crownover, Shape from fractal geometry 43 (1990) 199-218
- Cherniavsky, A.L., A program for timetable compilation by a look-ahead method 3 (1972) 61- 76
- Chester, D., The translation of formal proofs into English 7 (1976) 261-278

- Chester, D., Book review of *A Flexible Efficient Computer System to Answer Human Questions* (John Craig Comfort) 7 (1976) 363–365
- Chickering, D.M., see Korf, R.E. 84 (1996) 299–337
- Chiu, C., see Kuipers, B.J. 51 (1991) 343–379
- Chou, T.-C., see Kanatani, K. 38 (1989) 1– 48
- Clancey, W.J., Book review of *Conceptual Structures—Information Processing in Mind and Machine* [Systems Programming Series] (J.F. Sowa) 27 (1985) 113–124
- Clancey, W.J., The epistemology of a rule-based expert system—a framework for explanation 20 (1983) 215–251
- Clancey, W.J., Heuristic classification 27 (1985) 289–350
- Clancey, W.J., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 232–250
- Clancey, W.J., Book review of *The Invention of Memory: A New View to the Brain* (Israel Rosenfield) 50 (1991) 241–284
- Clancey, W.J., Model construction operators 53 (1992) 1–115
- Clancey, W.J., Notes on “Heuristic classification” 59 (1993) 191–196
- Clancey, W.J., Notes on “Epistemology of a rule-based expert system” 59 (1993) 197–204
- Clancey, W.J., The biology of consciousness: comparative review of *The Strange, Familiar, and Forgotten: An Anatomy of Consciousness* (Israel Rosenfield) and *Bright Air, Brilliant Fire: On the Matter of Mind* (Gerald M. Edelman) 60 (1993) 313–356
- Clancey, W.J. and E. Soloway, Artificial intelligence and learning environments: Preface 42 (1990) 1– 6
- Claybrook, B.G., A new approach to the symbolic factorization of multivariate polynomials 7 (1976) 203–241
- Clearwater, S.H. and T. Hogg, Problem structure heuristics and scaling behavior for genetic algorithms 81 (1996) 327–347
- Clowes, M.B., On seeing things 2 (1971) 79–116
- Cohen, B.L., The mechanical discovery of certain problem symmetries 8 (1977) 119–131
- Cohen, B.L., A powerful and efficient structural pattern recognition system 9 (1977) 223–255
- Cohen, D.A., see Cooper, M.C. 65 (1994) 347–361
- Cohen, D.A., see Gyssens, M. 66 (1994) 57– 89
- Cohen, E., Computational theory for interpreting handwritten text in constrained domains 68 (1994) 1– 31
- Cohen, P. and B. Porter, Editorial 85 (1996) 1– 2
- Cohen, P.R. and H.J. Levesque, Intention is choice with commitment 42 (1990) 213–261
- Cohen, P.R., see Howe, A.E. 76 (1995) 125–166
- Cohen, W.W., Grammatically biased learning: learning logic programs using an explicit antecedent description language 68 (1994) 303–366

- Cohen, W.W., Pac-learning non-recursive Prolog clauses 79 (1995) 1–38
- Coiera, E.W., Qualitative superposition 56 (1992) 171–196
- Colby, K.M., F.D. Hilf, S. Weber and H.C. Kraemer, Turing-like indistinguishability tests for the validation of a computer simulation of paranoid processes 3 (1972) 199–221
- Colby, K.M., S. Weber and F.D. Hilf, Artificial paranoia 2 (1971) 1–25
- Colby, K.M., see Parkison, R.C. 9 (1977) 111–134
- Collins, H.M., Embedded or embodied?: a review of Hubert Dreyfus' *What Computers Still Can't Do* 80 (1996) 99–117
- Colombetti, M., Formal semantics for mutual belief (Research Note) 62 (1993) 341–353
- Colombetti, M., see Dorigo, M. 71 (1994) 321–370
- Connell, J.H. and Brady, M., Generating and generalizing models of visual objects 31 (1987) 159–183
- Connell, J., see Mahadevan, S. 55 (1992) 311–365
- Console, L., see Brusoni, V. 74 (1995) 367–379
- Converse, T.M., see Hammond, K.J. 72 (1995) 305–327
- Cooper, G.F., The computational complexity of probabilistic inference using Bayesian belief networks (Research Note) 42 (1990) 393–405
- Cooper, G.F., see Suermondt, H.J. 50 (1991) 83–94
- Cooper, M.C., An optimal k -consistency algorithm (Research Note) 41 (1990) 89–95
- Cooper, M.C., D.A. Cohen and P.G. Jeavons, Characterising tractable constraints (Research Note) 65 (1994) 347–361
- Cooper, M.C., see Jeavons, P.G. 79 (1995) 327–339
- Cooper, P.R. and M.J. Swain, Arc consistency: parallelism and domain dependence 58 (1992) 207–235
- Cooper, R., J. Fox, J. Farringdon and T. Shallice, A systematic methodology for cognitive modelling 85 (1996) 3–44
- Corbett, A.T., see Anderson, J.R. 42 (1990) 7–49
- Cox, I.J. and J.J. Leonard, Modeling a dynamic environment using a Bayesian multiple hypothesis approach 66 (1994) 311–344
- Crawford, J.M. and L.D. Auton, Experimental results on the crossover point in random 3-SAT 81 (1996) 31–57
- Crawford, J.M., see Schrag, R. 81 (1996) 199–222
- Cremonini, R., see Addanki, S. 51 (1991) 145–177
- Croft, W., Book review of *Representations of Commonsense Knowledge* (E. Davis) 61 (1993) 105–112
- Crouch, R.S. and S.G. Pulman, Time and modality in a natural language interface to a planning system 63 (1993) 265–304
- Crownover, R.M., see Chen, S.S. 43 (1990) 199–218
- Culbertson, J., see Schaeffer, J. 53 (1992) 273–289
- Culhane, S.M., see Tsotsos, J.K. 78 (1995) 507–545
- Currie, K. and A. Tate, O-Plan: the open planning architecture 52 (1991) 49–86

- Cushing, S., Some quantifiers require two-predicate scopes (Research Note) 32 (1987) 259-267
- Cvetković, D. and I. Pevac, Man-machine theorem proving in graph theory 35 (1988) 1- 23
- Cyrluk, D., see Barry, M. 37 (1988) 291-332
- Džeroski, S., see De Raedt, L. 70 (1994) 375-392
- Dagum, P. and M. Luby, Approximating probabilistic inference in Bayesian belief networks is NP-hard (Research Note) 60 (1993) 141-153
- Dalle Molle, D.T., see Kuipers, B.J. 51 (1991) 343-379
- Daniels, C.J., see Mahanti, A. 60 (1993) 243-282
- Darden, L., see Strom, J.D. 80 (1996) 151-170
- Darlington, J., An experimental program transformation and synthesis system 16 (1981) 1- 46
- Darwiche, A. and J. Pearl, On the logic of iterated belief revision 89 (1997) 1- 29
- Darwish, N.M., A quantitative analysis of the alpha-beta pruning algorithm 21 (1983) 405-433
- Das, S. and N. Ahuja, Active surface estimation: integrating coarse-to-fine image acquisition and estimation from multiple cues 83 (1996) 241-266
- Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, Searching game trees under a partial order 82 (1996) 237-257
- Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, Agent searching in a tree and the optimality of iterative deepening (Research Note) 71 (1994) 195-208
- Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, A correction to "Agent searching in a tree and the optimality of iterative deepening" (Research Note) 77 (1995) 173-176
- Daun, B., see Zweben, M. 58 (1992) 271-296
- Davis, E., Constraint propagation with interval labels 32 (1987) 281-331
- Davis, E., *Representations of Commonsense Knowledge*: response to the reviews 61 (1993) 175-179
- Davis, E., see McDermott, D. 22 (1984) 107-156
- Davis, E., see Zweben, M. 58 (1992) 271-296
- Davis, L.S. and A. Rosenfeld, Cooperating processes for low-level vision: a survey 17 (1981) 245-263
- Davis, M., The mathematics of non-monotonic reasoning (Technical Note) 13 (1980) 73- 80
- Davis, N., see Tsotsos, J.K. 78 (1995) 507-545
- Davis, R., Interactive transfer of expertise: acquisition of new inference rules 12 (1979) 121-157
- Davis, R., Meta-rules: reasoning about control 15 (1980) 179-222
- Davis, R., Content reference: reasoning about rules 15 (1980) 223-239

- Davis, R., Diagnostic reasoning based on structure and behavior 24 (1984) 347–410
- Davis, R., Retrospective on "Diagnostic reasoning based on structure and behavior" 59 (1993) 149–157
- Davis, R., B.G. Buchanan and E.H. Shortliffe, Production rules as a representation for a knowledge-based consultation program 8 (1977) 15–45
- Davis, R., B.G. Buchanan and E.H. Shortliffe, Retrospective on "Production rules as a representation for a knowledge-based consultation program" 59 (1993) 181–189
- Davis, R. and R.G. Smith, Negotiation as a metaphor for distributed problem solving 20 (1983) 63–109
- Davis, R., see Frieditis, A. 74 (1995) 165–175
- Deale, M., see Zweben, M. 58 (1992) 271–296
- Dean, T., see Basye, K. 72 (1995) 139–171
- Dean, T.L., see Boddy, M. 67 (1994) 245–285
- Dean, T.L. and D.V. McDermott, Temporal data base management 32 (1987) 1–55
- Dean, T.L. and M. Boddy, Reasoning about partially ordered events 36 (1988) 375–399
- Dean, T., L.P. Kaelbling, J. Kirman and A. Nicholson, Planning under time constraints in stochastic domains 76 (1995) 35–74
- Dearden, R. and C. Boutilier, Abstraction and approximate decision-theoretic planning 89 (1997) 219–283
- De Bruin, A., see Plaat, A. 87 (1996) 255–293
- Dechter, A., see Dechter, R. 82 (1996) 1–20
- Dechter, R., From local to global consistency 55 (1992) 87–107
- Dechter, R., Enhancement schemes for constraint processing: backjumping, learning and cutset decomposition 41 (1990) 273–312
- Dechter, R. and A. Dechter, Structure-driven algorithms for truth maintenance 82 (1996) 1–20
- Dechter, R., I. Meiri and J. Pearl, Temporal constraint networks 49 (1991) 61–95
- Dechter, R. and I. Meiri, Experimental evaluation of preprocessing algorithms for constraint satisfaction problems 68 (1994) 211–241
- Dechter, R. and J. Pearl, Network-based heuristics for constraint-satisfaction problems 34 (1988) 1–38
- Dechter, R. and J. Pearl, Tree clustering for constraint networks (Research Note) 38 (1989) 353–366
- Dechter, R. and J. Pearl, Structure identification in relational data 58 (1992) 237–270
- Dechter, R., see Ben-Eliyahu, R. 84 (1996) 113–150
- Dechter, R., see Huyn, N. 15 (1980) 241–254
- Dechter, R., see Meiri, I. 86 (1996) 245–267
- DeCoste, D., Dynamic across-time measurement interpretation 51 (1991) 273–341
- DeJong, G.F., Learning to plan in continuous domains 65 (1994) 71–141

- DeJong, G.F. and S.W. Bennett, Permissive planning: extending classical planning to uncertain task domains 89 (1997) 173-217
- DeJong, G. and J. Gratch, Book review of *Learning Search Control Knowledge: An Explanation-Based Approach* (Steve Minton) 50 (1991) 117-127
- DeJong, G.F., see Gratch, J. 88 (1996) 101-142
- DeJong, G.F., see Shavlik, J.W. 45 (1990) 1- 45
- Dekker, S.T., H.J. van den Herik and I.S. Herschberg, Perfect knowledge revisited 43 (1990) 111-123
- De Kleer, J., Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) 22 (1984) 222-226
- De Kleer, J., How circuits work 24 (1984) 205-280
- De Kleer, J., Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) 25 (1985) 105-107
- De Kleer, J., An assumption-based TMS 28 (1986) 127-162
- De Kleer, J., Extending the ATMS 28 (1986) 163-196
- De Kleer, J., Problem solving with the ATMS 28 (1986) 197-224
- De Kleer, J., Using crude probability estimates to guide diagnosis (Research Note) 45 (1990) 381-391
- De Kleer, J., A perspective on assumption-based truth maintenance 59 (1993) 63- 67
- De Kleer, J., A view on qualitative physics 59 (1993) 105-114
- De Kleer, J. and J.S. Brown, A qualitative physics based on confluences 24 (1984) 7- 83
- De Kleer, J. and J.S. Brown, Theories of causal ordering 29 (1986) 33- 61
- De Kleer, J. and K. Konolige, Eliminating the fixed predicates from a circumscription (Research Note) 39 (1989) 391-398
- De Kleer, J., A.K. Mackworth and R. Reiter, Characterizing diagnoses and systems 56 (1992) 197-222
- De Kleer, J. and B.C. Williams, Diagnosing multiple faults 32 (1987) 97-130
- De Kleer, J., see Williams, B.C. 51 (1991) 1- 9
- Delcher, A.L., see Kasif, S. 69 (1994) 307-327
- Del Favero, B., see Pradhan, M. 85 (1996) 363-397
- Delgrande, J.P., A first-order conditional logic for prototypical properties 33 (1987) 105-130
- Delgrande, J.P., An approach to default reasoning based on a first-order conditional logic: revised report 36 (1988) 63- 90
- Delgrande, J.P., T. Schaub and W.K. Jackson, Alternative approaches to default logic 70 (1994) 167-237
- Dennett, D.C., Recent work in philosophy of interest to AI (Correspondent's Report) 19 (1982) 3- 5
- Dennett, D.C., Recent work in philosophy II (Correspondent's Report) 22 (1984) 231-233

- Dennett, D.C., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 285-294
- De Raedt, L. and M. Bruynooghe, Belief updating from integrity constraints and queries (Research Note) 53 (1992) 291-307
- De Raedt, L. and S. Džeroski, First-order *jk*-clausal theories are PAC-learnable (Research Note) 70 (1994) 375-392
- De Raedt, L., see Sablon, G. 69 (1994) 393-409
- Deriche, R., see Zhang, Z. 78 (1995) 87-119
- De Schreye, D., M. Bruynooghe and K. Verschaetse, On the existence of nonterminating queries for a restricted class of PROLOG-clauses (Research Note) 41 (1990) 237-248
- Dershowitz, N., Synthetic programming 25 (1985) 323-373
- Derthick, M., Book review of *Connections and Symbols* (Steven Pinker and Jacques Mehler, eds.) 43 (1990) 251-265
- Derthick, M., Mundane reasoning by settling on a plausible model 46 (1990) 107-157
- DeSarkar, S.C., see Chakrabarti, P.P. 29 (1986) 339-347
- DeSarkar, S.C., see Chakrabarti, P.P. 34 (1988) 97-113
- DeSarkar, S.C., see Chakrabarti, P.P. 41 (1990) 197-221
- DeSarkar, S.C., see Dasgupta, P. 71 (1994) 195-208
- DeSarkar, S.C., see Dasgupta, P. 77 (1995) 173-176
- DeSarkar, S.C., see Dasgupta, P. 82 (1996) 237-257
- DeSarkar, S.C., see Sarkar, U.K. 50 (1991) 207-221
- Descotte, Y. and J.-C. Latombe, Making compromises among antagonist constraints in a planner 27 (1985) 183-217
- Devanbu, P.T. and D.J. Litman, Taxonomic plan reasoning 84 (1996) 1-35
- Derville, Y., see Van Hentenryck, P. 57 (1992) 291-321
- Dietterich, T.G., R.H. Lathrop and T. Lozano-Pérez, Solving the multiple instance problem with axis-parallel rectangles 89 (1997) 31-71
- Dietterich, T.G. and R.S. Michalski, Inductive learning of structural descriptions: evaluation criteria and comparative review of selected methods 16 (1981) 257-294
- Dietterich, T.G. and R.S. Michalski, Discovering patterns in sequences of events 25 (1985) 187-232
- Dietterich, T.G., see Almuallim, H. 69 (1994) 279-305
- Di Eugenio, B., see Webber, B. 73 (1995) 253-269
- Díez, F.J., Local conditioning in Bayesian networks 87 (1996) 1-20
- Dillenburg, J.F. and P.C. Nelson, Perimeter search (Research Note) 65 (1994) 165-178
- Dincbas, M., see Van Hentenryck, P. 58 (1992) 113-159
- Dixon, N.R., see Tappert, C.C. 5 (1974) 95-113
- Domeshek, E., see Ram, A. 79 (1995) 111-128
- Donald, B.R., A search algorithm for motion planning with six degrees of freedom 31 (1987) 295-353

- Donald, B.R., A geometric approach to error detection and recovery for robot motion planning with uncertainty 37 (1988) 223–271
- Donald, B.R., On information invariants in robotics 72 (1995) 217–304
- Donini, F.M., M. Lenzerini, D. Nardi, B. Hollunder, W. Nutt and A.M. Spaccamela, The complexity of existential quantification in concept languages (Research Note) 53 (1992) 309–327
- Donini, F.M., see Cadoli, M. 88 (1996) 215–251
- Donskoy, M.V., see Adelson-Velskiy, G.M. 6 (1975) 361–371
- Dordan, O., Mathematical problems arising in qualitative simulation of a differential equation 55 (1992) 61– 86
- Dorigo, M. and M. Colombetti, Robot shaping: developing autonomous agents through learning 71 (1994) 321–370
- Dorigo, M., see Bertoni, A. 61 (1993) 307–314
- Dorr, B.J., Interlingual machine translation: a parameterized approach 63 (1993) 429–492
- Doshita, S., see Nishida, T. 75 (1995) 3– 29
- Doyle, J., see McDermott, D. 13 (1980) 41– 72
- Doyle, J., A truth maintenance system 12 (1979) 231–272
- Doyle, J. and R.S. Patil, Two theses of knowledge representation: language restrictions, taxonomic classification, and the utility of representation services 48 (1991) 261–297
- Doyle, J. and M.P. Wellman, Impediments to universal preference-based default theories 49 (1991) 97–128
- Drabble, B., EXCALIBUR: a program for planning and reasoning with processes 62 (1993) 1– 40
- Draper, S.W., The use of gradient and dual space in line drawing interpretation 17 (1981) 461–508
- Drascher, E., see Zweben, M. 58 (1992) 271–296
- Dreyfus, H.L., Response to my critics 80 (1996) 171–191
- Dubois, D. and H. Prade, Default reasoning and possibility theory (Research Note) 35 (1988) 243–257
- Dubois, D. and H. Prade, Epistemic entrenchment and possibilistic logic (Research Note) 50 (1991) 223–239
- Ducournau, R., see Simonet, G. 71 (1994) 183–193
- Dung, P.M., On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and *n*-person games 77 (1995) 321–357
- Durfee, E.H., see Musliner, D.J. 74 (1995) 83–128
- Durnin, J.H., see Scandura, J.M. 5 (1974) 149–183
- Dyer, M.G., A society of ideas on cognition: review of Marvin Minsky's *The Society of Mind* 48 (1991) 321–334
- Dyer, C.R., see Kutulakos, K.N. 78 (1995) 147–177
- Dyer, M.G., see Lehnert, W.G. 20 (1983) 15– 62
- Dyer, M.E., see Smith, B.M. 81 (1996) 155–181

- Dym, C.L., Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) 25 (1985) 101–104
- Dym, C.L., Book review of *A Practical Guide to Designing Expert Systems* (S.M. Weiss and C.A. Kulikowski) 25 (1985) 238–239
- Dzubera, J., see Whitley, D. 85 (1996) 245–276
- Eastman, C.M., Automated space planning 4 (1973) 41– 64
- Ebeling, C., see Berliner, H.J. 28 (1986) 3– 8
- Ebeling, C., see Berliner, H.J. 38 (1989) 161–198
- Ebeling, C., see Berliner, H.J. 43 (1990) 7– 20
- Eisinger, N., H.J. Ohlbach and A. Präcklein, Reduction rules for resolution-based systems 50 (1991) 141–181
- Eiter, T., see Cadoli, M. 54 (1992) 397–410
- Eiter, T. and G. Gottlob, On the complexity of propositional knowledge base revision, updates, and counterfactuals 57 (1992) 227–270
- Eliot, L.B., Book review of *The AI Business: The Commercial Uses of Artificial Intelligence* (P.H. Winston and K.A. Prendergast, eds.) 26 (1985) 361–363
- Elkan, C., A rational reconstruction of nonmonotonic truth maintenance systems (Research Note) 43 (1990) 219–234
- Elkan, C. and R. Greiner, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 41– 52
- Elkan, C., see Segre, A. 69 (1994) 1– 50
- Elkan, C., see Segre, A. 85 (1996) 301–319
- Elliott, C., see Brand, M. 73 (1995) 307–322
- Elliott, G.L., see Haralick, R.M. 14 (1980) 263–313
- Ephrati, E. and J.S. Rosenschein, Deriving consensus in multiagent systems 87 (1996) 21– 74
- Eriksson, H., Y. Shahar, S.W. Tu, A.R. Puerta and M.A. Musen, Task modeling with reusable problem-solving methods 79 (1995) 293–326
- Ernst, G.W., see Altay Güvenir, H. 44 (1990) 209–243
- Ernst, G.W., see Banerji, R.B. 3 (1972) 223–249
- Erol, K., D.S. Nau and V.S. Subrahmanian, Complexity, decidability and undecidability results for domain-independent planning (Technical Note) 76 (1995) 75– 88
- Escalada-Imaz, G. and M. Ghallab, A practically efficient and almost linear unification algorithm (Research Note) 36 (1988) 249–263
- Eskey, M., see Zweben, M. 58 (1992) 271–296
- Etherington, D.W., Formalizing nonmonotonic reasoning systems 31 (1987) 41– 85
- Errata 34 (1988) 395
- Etherington, D.W., S. Kraus and D. Perlis, Nonmonotonicity and the scope of reasoning 52 (1991) 221–261
- Etzioni, O., see Minton, S. 40 (1989) 63–118

- Etzioni, O., A structural theory of explanation-based learning 60 (1993) 93–139
- Etzioni, O., Acquiring search-control knowledge via static analysis 62 (1993) 255–301
- Etzioni, O., K. Golden and D.S. Weld, Sound and efficient closed-world reasoning for planning 89 (1997) 113–148
- Etzioni, O., Embedding decision-analytic control in a learning architecture 49 (1991) 129–159
- Fagin, R. and J.Y. Halpern, Belief, awareness, and limited reasoning 34 (1988) 39–76
- Fagin, R., J.Y. Halpern and M.Y. Vardi, A nonstandard approach to the logical omniscience problem 79 (1995) 203–240
- Fagin, R., see Halpern, J.Y. 54 (1992) 275–317
- Fahlman, S.E., A planning system for robot construction tasks 5 (1974) 1–49
- Falk, G., Interpretation of imperfect line data as a three-dimensional scene 3 (1972) 101–144
- Falkenhainer, B., K.D. Forbus and D. Gentner, The structure-mapping engine: algorithm and examples 41 (1990) 1–63
- Falkenhainer, B. and K.D. Forbus, Compositional modeling: finding the right model for the job 51 (1991) 95–143
- Faltings, B., Qualitative kinematics in mechanisms 44 (1990) 89–119
- Faltings, B., A symbolic approach to qualitative kinematics 56 (1992) 139–170
- Faltings, B., Arc-consistency for continuous variables (Research Note) 65 (1994) 363–376
- Faltings, B., see Forbus, K.D. 51 (1991) 417–471
- Fariñas del Cerro, L., A. Herzig and J. Lang, From ordering-based nonmonotonic reasoning to conditional logics 66 (1994) 375–393
- Farrington, J., see Cooper, R. 85 (1996) 3–44
- Faugeras, O.D., E. Le Bras-Mehlman and J.D. Boissonat, Representing stereo data with the Delaunay triangulation 44 (1990) 41–87
- Faugeras, O., see Zhang, Z. 78 (1995) 87–119
- Faught, W.S., see Parkison, R.C. 9 (1977) 111–134
- Fehling, M.R., Unified theories of cognition: modeling cognitive competence (Book review) 59 (1993) 295–328
- Feigenbaum, E.A. and B.G. Buchanan, DENDRAL and Meta-DENDRAL: roots of knowledge systems and expert system applications 59 (1993) 233–240
- Feigenbaum, E.A., see Buchanan, B.G. 11 (1978) 5–24
- Feigenbaum, E.A., see Lenat, D.B. 47 (1991) 185–250
- Feigenbaum, E.A., see Lindsay, R.K. 61 (1993) 209–261
- Feldman, J.A. and Y. Yakimovsky, Decision theory and artificial intelligence I: a semantics-based region analyzer 5 (1974) 349–371
- Fennema, C.L., see Brice, C.R. 1 (1970) 205–226
- Ferguson, C., see Powley, C. 60 (1993) 199–242
- Fermüller, C.G., see Gottlob, G. 61 (1993) 263–289

- Feustel, C., see Fowler, G. 21 (1983) 245-269
- Fikes, R.E., REF-ARF: a system for solving problems stated as procedures 1 (1970) 27-120
- Errata 1 (1970) 299
- Fikes, R.E., Odyssey: a knowledge-based assistant 16 (1981) 331-361
- Fikes, R.E., P.E. Hart and N.J. Nilsson, Learning and executing generalized robot plans 3 (1972) 251-288
- Fikes, R.E. and N.J. Nilsson, STRIPS: a new approach to the application of theorem proving to problem solving 2 (1971) 189-208
- Fikes, R.E. and N.J. Nilsson, STRIPS, a retrospective 59 (1993) 227-232
- Finin, T., see Palmer, M.S. 63 (1993) 17- 68
- Fink, E. and Q. Yang, Automatically selecting and using primary effects in planning: theory and experiments 89 (1997) 285-315
- Finkel, R.A. and J.P. Fishburn, Parallelism in alpha-beta search 19 (1982) 89-106
- Finkler, W., see Wahlster, W. 63 (1993) 387-427
- Fishburn, J.P., see Finkel, R.A. 19 (1982) 89-106
- Fisher, D., see Gennari, J.H. 40 (1989) 11- 61
- Fishman, D.H. and J. Minker, *II*-representation: a clause representation for parallel search 6 (1975) 103-127
- Fishman, D.H., see Minker, J. 4 (1973) 225-243
- Fleck, M.M., The topology of boundaries 80 (1996) 1- 27
- Fleming, A., Geometric relationships between tolerated features 37 (1988) 403-412
- Flinchbaugh, B.E. and B. Chandrasekaran, A theory of spatio-temporal aggregation for vision 17 (1981) 387-407
- Flores, F., see Winograd, T. 31 (1987) 250-261
- Follett, R., Synthesising recursive functions with side effects 13 (1980) 175-200
- Forbus, K.D., Qualitative process theory 24 (1984) 85-168
- Forbus, K.D., Book review of *Structure and Interpretation of Computer Programs* (H. Abelson and G.J. Sussman with J. Sussman) 27 (1985) 124-127
- Forbus, K.D., Qualitative process theory: twelve years after 59 (1993) 115-123
- Forbus, K.D., P. Nielsen and B. Faltings, Qualitative spatial reasoning: the CLOCK project 51 (1991) 417-471
- Forbus, K.D., see Falkenhainer, B. 41 (1990) 1- 63
- Forbus, K.D., see Gentner, D. 44 (1990) 373-375
- Forbus, K.D., see Falkenhainer, B. 51 (1991) 95-143
- Forgy, C.L., Rete: a fast algorithm for the many pattern/many object pattern match problem 19 (1982) 17- 37
- Forsyth, D., see Zisserman, A. 78 (1995) 239-288
- Foster, D.A., see Schank, R.C. 79 (1995) 129-143
- Foulser, D.E., M. Li and Q. Yang, Theory and algorithms for plan merging 57 (1992) 143-181
- Fowler, G., R.M. Haralick, F.G. Gray, C. Feustel and C. Grinstead, Efficient graph automorphism by vertex partitioning 21 (1983) 245-269

- Fox, J., see Cooper, R. 85 (1996) 3– 44
- Fox, M.S., see Sadeh, N. 86 (1996) 1– 41
- Frankot, R.T. and R. Chellappa, Estimation of surface topography from SAR imagery using shape from shading techniques 43 (1990) 271–310
- Frederiksen, J.R., see White, B.Y. 42 (1990) 99–157
- Freeman, J.W., Hard random 3-SAT problems and the Davis–Putnam procedure 81 (1996) 183–198
- Freksa, C., Temporal reasoning based on semi-intervals 54 (1992) 199–227
- Freksa, C., Erratum to: “Temporal reasoning based on semi-intervals” 87 (1996) 387
- Freuder, E.C., On the knowledge required to label a picture graph 15 (1980) 1– 17
- Freuder, E.C. and A.K. Mackworth, Introduction to the Special Volume on Constraint-Based Reasoning 58 (1992) 1– 2
- Freuder, E.C. and R.J. Wallace, Partial constraint satisfaction 58 (1992) 21– 70
- Freuder, E.C., see A.K. Mackworth 25 (1985) 65– 74
- Freuder, E.C., see A.K. Mackworth 59 (1993) 57– 62
- Freund, M., D. Lehmann and P. Morris, Rationality, Transitivity, and Contraposition (Research Note) 52 (1991) 191–203
- Frisby, J.P., see Mayhew, J.E.W. 17 (1981) 349–385
- Frisch, A.M., The substitutional framework for sorted deduction: fundamental results on hybrid reasoning 49 (1991) 161–198
- Frisch, A.M. and P. Haddawy, Anytime deduction for probabilistic logic 69 (1994) 93–122
- Frixione, M., see Chella, A. 89 (1997) 73–111
- Funt, B.V., Problem-solving with diagrammatic representations 13 (1980) 201–230
- Gabriel, R.P., Book review of *The Art of the Metaobject Protocol* (Gregor Kiczales, Jim des Rivières and Daniel G. Bobrow) 61 (1993) 331–342
- Gaglio, M., see Chella, A. 89 (1997) 73–111
- Galen, R.S., see Weiss, S.M. 45 (1990) 47– 71
- Galton, A., A critical examination of Allen’s theory of action and time 42 (1990) 159–188
- Gärdenfors, P. and D. Makinson, Nonmonotonic inference based on expectations 65 (1994) 197–245
- Gardin, F. and B. Meltzer, Analogical representations of naive physics 38 (1989) 139–159
- Gårding, J., Shape from texture and contour by weak isotropy 64 (1993) 243–297
- Garton, B., Book review of *Music and Connectionism* (Peter Todd and D. Gareth Loy, eds.) 79 (1995) 387–398
- Gasser, L., Social conceptions of knowledge and action: DAI foundations and open systems semantics 47 (1991) 107–138

- Geffner, H. and J. Pearl, Conditional entailment: bridging two approaches to default reasoning 53 (1992) 209-244
- Geib, C., see Webber, B. 73 (1995) 253-269
- Geiger, D. and D. Heckerman, Knowledge representation and inference in similarity networks and Bayesian multinets 82 (1996) 45- 74
- Geiger, D., see Becker, A. 83 (1996) 167-188
- Gelfond, M. and H. Przymusinska, Negation as failure: careful closure procedure 30 (1986) 273-287
- Gelfond, M., H. Przymusinska and T.C. Przymusinski, On the relationship between circumscription and negation as failure 38 (1989) 75- 94
- Gelperin, D., On the optimality of A* 8 (1977) 69- 76
- Gelsey, A., Automated reasoning about machines 74 (1995) 1- 54
- Genesereth, M.R., The use of design descriptions in automated diagnosis 24 (1984) 411-436
- Genesereth, M.R., From Dart to Designworld: a chronicle of research on automated engineering in the Stanford Logic Group 59 (1993) 159-165
- Genesereth, M.R., see Smith, D.E. 26 (1985) 171-215
- Genesereth, M.R., see Smith, D.E. 30 (1986) 343-389
- Gennari, J.H., P. Langley and D. Fisher, Model of incremental concept formation 40 (1989) 11- 61
- Gent, I.P. and T. Walsh, Easy problems are sometimes hard (Research Note) 70 (1994) 335-345
- Gent, I.P. and T. Walsh, The satisfiability constraint gap 81 (1996) 59- 80
- Gent, I.P. and T. Walsh, The TSP phase transition (Research Note) 88 (1996) 349-358
- Gentner, D. and K.D. Forbus, A note on "Creativity and learning in a case-based explainer" 44 (1990) 373-375
- Gentner, D., see Falkenhainer, B. 41 (1990) 1- 63
- George, F.H., see Shimura, M. 4 (1973) 203-223
- Georgeff, M.P., Procedural control in production systems 18 (1982) 175-201
- Georgeff, M.P., Strategies in heuristic search 20 (1983) 393-425
- Gerevini, A. and L. Schubert, On point-based temporal disjointness (Research Note) 70 (1994) 347-361
- Gerevini, A. and L. Schubert, Efficient algorithms for qualitative reasoning about time 74 (1995) 207-248
- Gerla, G., Inferences in probability logic 70 (1994) 33- 52
- Ghallab, M., see Escalada-Imaz, G. 36 (1988) 249-263
- Ghose, S., see Chakrabarti, P.P. 29 (1986) 339-347
- Ghose, S., see Chakrabarti, P.P. 34 (1988) 97-113
- Ghose, S., see Chakrabarti, P.P. 41 (1990) 197-221
- Ghose, S., see Sarkar, U.K. 50 (1991) 207-221
- Gibbon, G., see Aisbett, J. 65 (1994) 143-164
- Gil, Y., see Minton, S. 40 (1989) 63-118
- Gillies, D.A., see Sucar, L.E. 61 (1993) 187-208

- Gillies, D.F., see Kwoh, C.-K. 88 (1996) 1–38
- Gillies, D.F., see Sucar, L.E. 61 (1993) 187–208
- Gillogly, J.J., The technology chess program 3 (1972) 145–163
- Gilmore, P.C., An examination of the Geometry Theorem Machine 1 (1970) 171–187
- Ginsberg, M., Book review of *The Society of Mind* (Marvin Minsky) 48 (1991) 335–339
- Ginsberg, M., Approximate planning 76 (1995) 89–123
- Ginsberg, M.L., Counterfactuals 30 (1986) 35–79
- Ginsberg, M.L., A circumscriptive theorem prover 39 (1989) 209–230
- Ginsberg, M.L. and W.D. Harvey, Iterative broadening 55 (1992) 367–383
- Ginsberg, M.L. and D.E. Smith, Reasoning about action I: a possible worlds approach 35 (1988) 165–195
- Ginsberg, M.L. and D.E. Smith, Reasoning about action II: the qualification problem 35 (1988) 311–342
- Ginsberg, M.L., see Smith, D.E. 30 (1986) 343–389
- Ginsberg, A., S.M. Weiss and P. Politakis, Automatic knowledge base refinement for classification systems 35 (1988) 197–226
- Giordano, L. and A. Martelli, On cumulative default logics 66 (1994) 161–179
- Giunchiglia, F., An epistemological science of common sense (Book review) 77 (1995) 371–392
- Giunchiglia, F. and L. Serafini, Multilanguage hierarchical logics, or: how we can do without modal logics 65 (1994) 29–70
- Giunchiglia, F. and P. Traverso, A metatheory of a mechanized object theory 80 (1996) 197–241
- Giunchiglia, F. and T. Walsh, A theory of abstraction 57 (1992) 323–389
- Giunchiglia, F., see Bundy, A. 88 (1996) 39–67
- Givan, R., see McAllester, D.A. 56 (1992) 1–20
- Glymour, C., Independence assumptions and Bayesian updating 25 (1985) 95–99
- Gochfeld, D., see Thagard, P. 46 (1990) 259–310
- Goddard, N., Book review of *Proceedings of the 1988 Connectionist Models Summer School* (David Touretzky, Geoffrey Hinton and Terrence Sejnowski, eds.) 53 (1992) 345–353
- Goddard, N.H., Book review of *The Perception of Multiple Objects: A Connectionist Approach* (Michael A. Mozer) 62 (1993) 165–177
- Goetsch, G., see Berliner, H.J. 43 (1990) 7–20
- Goguen, J.A., Modular algebraic specification of some basic geometrical constructions 37 (1988) 123–153
- Goldberg, D.E., see Booker, L.B. 40 (1989) 235–282
- Golden, K., see Etzioni, O. 89 (1997) 113–148
- Golding, A.R. and P.S. Rosenbloom, Improving accuracy by combining rule-based and case-based reasoning 87 (1996) 215–254
- Goldman, A.I., On *Epistemology and Cognition*: a response to the review by S.W. Smoliar 34 (1988) 265–267

- Goldman, R.P., see Charniak, E. 64 (1993) 53- 79
- Goldstein, I.P., Summary of MYCROFT: a system for understanding simple picture programs 6 (1975) 249-288
- Goldszmidt, M. and J. Pearl, On the consistency of defeasible databases 52 (1991) 121-149
- Goldszmidt, M. and J. Pearl, Qualitative probabilities for default reasoning, belief revision, and causal modeling 84 (1996) 57-112
- Gomatam, J., see Reynolds, D. 82 (1996) 303-330
- Gomatam, J., see Reynolds, D. 86 (1996) 375-390
- Gong, S., see Buxton, H. 78 (1995) 431-459
- Goodson, J.L., see Schmidt, C.F. 11 (1978) 45- 83
- Gordon, G., see Segre, A. 62 (1993) 383-386
- Gordon, G.J., see Segre, A.M. 85 (1996) 301-319
- Gordon, J. and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space 26 (1985) 323-357
- Gordon, J. and E.H. Shortliffe, A method of managing evidential reasoning in a hierarchical hypothesis space: a retrospective 59 (1993) 43- 47
- Gordon, M., Book review of *Machine Intelligence and Related Topics: An Information Scientist's Weekend Book* (Donald Michie) 31 (1987) 399
- Gorry, G.A., see Kahn, K. 9 (1977) 87-108
- Goto, S. and H. Nojima, Equilibrium analysis of the distribution of information in human society 75 (1995) 115-130
- Gotoh, Y., see Charniak, E. 85 (1996) 45- 57
- Gottlob, G. and C.G. Fermüller, Removing redundancy from a clause 61 (1993) 263-289
- Gottlob, G. and Zhang Mingyi, Cumulative default logic: finite characterization, algorithms, and complexity (Research Note) 69 (1994) 329-345
- Gottlob, G., see Cadoli, M. 54 (1992) 397-410
- Gottlob, G., see Eiter, T. 57 (1992) 227-270
- Grass, J.W., see Hammond, K.J. 72 (1995) 305-327
- Gratch, J. and G.F. DeJong, A statistical approach to adaptive problem solving 88 (1996) 101-142
- Gratch, J., see DeJong, G. 50 (1991) 117-127
- Gray, F.G., see Fowler, G. 21 (1983) 245-269
- Gray, N.A.B., Applications of artificial intelligence for organic chemistry: analysis of C-13 spectra 22 (1984) 1- 21
- Green, C. and D.R. Barstow, On program synthesis knowledge 10 (1978) 241-279
- Greene, R.L., Connectionist hashed associative memory (Research Note) 48 (1991) 87- 98
- Greene, R.L., Efficient retrieval from sparse associative memory 66 (1994) 395-410
- Greiner, R., Learning by understanding analogies 35 (1988) 81-125

- Greiner, R., Finding optimal derivation strategies in redundant knowledge bases (Research Note) 50 (1991) 95–115
- Greiner, R., PALO: a probabilistic hill-climbing algorithm 84 (1996) 177–208
- Greiner, R. and P. Orponen, Probably approximately optimal satisficing strategies 82 (1996) 21– 44
- Greiner, R., B.A. Smith and R.W. Wilkerson, A correction to the algorithm in Reiter's theory of diagnosis (Research Note) 41 (1990) 79– 88
- Greiner, R., see Elkan, C. 61 (1993) 41– 52
- Griffith, A.K., A comparison and evaluation of three machine learning procedures as applied to the game of checkers 5 (1974) 137–148
- Grimson, W.E.L., The combinatorics of object recognition in cluttered environments using constrained search 44 (1990) 121–165
- Grinstead, C., see Fowler, G. 21 (1983) 245–269
- Grishman, R. and L. Hirschman, Question answering from natural language medical data bases 11 (1978) 25– 43
- Grosz, B.J., Natural language processing (Correspondent's Report) 19 (1982) 131–136
- Grosz, B.J., Natural-language processing (Correspondent's Report) 25 (1985) 1– 4
- Grosz, B.J., D.E. Appelt, P.A. Martin and F.C.N. Pereira, TEAM: an experiment in the design of transportable natural-language interfaces 32 (1987) 173–243
- Grosz, B.J. and S. Kraus, Collaborative plans for complex group action 86 (1996) 269–357
- Grosz, B.J., see Pereira, F.C.N. 63 (1993) 1– 15
- Grove, A.J., Naming and identity in epistemic logic. Part II: a first-order logic for naming 74 (1995) 311–350
- Grove, A.J., see Bacchus, F. 87 (1996) 75–143
- Guha, R.V. and D.B. Lenat, Re: CycLing paper reviews (Response) 61 (1993) 149–174
- Gupta, N. and L. Kanal, 3-D motion estimation from motion field 78 (1995) 45– 86
- Gupta, N. and D.S. Nau, On the complexity of blocks-world planning 56 (1992) 223–254
- Güsgen, H.-W. and J. Hertzberg, Some fundamental properties of local constraint propagation (Research Note) 36 (1988) 237–247
- Gyssens, M., P.G. Jeavons and D.A. Cohen, Decomposing constraint satisfaction problems using database techniques 66 (1994) 57– 89
- Haas, A.R., A syntactic theory of belief and action 28 (1986) 245–292
- Haase, K.B., Too many ideas, just one word: a review of Margaret Boden's *The Creative Mind: Myths and Mechanisms* 79 (1995) 69– 82
- Haddawy, P., see Frisch, A.M. 69 (1994) 93–122

- Haddawy, P., A logic of time, chance, and action for representing plans 80 (1996) 243–308
- Hájek, P., Epistemic entrenchment and arithmetical hierarchy (Research Note) 62 (1993) 79– 87
- Errata 65 (1994) 191
- Hall, R.P., Computational approaches to analogical reasoning: a comparative analysis 39 (1989) 39–120
- Halpern, J.Y., An analysis of first-order logics of probability 46 (1990) 311–350
- Halpern, J.Y., The effect of bounding the number of primitive propositions and the depth of nesting on the complexity of modal logic (Research Note) 75 (1995) 361–372
- Halpern, J.Y. and R. Fagin, Two views of belief: belief as generalized probability and belief as evidence 54 (1992) 275–317
- Halpern, J.Y. and G. Lakemeyer, Levesque's axiomatization of only knowing is incomplete (Research Note) 74 (1995) 381–387
- Halpern, J.Y. and Y. Moses, A guide to completeness and complexity for modal logics of knowledge and belief 54 (1992) 319–379
- Halpern, J.Y. and M.O. Rabin, A logic to reason about likelihood 32 (1987) 379–405
- Halpern, J.Y., see Bacchus, F. 87 (1996) 75–143
- Halpern, J.Y., see Fagin, R. 34 (1988) 39– 76
- Halpern, J.Y., see Fagin, R. 79 (1995) 203–240
- Hammer, P.L. and A. Kogan, Optimal compression of propositional Horn knowledge bases: complexity and approximation (Research Note) 64 (1993) 131–145
- Hammond, K.J., Explaining and repairing plans that fail 45 (1990) 173–228
- Hammond, K.J., T.M. Converse and J.W. Grass, The stabilization of environments 72 (1995) 305–327
- Hamscher, W.C., Modeling digital circuits for troubleshooting 51 (1991) 223–271
- Han, C.-C. and C.-H. Lee, Comments on Mohr and Henderson's path consistency algorithm (Research Note) 36 (1988) 125–130
- Handelman, E., Book review of *Interactive Music Systems: Machine Listening and Composing* (Robert Rowe) 79 (1995) 349–359
- Hanks, S., see Kushmerick, N. 76 (1995) 239–286
- Hanks, S. and D. McDermott, Nonmontonic logic and temporal projection 33 (1987) 379–412
- Hanks, S. and D. McDermott, Modeling a dynamic and uncertain world I: symbolic and probabilistic reasoning about change 66 (1994) 1– 55
- Hanna, F.K., see Ritchie, G.D. 23 (1984) 249–268
- Hansson, S.O., Knowledge-level analysis of belief base operations 82 (1996) 215–235
- Hansson, S.O., A test battery for rational database updating (Research Note) 82 (1996) 341–352

- Hansson, O., A. Mayer and M. Valtorta, A new result on the complexity of heuristic estimates for the A* algorithm (Research Note) 55 (1992) 129–143
- Haraldson, A., see Beckman, L. 7 (1976) 319–357
- Haralick, R.M. and G.L. Elliott, Increasing tree search efficiency for constraint satisfaction problems 14 (1980) 263–313
- Haralick, R.M. and K. Ripken, An associative-categorical model of world meaning 6 (1975) 75– 99
- Haralick, R.M., see Fowler, G. 21 (1983) 245–269
- Haralick, R.M., see Lee, S.J. 26 (1985) 145–169
- Harley, S., see Lehnert, W.G. 20 (1983) 15– 62
- Harris, L.R., The heuristic search under conditions of error 5 (1974) 217–234
- Hart, T.P., see Yates, R.A. 1 (1970) 257–289
- Hart, P.E., see Fikes, R.E. 3 (1972) 251–288
- Harvey, W.D., see Ginsberg, M.L. 55 (1992) 367–383
- Haugeland, J., Body and world: a review of *What Computers Still Can't Do: A Critique of Artificial Reason* (Hubert L. Dreyfus) 80 (1996) 119–128
- Haussler, D., Quantifying inductive bias: AI learning algorithms and Valiant's learning framework 36 (1988) 177–221
- Corrigendum 45 (1990) 265
- Havel, I.M., see Štěpánková, O. 7 (1976) 129–161
- Hayes, P.J., see Bobrow, D.G. 25 (1985) 375–415
- Hayes-Roth, B., A blackboard architecture for control 26 (1985) 251–321
- Hayes-Roth, B., Intelligent control 59 (1993) 213–220
- Hayes-Roth, B., On building integrated cognitive agents: a review of Allen Newell's *Unified Theories of Cognition* 59 (1993) 329–341
- Hayes-Roth, B., An architecture for adaptive intelligent systems 72 (1995) 329–365
- Hayes-Roth, B., see Ash, D. 88 (1996) 317–347
- Hayes-Roth, F., Book review of *The Handbook of Artificial Intelligence*, Vol. 1 (Avron Barr and Edward A. Feigenbaum, eds.) 18 (1982) 369–371
- Hayes-Roth, F., see Stefik, M.J. 18 (1982) 135–173
- Hayes-Roth, F., see Stefik, M.J. 59 (1993) 221–224
- Heckerman, D., see Geiger, D. 82 (1996) 45– 74
- Hedrick, C.L., Learning production systems from examples 7 (1976) 21– 49
- Hedtstück, U., see Beierle, C. 55 (1992) 149–191
- Heinsohn, J., D. Kudenko, B. Nebel and H.-J. Profitlich, An empirical analysis of terminological representation systems 68 (1994) 367–397
- Henderson, T.C., see Mohr, R. 28 (1986) 225–233
- Hendler, J., see McDermott, D. 76 (1995) 1– 16
- Hendler, J., see Spector, L. 39 (1989) 137–139
- Hendler, J.A., see Kambhampati, S. 55 (1992) 193–258

- Hendler, J., Book review of *Planning and Control* (Thomas Dean and Michael Wellman) 73 (1995) 379-386
- Hendriks, A.J., see Lyons, D.M. 73 (1995) 117-148
- Hendrix, G.G., Modeling simultaneous actions and continuous processes 4 (1973) 145-180
- Henneman, W.H., see Bledsoe, W.W. 3 (1972) 27- 60
- Henrion, M., see Pradhan, M. 85 (1996) 363-397
- Henschen, L., see Wos, L. 22 (1984) 303-356
- Herman, M. and T. Kanade, Incremental reconstruction of 3D scenes from multiple, complex images 30 (1986) 289-341
- Herman, M., see Walker, E.L. 37 (1988) 275-290
- Herschberg, I.S., see Dekker, S.T. 43 (1990) 111-123
- Hertzberg, J., see Güsgen, H.-W. 36 (1988) 237-247
- Herzig, A., see Fariñas del Cerro, L. 66 (1994) 375-393
- Hewitt, C., Open Information Systems Semantics for Distributed Artificial Intelligence 47 (1991) 79-106
- Hewitt, C., Viewing control structures as patterns of passing messages 8 (1977) 323-364
- Comments 10 (1978) 317-318
- Hickey, R.J., Noise modelling and evaluating learning from examples 82 (1996) 157-179
- Hildreth, E.C., Computations underlying the measurement of visual motion 23 (1984) 309-354
- Hilf, F.D., see Colby, K.M. 2 (1971) 1- 25
- Hilf, F.D., see Colby, K.M. 3 (1972) 199-221
- Hinton, G.E., Connectionist learning procedures 40 (1989) 185-234
- Hinton, G.E., Preface to the Special Issue on Connectionist Symbol Processing 46 (1990) 1- 4
- Hinton, G.E., Mapping part-whole hierarchies into connectionist networks 46 (1990) 47- 75
- Hirsch, R., Relation algebras of intervals 83 (1996) 267-295
- Hirschberg, J., Pitch accent in context: predicting intonational prominence from text 63 (1993) 305-340
- Hirschman, L., see Grishman, R. 11 (1978) 25- 43
- Hirst, G., Semantic interpretation and ambiguity 34 (1988) 131-177
- Hirst, G., Existence assumptions in knowledge representation 49 (1991) 199-242
- Hobbs, J.R. and S.J. Rosenschein, Making computational sense of Montague's intensional logic 9 (1977) 287-306
- Hobbs, J.R., M.E. Stickel, D.E. Appelt and P. Martin, Interpretation as abduction 63 (1993) 69-142
- Hodes, L., Solving problems by formula manipulation in logic and linear inequalities 3 (1972) 165-174
- Hoffmann, C. and J. Hopcroft, The geometry of projective blending surfaces 37 (1988) 357-376
- Hogg, T., Refining the phase transition in combinatorial search 81 (1996) 127-154

- Hogg, T., B.A. Huberman and C.P. Williams, Phase transitions and the search problem (Editorial) 81 (1996) 1– 15
- Hogg, T. and C.P. Williams, The hardest constraint problems: a double phase transition (Research Note) 69 (1994) 359–377
- Hogg, T., see Clearwater, S.H. 81 (1996) 327–347
- Hogg, T., see Huberman, B.A. 33 (1987) 155–171
- Hogg, T., see Williams, C.P. 70 (1994) 73–117
- Holland, J.H., see Booker, L.B. 40 (1989) 235–282
- Hollunder, B., see Baader, F. 88 (1996) 195–213
- Hollunder, B., see Donini, F.M. 53 (1992) 309–327
- Holte, R., T. Mkadmi, R.M. Zimmer and A.J. MacDonald, Speeding up problem solving by abstraction: a graph oriented approach 85 (1996) 321–361
- Holte, R.C., see Porter, B.W. 45 (1990) 229–263
- Holyoak, K.J., see Thagard, P. 46 (1990) 259–310
- Hopcroft, J., see Hoffmann, C. 37 (1988) 357–376
- Horacek, H., Reasoning with uncertainty in computer chess 43 (1990) 37– 56
- Horaud, R., see Ahuja, N. 78 (1995) 1– 3
- Horaud, R. and M. Brady, On the geometric interpretation of image contours 37 (1988) 333–353
- Horn, B.K.P. and B.G. Schunck, Determining optical flow 17 (1981) 185–203
- Horn, B.K.P. and B.G. Schunck, "Determining optical flow": a retrospective 59 (1993) 81– 87
- Horn, B.K.P., Understanding image intensities 8 (1977) 201–231
- Horn, B.K.P., see Ikeuchi, K. 17 (1981) 141–184
- Horswill, I., Analysis of adaptation and environment 73 (1995) 1– 30
- Horty, J.F., R.H. Thomason and D.S. Touretzky, A skeptical theory of inheritance in nonmonotonic semantic networks 42 (1990) 311–348
- Hou, A., A theory of measurement in diagnosis from first principles 65 (1994) 281–328
- Hovy, E.H., Pragmatics and natural language generation 43 (1990) 153–197
- Hovy, E.H., Automated discourse generation using discourse structure relations 63 (1993) 341–385
- Howe, A.E. and P.R. Cohen, Understanding planner behavior 76 (1995) 125–166
- Hrycej, T., Gibbs sampling in Bayesian networks (Research Note) 46 (1990) 351–363
- Hsiang, J., Refutational theorem proving using term-rewriting systems 25 (1985) 255–300
- Hsu, F.-H., see Anantharaman, T. 43 (1990) 99–109
- Huang, K., see Pradhan, M. 85 (1996) 363–397
- Huang, Z., M. Masuch and L. Pólos, ALX, an action logic for agents with bounded rationality 82 (1996) 75–127
- Huberman, B.A. and T. Hogg, Phase transitions in artificial intelligence systems 33 (1987) 155–171
- Hubermann, B.A., see Hogg, T. 81 (1996) 1– 15

- Huyn, N., R. Dechter and J. Pearl, Probabilistic analysis of the complexity of A^* 15 (1980) 241–254
- Hyvönen, E., Constraint reasoning based on interval arithmetic: the tolerance propagation approach 58 (1992) 71–112
- Ibaraki, T., Generalization of alpha-beta and SSS* search procedures 29 (1986) 73–117
- Ikeuchi, K., Shape from regular patterns 22 (1984) 49– 75
- Ikeuchi, K., Comment on “Numerical shape from shading and occluding boundaries” 59 (1993) 89– 94
- Ikeuchi, K. and B.K.P. Horn, Numerical shape from shading and occluding boundaries 17 (1981) 141–184
- Imielinski, T., Results on translating defaults to circumscription (Research Note) 32 (1987) 131–146
- Errata 33 (1987) 413
- Inoue, K., Linear resolution for consequence finding 56 (1992) 301–353
- Ireland, A., see Bundy, A. 62 (1993) 185–253
- Isard, M., see Blake, A. 78 (1995) 179–212
- Ishikawa, M., Learning of modular structured networks 75 (1995) 51– 62
- Israel, D., Book review of *Language in Action: Categories, Lambdas and Dynamic Logic* (Johan van Benthem) 63 (1993) 503–510
- Iwanuma, K. and K. Oota, An extension of pointwise circumscription (Research Note) 86 (1996) 391–402
- Iwasaki, Y. and H.A. Simon, Causality in device behavior 29 (1986) 3– 32
- Iwasaki, Y. and H.A. Simon, Theories of causal ordering: reply to De Kleer and Brown 29 (1986) 63– 72
- Iwasaki, Y. and H.A. Simon, Retrospective on “Causality in device behavior” 59 (1993) 141–146
- Iwasaki, Y. and H.A. Simon, Causality and model abstraction 67 (1994) 143–194
- Iyengar, S.S., see Brooks, R.R. 84 (1996) 339–354
- Jackson, W.K., see Delgrande, J.P. 70 (1994) 167–237
- Jackson Jr, P.C., Proving unsatisfiability for problems with constant cubic sparsity (Research Note) 57 (1992) 125–137
- Jacobs, P.S., Knowledge-intensive natural language generation 33 (1987) 325–378
- Jacobs, P.S. and L.F. Rau, Innovations in text interpretation 63 (1993) 143–191
- Jaeger, M., Circumscription: completeness reviewed (Research Note) 60 (1993) 293–301
- Jain, R., see Roth, Y. 71 (1994) 257–280
- James, M., see Weischedel, R.M. 10 (1978) 225–240
- Jeavons, P.G., see Cooper, M.C. 65 (1994) 347–361
- Jeavons, P.G., see Gyssens, M. 66 (1994) 57– 89
- Jeavons, P.G. and M.C. Cooper, Tractable constraints on ordered domains (Research Note) 79 (1995) 327–339

- Jennings, N.R., Controlling cooperative problem solving in industrial multi-agent systems using joint intentions 75 (1995) 195–240
- Johnson, P.N., see Lehnert, W.G. 20 (1983) 15– 62
- Johnson, R.W., Independence and Bayesian updating methods (Research Note) 29 (1986) 217–222
- Johnson, W.L., Understanding and debugging novice programs 42 (1990) 51– 97
- Johnson, W.L., Book review of *Intelligent Tutoring Systems: Lesson Learned* (J. Psotka, L.D. Massey and S.A. Mutter, eds.) 48 (1991) 125–134
- Johnston, M.D., see Minton, S. 58 (1992) 161–205
- Jona, M.Y., see Schank, R.C. 59 (1993) 375–388
- Josephson, J.R., see Bylander, T. 49 (1991) 25– 60
- Joskowicz, L. and E.P. Sacks, Computational kinematics 51 (1991) 381–416
- Joskowicz, L., see Nayak, P.P. 83 (1996) 193–227
- Joslin, D. and J. Roach, A theoretical analysis of conjunctive-goal problems (Research Note) 41 (1990) 97–106
- Jurafsky, D., Book review of *Natural Language Understanding* (James Allen) 38 (1989) 367–377
- Jurik, M., Book review of *Neurocomputing: Foundations of Research* (James A. Anderson and Edward Rosenfeld, eds.) 53 (1992) 355–359
- Kadane, J.B., see Simon, H.A. 6 (1975) 235–247
- Kadesch, R.R., Subjective inference with multiple evidence (Research Note) 28 (1986) 333–341
- Kaelbling, L.P., see Basye, K. 72 (1995) 139–171
- Kaelbling, L.P., see Dean, T. 76 (1995) 35– 74
- Kaelbling, L.P., see Rosenschein, S.J. 73 (1995) 149–173
- Kahn, K. and G.A. Gorry, Mechanizing temporal knowledge 9 (1977) 87–108
- Kambhampati, S., Multi-contributor causal structures for planning: a formalization and evaluation 69 (1994) 235–278
- Kambhampati, S. and J.A. Hendler, A validation-structure-based theory of plan modification and reuse 55 (1992) 193–258
- Kambhampati, S., S. Katukam and Y. Qu, Failure driven dynamic search control for partial order planners: an explanation based approach 88 (1996) 253–315
- Kambhampati, S. and S. Kedar, A unified framework for explanation-based generalization of partially ordered and partially instantiated plans 67 (1994) 29– 70
- Kambhampati, S., C.A. Knoblock and Q. Yang, Planning as refinement search: a unified framework for evaluating design tradeoffs in partial order planning 76 (1995) 167–238
- Kambhampati, S. and D.S. Nau, On the nature and role of modal truth criteria in planning 82 (1996) 129–155
- Kaminski, M., A comparative study of open default theories 77 (1995) 285–319
- Kanade, T., A theory of Origami world 13 (1980) 279–311

- Kanade, T., Recovery of the three-dimensional shape of an object from a single view 17 (1981) 409–460
- Kanade, T., From a real chair to a negative chair 59 (1993) 95–101
- Kanade, T., see Herman, M. 30 (1986) 289–341
- Kanal, L., see Gupta, N. 78 (1995) 45–86
- Kanal, L.N., see Kumar, V. 21 (1983) 179–198
- Kanal, L.N., see Nau, D.S. 23 (1984) 29–58
- Kanatani, K., Detection of surface orientation and motion from texture by a stereological technique 23 (1984) 213–237
- Kanatani, K. and T.-C. Chou, Shape from texture: general principle 38 (1989) 1–48
- Kant, E., On the efficient synthesis of efficient programs 20 (1983) 253–305
- Kaplan, R.M., Augmented transition networks as psychological models of sentence comprehension 3 (1972) 77–100
- Kaplan, R.M., see Bobrow, D.G. 8 (1977) 155–173
- Kaplan, S.J., Cooperative responses from a portable natural language query system 19 (1982) 165–187
- Kapur, D., see Barry, M. 37 (1988) 291–332
- Kapur, D., A refutational approach to geometry theorem proving 37 (1988) 61–93
- Kapur, D. and J.L. Mundy, Geometric reasoning and artificial intelligence: introduction to the Special Volume 37 (1988) 1–11
- Kapur, D. and J.L. Mundy, Wu's method and its application to perspective viewing 37 (1988) 15–36
- Kapur, D. and D.R. Musser, Proof by consistency 31 (1987) 125–157
- Karp, R.M. and J. Pearl, Searching for an optimal path in a tree with random costs 21 (1983) 99–116
- Kartha, G.N., Two counterexamples related to Baker's approach to the frame problem (Research Note) 69 (1994) 379–391
- Kasif, S., On the parallel complexity of discrete relaxation in constraint satisfaction networks 45 (1990) 275–286
- Kasif, S. and A.L. Delcher, Local consistency in parallel constraint satisfaction networks 69 (1994) 307–327
- Kass, M., see Terzopoulos, D. 36 (1988) 91–123
- Kassler, M., Book review of *Speech Understanding Systems: Final Report of a Study Group* (A. Newell et al.) 6 (1975) 209–213
- Katsuno, H. and A.O. Mendelzon, Propositional knowledge base revision and minimal change 52 (1991) 263–294
- Katukam, S., see Kambhampati, S. 88 (1996) 253–315
- Katz, J., see Charniak, E. 85 (1996) 45–57
- Kautz, H., M. Kearns and B. Selman, Horn approximations of empirical data 74 (1995) 129–146
- Kautz, H.A. and B. Selman, Hard problems for simple default logics 49 (1991) 243–279
- Kautz, H.A., see Selman, B. 45 (1990) 287–322

- Kay, M., see Bobrow, D.G. 8 (1977) 155–173
- Kearns, M., see Kautz, H. 74 (1995) 129–146
- Kedar, S., see Kambhampati, S. 67 (1994) 29–70
- Keller, J.M., see Chen, S.S. 43 (1990) 199–218
- Kender, J.R., see Park, Il-Pyung 78 (1995) 355–395
- Keller, R.M., Defining operationality for explanation-based learning 35 (1988) 227–241
- Kennes, R., see Smets, P. 66 (1994) 191–234
- Khardon, R. and D. Roth, Reasoning with models 87 (1996) 187–213
- Kifer, M., see Thirunarayan, K. 60 (1993) 23–50
- King, R.D., see Srinivasan, A. 85 (1996) 277–299
- King, M., Book review of *Thinking: Readings in Cognitive Science* (P.N. Johnson-Laird and P.C. Wason, eds.) 13 (1980) 313–322
- Kirkpatrick, S., see Selman, B. 81 (1996) 273–295
- Kirman, J., see Dean, T. 76 (1995) 35–74
- Kirousis, L.M., Fast parallel constraint satisfaction (Research Note) 64 (1993) 147–160
- Kirsh, D., Foundations of AI: the big issues 47 (1991) 3–30
- Kirsh, D., Today the earwig, tomorrow man? 47 (1991) 161–184
- Kirsh, D., The intelligent use of space 73 (1995) 31–68
- Kitahashi, T., see Niizuma, S. 25 (1985) 117–151
- Klassner, F.I., see Lesser, V.R. 77 (1995) 129–171
- Kleiman, R.J., Book review of *Semantics and Cognition* (R. Jackendoff) 29 (1986) 225–235
- Klein, D.A. and E.H. Shortliffe, A framework for explaining decision-theoretic advice 67 (1994) 201–243
- Kleiter, G.D., Bayesian diagnosis in expert systems 54 (1992) 1–32
- Kleiter, G.D., Propagating imprecise probabilities in Bayesian networks 88 (1996) 143–161
- Kling, R.E., A paradigm for reasoning by analogy 2 (1971) 147–178
- Knight, B., see Schaeffer, J. 53 (1992) 273–289
- Knoblock, C.A., Automatically generating abstraction for planning 68 (1994) 243–302
- Knoblock, C.A., see Kambhampati, S. 76 (1995) 167–238
- Knoblock, C.A., see Minton, S. 40 (1989) 63–118
- Knuth, D.E. and R.W. Moore, An analysis of alpha-beta pruning 6 (1975) 293–326
- Ko, H.-P., Geometry theorem proving by decomposition of quasi-algebraic sets: an application of the Ritt-Wu principle 37 (1988) 95–122
- Kochen, M., Representations and algorithms for cognitive learning 5 (1974) 199–216
- Koehler, J., Planning from second principles 87 (1996) 145–186
- Koehler, J., see Nebel, B. 76 (1995) 427–454
- Koffman, E.B. and S.E. Blount, Artificial intelligence and automatic programming in CAI 6 (1975) 215–234

- Kogan, A., see Hammer, P.L. 64 (1993) 131-145
- Koller, D., see Bacchus, F. 87 (1996) 75-143
- Kolodner, J., see Ram, A. 79 (1995) 111-128
- Kondrak, G. and P. van Beek, A theoretical evaluation of selected backtracking algorithms 89 (1997) 365-387
- Konolige, K., On the relation between default and autoepistemic logic 35 (1988) 343-382
- Errata 41 (1990) 115
- Konolige, K., Abduction versus closure in causal theories (Research Note) 53 (1992) 255-272
- Konolige, K., see De Kleer, J. 39 (1989) 391-398
- Konolige, K., see Saffioti, A. 76 (1995) 481-526
- Koomen, J.A., see Bacchus, F. 52 (1991) 87-108
- Korf, R.E., Toward a model of representation changes 14 (1980) 41-78
- Korf, R.E., Macro-operators: a weak method for learning 26 (1985) 35-77
- Korf, R.E., Depth-first iterative-deepening: an optimal admissible tree search 27 (1985) 97-109
- Erratum 28 (1986) 123
- Korf, R.E., Planning as search: a quantitative approach 33 (1987) 65-88
- Korf, R.E., Real-time heuristic search 42 (1990) 189-211
- Korf, R.E., Multi-player alpha-beta pruning (Research Note) 48 (1991) 99-111
- Korf, R.E., Linear-space best-first search 62 (1993) 41-78
- Korf, R.E. and D.M. Chickering, Best-first minimax search 84 (1996) 299-337
- Korf, R.E., see Powley, C. 60 (1993) 199-242
- Korf, R.E., see Zhang, W. 79 (1995) 293-326
- Korf, R.E., see Zhang, W. 81 (1996) 223-239
- Kort, B., Book review of *Apprentices of Wonder: Inside the Neural Network Revolution* (William F. Allman) 53 (1992) 343-344
- Koschmann, T.D., Book review of *Mind over Machine: The Power of Human Intuition and Expertise in the Era of the Computer* (Hubert L. Dreyfus and Stuart E. Dreyfus) 33 (1987) 135-140
- Koschmann, T., Of Hubert Dreyfus and dead horses: some thoughts on Dreyfus' *What Computers Still Can't Do* (Book review) 80 (1996) 129-141
- Kowalski, R. and D. Kuehner, Linear resolution with selection function 2 (1971) 227-260
- Kraemer, H.C., see Colby, K.M. 3 (1972) 199-221
- Kramer, G.A., A geometric constraint engine 58 (1992) 327-360
- Kraus, S., An overview of incentive contracting 83 (1996) 297-346
- Kraus, S., D. Lehmann and M. Magidor, Nonmonotonic reasoning, preferential models and cumulative logics 44 (1990) 167-207
- Kraus, S., J. Wilkenfeld and G. Zlotkin, Multiagent negotiation under time constraints 75 (1995) 297-345
- Kraus, S., see Etherington, D.W. 52 (1991) 221-261
- Kraus, S., see Grosz, B.J. 86 (1996) 269-357

- Krishnan, S., see Wipke, W.T. 11 (1978) 173–193
- Kubat, M., Conceptual inductive learning: the case of unreliable teachers (Research Note) 52 (1991) 169–182
- Kudenko, D., see Heinsohn, J. 68 (1994) 367–397
- Kuehner, D., see Kowalski, R. 2 (1971) 227–260
- Kuipers, B.J., Qualitative simulation 29 (1986) 289–338
- Kuipers, B.J., Commonsense reasoning about causality: deriving behavior from structure 24 (1984) 169–203
- Kuipers, B.J., Reasoning with qualitative models 59 (1993) 125–132
- Kuipers, B.J., Qualitative simulation: then and now 59 (1993) 133–140
- Kuipers, B.J., C. Chiu, D.T. Dalle Molle and D.R. Throop, Higher-order derivative constraints in qualitative simulation 51 (1991) 343–379
- Kulikowski, C.A., see Weiss, S.M. 11 (1978) 145–172
- Kumar, V. and L.N. Kanal, A general branch and bound formulation for understanding and synthesizing And/Or tree search procedures 21 (1983) 179–198
- Kumar, V., see Nau, D.S. 23 (1984) 29–58
- Kunen, K., see Bledsoe, W.W. 27 (1985) 255–288
- Kuokka, D.R., see Minton, S. 40 (1989) 63–118
- Kuru, S., see Say, A.C.C. 83 (1996) 75–141
- Kushmerick, N., S. Hanks and D.S. Weld, An algorithm for probabilistic planning 76 (1995) 239–286
- Kutulakos, K.N. and C.R. Dyer, Global surface reconstruction by purposive control of observer motion 78 (1995) 147–177
- Kwa, J.B.H., BS*: an admissible bidirectional staged heuristic search algorithm (Research Note) 38 (1989) 95–109
- Kwoh, C.-K. and D.F. Gillies, Using hidden nodes in Bayesian networks 88 (1996) 1–38
- Kyburg Jr, H.E., Bayesian and non-Bayesian evidential updating 31 (1987) 271–293
- Addendum 36 (1988) 265–266
- Ladkin, P.B. and A. Reinefeld, Effective solution of qualitative interval constraint problems (Research Note) 57 (1992) 105–124
- Lai, Y., see Tsotsos, J.K. 78 (1995) 507–545
- Laird, J.E., see Rosenbloom, P.S. 47 (1991) 289–325
- Laird, J.E., see Rosenbloom, P.S. 59 (1993) 389–413
- Laird, J.E., A. Newell and P.S. Rosenbloom, SOAR: an architecture for general intelligence 33 (1987) 1–64
- Laird, P., see Minton, S. 58 (1992) 161–205
- Lakemeyer, G., Limited reasoning in first-order knowledge bases 71 (1994) 213–255
- Lakemeyer, G., Limited reasoning in first-order knowledge bases with full introspection 84 (1996) 209–255
- Lakemeyer, G., see Halpern, J.Y. 74 (1995) 381–387

- Lam, F.C. and W.K. Yeap, Bayesian updating: on the interpretation of exhaustive and mutually exclusive assumptions (Research Note) 53 (1992) 245-254
- Lang, J., see Fariñas del Cerro, L. 66 (1994) 375-393
- Langley, P. and J.M. Zytkow, Data-driven approaches to empirical discovery 40 (1989) 283-312
- Langley, P., see Gennari, J.H. 40 (1989) 11- 61
- Langrana, N., see Steinberg, L. 84 (1996) 37- 56
- Larcombe, M.H.E., Book review of *Theory and Practice of Robots and Manipulation*, Proceedings of the Second International CISM-IFTOMM Symposium, Warsaw, Poland, September 14-17, 1976 (A. Morecki and K. Kedzior, eds.) 11 (1978) 269-271
- Larsson, J.E., Diagnosis based on explicit means-end models 80 (1996) 29- 93
- Laskey, K.B. and P.E. Lehner, Assumptions, beliefs and probabilities 41 (1990) 65- 77
- Lathrop, R.H., see Dietterich, T.G. 89 (1997) 31- 71
- Latombe, J.-C., A. Lazanas and S. Shekhar, Robot motion planning with uncertainty in control and sensing 52 (1991) 1- 47
- Latombe, J.-C., see Descotte, Y. 27 (1985) 183-217
- Latombe, J.-C., see Lazanas, A. 76 (1995) 287-317
- Latombe, J.-C., see Wilson, R.H. 71 (1994) 371-396
- Laurent, J.-P., A program that computes limits using heuristics to evaluate the indeterminate forms 4 (1973) 69- 94
- Laurent, J.-P., see Adam, A. 15 (1980) 75-122
- Lauriere, J.-L., A language and a program for stating and solving combinatorial problems 10 (1978) 29-127
- Lawton, D.T., see Levitt, T.S. 44 (1990) 305-360
- Lazanas, A. and J.-C. Latombe, Motion planning with uncertainty: a landmark approach 76 (1995) 287-317
- Lazanas, A., see Latombe, J.-C. 52 (1991) 1- 47
- Leake, D.B., see Schank, R.C. 40 (1989) 353-385
- Lebowitz, M., Memory-based parsing 21 (1983) 363-404
- Le Bras-Mehlman, E., see Faugeras, O.D. 44 (1990) 41- 87
- Lederberg, J., see Lindsay, R.K. 61 (1993) 209-261
- Lee, C.-H., A comparison of two evidential reasoning schemes (Research Note) 35 (1988) 127-134
- Lee, C.-H., Interpreting image curve from multiframe 35 (1988) 145-163
- Lee, C.-H. and A. Rosenfeld, Improved methods of estimating shape from shading using the light source coordinate system 26 (1985) 125-143
- Lee, C.-H., see Han, C.-C. 36 (1988) 125-130
- Lee, H.S. and M.I. Schor, Match algorithms for generalized Rete networks 54 (1992) 249-274
- Lee, K.-F. and S. Mahajan, A pattern classification approach to evaluation function learning 36 (1988) 1- 25

- Lee, K.-F. and S. Mahajan, The development of a world class Othello program 43 (1990) 21– 36
- Lee, R.C.T., Book review of *On Machine Intelligence* (D. Michie) 6 (1975) 213–214
- Lee, S.J., R.M. Haralick and M.C. Zhang, Understanding objects with curved surfaces from a single perspective view of boundaries 26 (1985) 145–169
- Lee, S.-J. and D.A. Plaisted, Problem solving by searching for models with a theorem prover 69 (1994) 205–233
- Lehmann, D. and M. Magidor, What does a conditional knowledge base entail? 55 (1992) 1– 60
- Lehmann, D. and M. Magidor, Erratum to: What does a conditional knowledge base entail? 68 (1994) 411
- Lehmann, D., see Freund, M. 52 (1991) 191–203
- Lehmann, D., see Kraus, S. 44 (1990) 167–207
- Lehner, P.E., see Laskey, K.B. 41 (1990) 65– 77
- Lehnert, W.G., M.G. Dyer, P.N. Johnson, C.J. Yang and S. Harley, BORIS—an experiment in in-depth understanding of narratives 20 (1983) 15– 62
- Leman, M., On *Models of Musical Communication and Cognition*: a response to the review by S.W. Smoliar 44 (1990) 372
- Lenat, D.B., The nature of heuristics 19 (1982) 189–249
- Lenat, D.B., The ubiquity of discovery 9 (1977) 257–285
- Lenat, D.B., Theory formation by heuristic search. The nature of heuristics II: background and examples 21 (1983) 31– 59
- Lenat, D.B., EURISKO: a program that learns new heuristics and domain concepts. The nature of heuristics III: program design and results 21 (1983) 61– 98
- Lenat, D.B. and J.S. Brown, Why AM and EURISKO appear to work 23 (1984) 269–294
- Lenat, D.B. and E.A. Feigenbaum, On the thresholds of knowledge 47 (1991) 185–250
- Lenat, D.B., see Guha, R.V. 61 (1993) 149–174
- Lenzerini, M., see Donini, F.M. 53 (1992) 309–327
- Leonard, J.J., see Cox, I.J. 66 (1994) 311–344
- Lespérance, Y. and H.J. Levesque, Indexical knowledge and robot action—a logical account 73 (1995) 69–115
- Lesser, V.R., S.H. Nawab and F.I. Klassner, IPUS: an architecture for the integrated processing and understanding of signals 77 (1995) 129–171
- Levesque, H.J., Foundations of a functional approach to knowledge representation 23 (1984) 155–212
- Levesque, H.J., Making believers out of computers 30 (1986) 81–108
- Levesque, H.J., All I know: a study in autoepistemic logic 42 (1990) 263–309
- Levesque, H.J., see Brachman, R.J. 49 (1991) 1– 3

- Levesque, H.J., see Cohen, P.R. 42 (1990) 213-261
- Levesque, H.J., see Lespérance, Y. 73 (1995) 69-115
- Levesque, H.J., see Mitchell, D.G. 81 (1996) 111-125
- Levesque, H.J., see Selman, B. 62 (1993) 303-339
- Levesque, H.J., see Selman, B. 81 (1996) 17- 29
- Levesque, H.J., see Selman, B. 82 (1996) 259-272
- Levi, G. and F. Sirovich, Generalized And/Or graphs 7 (1976) 243-259
- Levinson, R., A general programming language for unified planning and control 76 (1995) 319-375
- Levison, L., see Webber, B. 73 (1995) 253-269
- Levitt, K.N., see Waldinger, R.J. 5 (1974) 235-316
- Levitt, T.S. and D.T. Lawton, Qualitative navigation for mobile robots 44 (1990) 305-360
- Lewis, M.W., see Anderson, J.R. 42 (1990) 7- 49
- Leyton, M., A process-grammar for shape 34 (1988) 213-247
- Li, L., Possible world semantics and autoepistemic reasoning 71 (1994) 281-320
- Li, M., see Foulser, D.E. 57 (1992) 143-181
- Liang, C.-C., see Lin, W.-C. 38 (1989) 207-224
- Liau, C.J. and B.I. Lin, Abstract minimality and circumscription (Research Note) 54 (1992) 381-396
- Liau, C.-J. and B.I.-P. Lin, Possibilistic reasoning—a mini-survey and uniform semantics 88 (1996) 163-193
- Liaw, J.-S., see Arbib, M.A. 72 (1995) 53- 79
- Lifschitz, V., Closed-world databases and circumscription 27 (1985) 229-235
- Lifschitz, V., On the satisfiability of circumscription (Research Note) 28 (1986) 17- 27
- Lifschitz, V., Frames in the space of situations (Research Note) 46 (1990) 365-376
- Lifschitz, V., Minimal belief and negation as failure 70 (1994) 53- 72
- Lifschitz, V., Nested abnormality theories (Research Note) 74 (1995) 351-365
- Lifschitz, V. and A. Rabinov, Miracles in formal theories of action (Research Note) 38 (1989) 225-237
- Ligeza, A., Dynamic backward reasoning systems 43 (1990) 127-152
- Lin, B.I., see Liau, C.J. 54 (1992) 381-396
- Lin, B.I.-P., see Liau, C.-J. 88 (1996) 163-193
- Lin, F. and Y. Shoham, A logic of knowledge and justified assumptions 57 (1992) 271-289
- Lin, J., Integration of weighted knowledge bases 83 (1996) 363-378
- Lin, J., A semantics for reasoning consistently in the presence of inconsistency 86 (1996) 75- 95
- Lin, L.-J., see Whitehead, S.D. 73 (1995) 271-306
- Lin, W.-C., C.-C. Liang and C.-T. Chen, A computational model for process-grammar (Research Note) 38 (1989) 207-224
- Lindsay, R.K., Book review of *The Science of the Mind* (Owen J. Flanagan Jr) 34 (1988) 385

- Lindsay, R.K., B.G. Buchanan, E.A. Feigenbaum and J. Lederberg, DENDRAL: a case study of the first expert system for scientific hypothesis formation 61 (1993) 209–261
- Lismont, L. and P. Mongin, A non-minimal but very weak axiomatization of common belief (Research Note) 70 (1994) 363–374
- Litman, D.J., see Devanbu, P.T. 84 (1996) 1– 35
- Littman, M., see Charniak, E. 85 (1996) 45– 57
- Liu, J., see Zisserman, A. 78 (1995) 239–288
- Lobo, J. and C. Uzcátegui, Abductive consequence relations 89 (1997) 149–171
- Loehlin, J.C., Book review of *Artificial and Human Thinking* (Alick Elithorn and David Jones, eds.) 5 (1974) 413–415
- Logan, R., see Shafer, G. 33 (1987) 271–298
- London, P., Book review of *Artificial Intelligence Programming* (Eugene Charniak, Christopher Riesbeck and Drew McDermott) 15 (1980) 123–124
- Lougee, M., Book review of *Computer Culture: The Scientific, Intellectual, and Social Impact of the Computer*, Annals of the New York Academy of Sciences 426 (Heinz R. Pagels, ed.) 31 (1987) 400–401
- Loui, R.P., Book review of *Change in View* (G. Harman) 34 (1988) 119–124
- Loui, R.P., see Simari, G.R. 53 (1992) 125–157
- Lowe, D.G., Three-dimensional object recognition from single two-dimensional images 31 (1987) 355–395
- Lozano-Pérez, T., Robotics (Correspondent's Report) 19 (1982) 137–143
- Lozano-Pérez, T., Compliance in robot manipulation (Correspondent's Report) 25 (1985) 5– 12
- Lozano-Pérez, T., see Dietterich, T.G. 89 (1997) 31– 71
- Lu, P., see Schaeffer, J. 53 (1992) 273–289
- Luby, M., see Dagum, P. 60 (1993) 141–153
- Luckham, D. and N.J. Nilsson, Extracting information from resolution proof trees 2 (1971) 27– 54
- Luong, Q.-T., see Zhang, Z. 78 (1995) 87–119
- Lustig, R., Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) 79 (1995) 83– 96
- Lyons, D.M., Book review of *Vision, Instruction, and Action* (David Chapman) 73 (1995) 387–401
- Lyons, D.M. and A.J. Hendriks, Exploiting patterns of interaction to achieve reactive behavior 73 (1995) 117–148
- Ma, Y., see Wilkins, D.C. 70 (1994) 1– 32
- MacDonald, A.J., see Holte, R. 85 (1996) 321–361
- MacGregor, J.N., The effects of order on learning classifications by example: heuristics for finding the optimal order (Research Note) 34 (1988) 361–370

- Machaniak, P., Book review of *Introductory Readings in Expert Systems* (D. Michie, ed.) 30 (1986) 391-392
- Mackworth, A.K., Interpreting pictures of polyhedral scenes 4 (1973) 121-137
- Mackworth, A.K., Consistency in networks of relations 8 (1977) 99-118
- Mackworth, A.K., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z.W. Pylyshyn) 38 (1989) 239-240
- Mackworth, A.K., The logic of constraint satisfaction 58 (1992) 3-20
- Mackworth, A.K. and E.C. Freuder, The complexity of some polynomial network consistency algorithms for constraint satisfaction problems 25 (1985) 65-74
- Erratum 26 (1985) 247
- Mackworth, A.K. and E.C. Freuder, The complexity of constraint satisfaction revisited 59 (1993) 57-62
- Mackworth, A.K., see De Kleer, J. 56 (1992) 197-222
- Mackworth, A.K., see Freuder, E.C. 58 (1992) 1-2
- Mackworth, A.K., see Reiter, R. 41 (1990) 125-155
- Magidor, M., see Kraus, S. 44 (1990) 167-207
- Magidor, M., see Lehmann, D. 55 (1992) 1-60
- Magidor, M., see Lehmann, D. 68 (1994) 411
- Mahadevan, S. and J. Connell, Automatic programming of behavior-based robots using reinforcement learning 55 (1992) 311-365
- Mahadevan, S., T.M. Mitchell, J. Mostow, L. Steinberg and P.V. Tadepalli, An apprentice-based approach to knowledge acquisition 64 (1993) 1-52
- Mahajan, S., see Lee, K.-F. 36 (1988) 1-25
- Mahajan, S., see Lee, K.-F. 43 (1990) 21-36
- Mahanti, A. and C.J. Daniels, A SIMD approach to parallel heuristic search 60 (1993) 243-282
- Maida, A.S., Maintaining mental models of agents who have existential misconceptions 50 (1991) 331-383
- Makhoul, J., see Woods, W.A. 5 (1974) 73-91
- Makinson, D. and K. Schlechta, Floating conclusions and zombie paths: two deep difficulties in the "directly skeptical" approach to defeasible inheritance nets (Research Note) 48 (1991) 199-209
- Makinson, D., see Gärdenfors, P. 65 (1994) 197-245
- Manna, Z., The correctness of nondeterministic programs 1 (1970) 1-26
- Manna, Z. and R.J. Waldinger, Knowledge and reasoning in program synthesis 6 (1975) 175-208
- Manzini, G., BIDA*: an improved perimeter search algorithm (Research Note) 75 (1995) 347-360
- Marcus, S., Book review of *A Practical Guide to Knowledge Acquisition* (A. Carlisle Scott, Jan E. Clayton and Elizabeth L. Gibson) 60 (1993) 167-170

- Marcus, S. and J. McDermott, SALT: a knowledge acquisition language for propose-and-revise systems 39 (1989) 1– 37
- Marinos, C., see Blake, A. 45 (1990) 323–380
- Marinov, V., see Siklóssy, L. 4 (1973) 1– 27
- Marr, D., Artificial Intelligence—a personal view 9 (1977) 37– 48
- Marsland, T.A., A. Reinefeld and J. Schaeffer, Low overhead alternatives to SSS* (Research Note) 31 (1987) 185–199
- Marsland, T.A., see Campbell, M.S. 20 (1983) 347–367
- Martelli, A., On the complexity of admissible search algorithms 8 (1977) 1– 13
- Martelli, A., see Giordano, L. 66 (1994) 161–179
- Martin, B., Book review of *Neural Connections, Mental Computation* (Lynn Nadel, Lynn A. Cooper, Peter Culicover and R. Michael Harnish, eds.) 62 (1993) 141–151
- Martin, J.H., Norvig's *Paradigms of Artificial Intelligence Programming*: an instructor's perspective (Book review) 64 (1993) 169–180
- Martin, P., see Hobbs, J.R. 63 (1993) 69–142
- Martin, P.A., see Grosz, B.J. 32 (1987) 173–243
- Martins, J.P. and S.C. Shapiro, A model for belief revision 35 (1988) 25– 79
- Masuch, M., see Huang, Z. 82 (1996) 75–127
- Mathias, K., see Whitley, D. 85 (1996) 245–276
- Matsuyama, T. and T. Nitta, Geometric theorem proving by integrated logical and algebraic reasoning 75 (1995) 93–113
- Maxwell, P.C., Alternative descriptions in line drawing analysis 5 (1974) 325–348
- Mayer, A., see Hansson, O. 55 (1992) 129–143
- Mayhew, J.E.W. and J.P. Frisby, Psychophysical and computational studies towards a theory of human stereopsis 17 (1981) 349–385
- Mazlack, L.J., Computer construction of crossword puzzles using precedence relationships 7 (1976) 1– 19
- McAllester, D.A., Conspiracy numbers for min-max search 35 (1988) 287–310
- McAllester, D.A. and R. Givan, Natural language syntax and first-order inference 56 (1992) 1– 20
- McCann, J., see Charniak, E. 85 (1996) 45– 57
- McCarl, R., see Rosenbloom, P.S. 47 (1991) 289–325
- McCarthy, J., Book review of "A general survey", in: *Artificial Intelligence: A Paper Symposium* (Sir James Lighthill) 5 (1974) 317–322
- McCarthy, J., Circumscription—a form of non-monotonic reasoning 13 (1980) 27– 39
- McCarthy, J., Addendum: Circumscription and other non-monotonic formalisms 13 (1980) 171–172
- Erratum 15 (1980) 141
- McCarthy, J., Applications of circumscription to formalizing common-sense knowledge 28 (1986) 89–116
- McCarthy, J., History of circumscription 59 (1993) 23– 26

- McCarthy, J., Book review of *What Computers Still Can't Do* (Hubert Dreyfus) 80 (1996) 143-150
- McClelland, J.L., see St. John, M.F. 46 (1990) 217-257
- McConnell, C., see Berliner, H.J. 86 (1996) 97-156
- McCord, M.C., Using slots and modifiers in logic grammars for natural language 18 (1982) 327-367
- McCoy, K.F., Generating context-sensitive responses to object-related misconception 41 (1990) 157-195
- McDermott, D., A general framework for reason maintenance 50 (1991) 289-329
- McDermott, D., Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 53- 63
- McDermott, D. and E. Davis, Planning routes through uncertain territory 22 (1984) 107-156
- McDermott, D. and J. Doyle, Non-monotonic logic I 13 (1980) 41- 72
- McDermott, D. and J. Hendler, Planning: What it is, What it could be, An introduction to the Special Issue on Planning and Scheduling 76 (1995) 1- 16
- McDermott, D., see Dean, T.L. 32 (1987) 1- 55
- McDermott, D., see Hanks, S. 33 (1987) 379-412
- McDermott, D., see Hanks, S. 66 (1994) 1- 55
- McDermott, D., see Shoham, Y. 36 (1988) 49- 61
- McDermott, J., Book review of *Principles of Artificial Intelligence* (Nils J. Nilsson) 15 (1980) 127-131
- McDermott, J., R1: a rule-based configurer of computer systems 19 (1982) 39- 88
- McDermott, J., R1 ("XCON") at age 12: lessons from an elementary school achiever 59 (1993) 241-247
- McDermott, J., see Marcus, S. 39 (1989) 1- 37
- McKeown, K.R., Discourse strategies for generating natural-language text 27 (1985) 1- 41
- McKeown, K., see Robin, J. 85 (1996) 135-179
- McLeod, D. and P.L. Yanover, Book review of *Expert Database Systems: Proceedings from the Second International Conference* (Larry Kerschberg, ed.) 48 (1992) 245-252
- McSkimin, J.R., see Minker, J. 4 (1973) 225-243
- Meiri, I., Combining qualitative and quantitative constraints in temporal reasoning 87 (1996) 343-385
- Meiri, I., R. Dechter and J. Pearl, Uncovering trees in constraint networks 86 (1996) 245-267
- Meiri, I., see Dechter, R. 49 (1991) 61- 95
- Meiri, I., see Dechter, R. 68 (1994) 211-241
- Mellish, C., The description identification problem (Research Note) 52 (1991) 151-167

- Meltzer, B., The semantics of induction and the possibility of complete systems of inductive inference 1 (1970) 189–192
- Meltzer, B., see Gardin, F. 38 (1989) 139–159
- Mendelzon, A.O., see Katsuno, H. 52 (1991) 263–294
- Mercer, R.E., see Besnard, P. 39 (1989) 251–262
- Mérô, L., A heuristic search algorithm with modifiable estimate 23 (1984) 13– 27
- Michalski, R.S., A theory and methodology of inductive learning 20 (1983) 111–161
- Michalski, R.S. and P.H. Winston, Variable precision logic 29 (1986) 121–146
- Michalski, R.S., see Dietterich, T.G. 16 (1981) 257–294
- Michalski, R.S., see Dietterich, T.G. 25 (1985) 187–232
- Michalski, R.S., see Stepp, R.E. 28 (1986) 43– 69
- Michie, D., Turing's Test and conscious thought 60 (1993) 1– 22
- Milenkovic, V.J., Verifiable implementations of geometric algorithms using finite precision arithmetic 37 (1988) 377–401
- Miniccozzi, E. and R. Reiter, A note on linear resolution strategies in consequence-finding 3 (1972) 175–180
- Minker, J., D.H. Fishman and J.R. McSkimin, The Q* algorithm—a search strategy for a deductive question-answering system 4 (1973) 225–243
- Minker, J., see Fishman, D.H. 6 (1975) 103–127
- Minker, J., see Perlis, D. 28 (1986) 29– 42
- Minsky, M., *Society of Mind*: a response to four reviews 48 (1991) 371–396
- Minsky, M., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 343–354
- Minton, S., Quantitative results concerning the utility of explanation-based learning 42 (1990) 363–391
- Minton, S., J.G. Carbonell, C.A. Knoblock, D.R. Kuokka, O. Etzioni and Y. Gil, Explanation-based learning: a problem solving perspective 40 (1989) 63–118
- Minton, S., M.D. Johnston, A.B. Philips and P. Laird, Minimizing conflicts: a heuristic repair method for constraint satisfaction and scheduling problems 58 (1992) 161–205
- Miranker, D.P., see Bayardo Jr, R.J. 71 (1994) 159–181
- Mitchell, D.G., see Selman, B. 81 (1996) 17– 29
- Mitchell, D.G. and H.J. Levesque, Some pitfalls for experimenters with random SAT 81 (1996) 111–125
- Mitchell, J.S.B., An algorithmic approach to some problems in terrain navigation 37 (1988) 171–201
- Mitchell, T.M., Generalization as search 18 (1982) 203–226
- Mitchell, T.M., see Mahadevan, S. 64 (1993) 1– 52
- Miyashita, K. and K. Sycara, CABINS: a framework of knowledge acquisition and iterative revision for schedule improvement and reactive repair 76 (1995) 377–426

- Mkadm, T., see Holte, R. 85 (1996) 321–361
- Mohr, R., B. Boufama and P. Brand, Understanding positioning from multiple images 78 (1995) 213–238
- Mohr, R. and T.C. Henderson, Arc and path consistency revisited (Research Note) 28 (1986) 225–233
- Moinard, Y., see Besnard, P. 39 (1989) 251–262
- Mongin, P., see Lismont, L. 70 (1994) 363–374
- Montanari, U., Heuristically guided search and chromosome matching 1 (1970) 227–245
- Montanari, U. and F. Rossi, Constraint relaxation may be perfect 48 (1991) 143–170
- Mooney, R.J., see Ourston, D. 66 (1994) 273–309
- Moore, M., see Webber, B. 73 (1995) 253–269
- Moore, R.C., Semantical considerations of nonmonotonic logic 25 (1985) 75– 94
- Moore, R.C., Autoepistemic logic revisited 59 (1993) 27– 30
- Moore, R.W., see Knuth, D.E. 6 (1975) 293–326
- Morgan, C.G., Hypothesis generation by machine 2 (1971) 179–187
- Morgenstern, L., see Stein, L.A. 71 (1994) 1– 42
- Morris, P., see Freund, M. 52 (1991) 191–203
- Morris, P.H., The anomalous extension problem in default reasoning 35 (1988) 383–399
- Moses, Y., see Halpern, J.Y. 54 (1992) 319–379
- Moses, Y. and Y. Shoham, Belief as defeasible knowledge 64 (1993) 299–321
- Moses, Y. and M. Tennenholtz, Off-line reasoning for on-line efficiency: knowledge bases 83 (1996) 229–239
- Mostow, J., see Mahadevan, S. 64 (1993) 1– 52
- Mostow, J., Design by derivational analogy: issues in the automated replay of design plans 40 (1989) 119–184
- Motoda, H., see Yoshida, K. 75 (1995) 63– 92
- Mott, P.L., A theorem on the consistency of circumscription (Research Note) 31 (1987) 87– 98
- Muggleton, S.H., see Srinivasan, A. 85 (1996) 277–299
- Mundy, J.L., see Barry, M. 37 (1988) 291–332
- Mundy, J.L., see Kapur, D. 37 (1988) 1– 11
- Mundy, J.L., see Kapur, D. 37 (1988) 15– 36
- Mundy, J., see Zisserman, A. 78 (1995) 239–288
- Muresan, L.V., see Pednault, E.P.D. 16 (1981) 213–222
- Murray, N.V., Completely non-clausal theorem proving 18 (1982) 67– 85
- Musen, M.A., see Eriksson, H. 79 (1995) 293–326
- Musliner, D.J., E.H. Durfee and K.G. Shin, World modeling for the dynamic construction of real-time control plans 74 (1995) 83–128
- Musser, D.R., see Kapur, D. 31 (1987) 125–157
- Mutchler, D., The multi-player version of minimax displays game-tree pathology (Research Note) 64 (1993) 323–336

- Mycroft, A. and R.A. O'Keefe, A polymorphic type system for Prolog 23 (1984) 295–307
- Myers, K.L., Hybrid reasoning using universal attachment 67 (1994) 329–375
- Nadin, M., Book review of *Language as a Cognitive Process*, Vol. I: *Syntax* (T. Winograd) 27 (1985) 353–357
- Nagel, H.-H., On the estimation of optical flow: relations between different approaches and some new results 33 (1987) 299–324
- Nagel, H.-H., see Otte, M. 78 (1995) 5– 43
- Nagy, G., Book review of *Pattern Classification and Scene Analysis* (Richard O. Duda and Peter E. Hart) 4 (1973) 139–143
- Nakhimovsky, A., Book review of *Tense and Aspect Systems* (Oesten Dahl) 32 (1987) 407–410
- Nardi, D., see Donini, F.M. 53 (1992) 309–327
- Nau, D.S., The Last Player Theorem 18 (1982) 53– 65
- Nau, D.S., An investigation of the causes of pathology in games 19 (1982) 257–278
- Nau, D.S., Pathology on game trees revisited, and an alternative to minimaxing 21 (1983) 221–244
- Nau, D.S., V. Kumar and L.N. Kanal, General branch and bound, and its relation to A* and AO* 23 (1984) 29– 58
- Nau, D.S., see Erol, K. 76 (1995) 75– 88
- Nau, D.S., see Gupta, N. 56 (1992) 223–254
- Nau, D.S., see Kambhampati, S. 82 (1996) 129–155
- Nawab, S.H., see Lesser, V.R. 77 (1995) 129–171
- Nayak, P.P., Causal approximations 70 (1994) 277–334
- Nayak, P.P. and L. Joskowicz, Efficient compositional modeling for generating causal explanations 83 (1996) 193–227
- Neal, R.M., Connectionist learning of belief networks 56 (1992) 71–113
- Nebel, B., Computational complexity of terminological reasoning in BACK (Research Note) 34 (1988) 371–383
- Nebel, B., Terminological reasoning is inherently intractable (Research Note) 43 (1990) 235–249
- Nebel, B. and C. Bäckström, On the computational complexity of temporal projection, planning, and plan validation 66 (1994) 125–160
- Nebel, B. and J. Koehler, Plan reuse versus plan generation: a theoretical and empirical analysis 76 (1995) 427–454
- Nebel, B., see Heinsohn, J. 68 (1994) 367–397
- Neches, R., Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 65– 79
- Nelson, G., see Thagard, P. 46 (1990) 259–310
- Nelson, P.C., see Dillenburg, J.F. 65 (1994) 165–178
- Nersessian, N., see Ram, A. 79 (1995) 111–128
- Neufeld, E., Notes on "A clash of intuitions" (Research Note) 48 (1991) 225–240

- Nevatia, R. and T.O. Binford, Description and recognition of curved objects 8 (1977) 77- 98
- Nevatia, R., see Ulupinar, F. 67 (1994) 1- 28
- Nevins, A.J., Plane geometry theorem proving using forward chaining 6 (1975) 1- 23
- Nevins, A.J., A relaxation approach to splitting in an automatic theorem prover 6 (1975) 25- 39
- Newborn, M.M., The efficiency of the alpha-beta search on trees with branch-dependent terminal node scores 8 (1977) 137-153
- Newell, A., The knowledge level 18 (1982) 87-127
- Newell, A., Reflections on the knowledge level 59 (1993) 31- 38
- Newell, A., see Laird, J.E. 33 (1987) 1- 64
- Newell, A., see Rosenbloom, P.S. 47 (1991) 289-325
- Newell, A., see Waterman, D.A. 2 (1971) 285-318
- Nguyen, V.-D., see Barry, M. 37 (1988) 291-332
- Nicholson, A., see Dean, T. 76 (1995) 35- 74
- Nie, X. and D.A. Plaisted, Refinements to depth-first iterative-deepening search in automatic theorem proving (Research Note) 41 (1990) 223-235
- Nie, X. and D.A. Plaisted, A semantic backward chaining proof system 55 (1992) 109-128
- Nielsen, P., see Forbus, K.D. 51 (1991) 417-471
- Nigam, A., see Bhaskar, R. 45 (1990) 73-111
- Niizuma, S. and T. Kitahashi, A problem-decomposition method using differences or equivalence relations between states 25 (1985) 117-151
- Nilsson, N.J., Probabilistic logic 28 (1986) 71- 87
- Nilsson, N.J., On *Logical Foundations of Artificial Intelligence*: a response to the reviews by S. Smoliar and J. Sowa 38 (1989) 132-133
- Nilsson, N.J., Logic and artificial intelligence 47 (1991) 31- 56
- Nilsson, N.J., Probabilistic logic revisited 59 (1993) 39- 42
- Nilsson, N.J., Book review of *Artificial Intelligence: A Modern Approach* (Stuart Russell and Peter Norvig) 82 (1996) 369-380
- Nilsson, N.J., see Fikes, R.E. 2 (1971) 189-208
- Nilsson, N.J., see Fikes, R.E. 3 (1972) 251-288
- Nilsson, N.J., see Fikes, R.E. 59 (1993) 227-232
- Nilsson, N.J., see Luckham, D. 2 (1971) 27- 54
- Nishida, T. and S. Doshita, Qualitative analysis of behavior of systems of piecewise linear differential equations with two state variables 75 (1995) 3- 29
- Nishihara, H.K., Intensity, visible-surface, and volumetric representations 17 (1981) 265-284
- Nitta, T., see Matsuyama, T. 75 (1995) 93-113
- Nojima, H., see Goto, S. 75 (1995) 115-130
- Norman, D.A., Approaches to the study of intelligence 47 (1991) 327-346

- Norman, D.A., see Bobrow, D.G. 8 (1977) 155–173
- Norton, L.M., Experiments with a heuristic theorem-proving program for predicate calculus with equality 2 (1971) 261–284
- Norton, L.M., Automated analysis of instructional text 20 (1983) 307–344
- Norvig, P., Book review of *Metaphors We Live By* (G. Lakoff and M. Johnson) 27 (1985) 357–361
- Norvig, P., Book review of *Text-Based Intelligent Systems* (Paul Jacobs, ed.) 66 (1994) 181–188
- Nudel, B., Consistent-labeling problems and their algorithms: expected-complexities and theory-based heuristics 21 (1983) 135–178
- Nuflo, F., see Tsotsos, J.K. 78 (1995) 507–545
- Nutt, W., see Donini, F.M. 53 (1992) 309–327
- Oberlander, J., Book review of *Intentions in Communication* (Philip R. Cohen, Jerry Morgan and Martha E. Pollack, eds.) 63 (1993) 511–520
- O’Gorman, F., Edge detection using Walsh functions (Technical Note) 10 (1978) 215–223
- Ohlbach, H.J., see Eisinger, N. 50 (1991) 141–181
- O’Keefe, R.A., see Mycroft, A. 23 (1984) 295–307
- Olsson, R., Inductive functional programming using incremental program transformation 74 (1995) 55–82
- Oota, K., see Iwanuma, K. 86 (1996) 391–402
- O’Rourke, J., Triple Book review of *Consciousness Explained* (Daniel C. Dennett), *The Evolution of Consciousness: Of Darwin, Freud, and Cranial Fire: The Origins of the Way We Think* (Robert Ornstein), and *Metaphysics of Consciousness* (William Seager) 60 (1993) 303–312
- Orponen, P., Dempster’s rule of combination is #P-complete (Research Note) 44 (1990) 245–253
- Orponen, P., see Greiner, P. 82 (1996) 21–44
- Oskarsson, Ö., see Beckman, L. 7 (1976) 319–357
- Otte, M. and H.-H. Nagel, Estimation of optical flow based on higher-order spatiotemporal derivatives in interlaced and non-interlaced image sequences 78 (1995) 5–43
- Ouchi, G.I., see Wipke, W.T. 11 (1978) 173–193
- Ourston, D. and R.J. Mooney, Theory refinement combining analytical and empirical methods 66 (1994) 273–309
- Palay, A.J., The B* tree search algorithm—new results 19 (1982) 145–163
- Palmer, M.S., R.J. Passonneau, C. Weir and T. Finin, The KERNEL text understanding system 63 (1993) 17–68
- Papadimitriou, C.H. and M. Sideri, Default theories that always have extensions (Research Note) 69 (1994) 347–357
- Paris, J.B. and A. Vencovská, A model of belief 64 (1993) 197–241

- Park, Il-Pyung and J.R. Kender, Topological direction-giving and visual navigation in large environments 78 (1995) 355-395
- Parkison, R.C., K.M. Colby and W.S. Faight, Conversational language comprehension using integrated pattern-matching and parsing 9 (1977) 111-134
- Parodi, P. and V. Torre, On the complexity of labeling perspective projections of polyhedral scenes 70 (1994) 239-276
- Passoneau, R.J., see Palmer, M.S. 63 (1993) 17- 68
- Pastre, D., Automatic theorem proving in set theory 10 (1978) 1- 27
- Pastre, D., MUSCADET: an automatic theorem proving system using knowledge and metaknowledge in mathematics 38 (1989) 257-318
- Patel-Schneider, P.F., A four-valued semantics for terminological logics 38 (1989) 319-351
- Erratum 39 (1989) 399
- Patel-Schneider, P.F., Undecidability of subsumption in NIKL (Research Note) 39 (1989) 263-272
- Patil, R.S., see Doyle, J. 48 (1991) 261-297
- Pauker, S.G., see Szolovits, P. 11 (1978) 115-144
- Pauker, S.G., see Szolovits, P. 59 (1993) 167-180
- Pazienza, M.T., see Basili, R. 85 (1996) 59- 99
- Pearl, J., Asymptotic properties of minimax trees and game-searching procedures 14 (1980) 113-138
- Pearl, J., Knowledge versus search: a quantitative analysis using A* 20 (1983) 1- 13
- Pearl, J., On the nature of pathology in game searching 20 (1983) 427-453
- Pearl, J., On evidential reasoning in a hierarchy of hypotheses (Research Note) 28 (1986) 9- 15
- Pearl, J., Fusion, propagation, and structuring in belief networks 29 (1986) 241-288
- Pearl, J., Evidential reasoning using stochastic simulation of causal models (Research Note) 32 (1987) 245-257
- Addendum 33 (1987) 131-132
- Pearl, J., Distributed revision of composite beliefs 33 (1987) 173-215
- Pearl, J., Embracing causality in default reasoning (Research Note) 35 (1988) 259-271
- Pearl, J., Belief networks revisited 59 (1993) 49- 56
- Pearl, J., see Darwiche, A. 89 (1997) 1- 29
- Pearl, J., see Dechter, R. 34 (1988) 1- 38
- Pearl, J., see Dechter, R. 38 (1989) 353-366
- Pearl, J., see Dechter, R. 49 (1991) 61- 95
- Pearl, J., see Dechter, R. 58 (1992) 237-270
- Pearl, J., see Geffner, H. 53 (1992) 209-244
- Pearl, J., see Goldszmidt, M. 52 (1991) 121-149
- Pearl, J., see Goldszmidt, M. 84 (1996) 57-112
- Pearl, J., see Huyn, N. 15 (1980) 241-254

- Pearl, J., see Karp, R.M. 21 (1983) 99–116
- Pearl, J., see Meiri, I. 86 (1996) 245–267
- Pearl, J., see Roizen, I. 21 (1983) 199–220
- Pednault, E.P.D., S.W. Zucker and L.V. Muresan, On the independence assumption underlying subjective Bayesian updating 16 (1981) 213–222
- Pemberton, J.C. and W. Zhang, Epsilon-transformation: exploiting phase transitions to solve combinatorial optimization problems 81 (1996) 297–325
- Penberthy, J.S., see Addanki, S. 51 (1991) 145–177
- Pennington, K.S., see Will, P.M. 2 (1971) 319–329
- Pentland, A.P., Perceptual organization and the representation of natural form 28 (1986) 293–331
- Pentland, A.P., Shading into texture 29 (1986) 147–170
- Peot, M.A. and R.D. Shachter, Fusion and propagation with multiple observations in belief networks (Research Note) 48 (1991) 299–318
- Pereira, F.C.N. and M.E. Pollack, Incremental interpretation 50 (1991) 37– 82
- Pereira, F.C.N. and B.J. Grosz, Introduction 63 (1993) 1– 15
- Pereira, F.C.N. and D.H.D. Warren, Definite clause grammars for language analysis—a survey of the formalism and a comparison with augmented transition networks 13 (1980) 231–278
- Pereira, F.C.N., see Grosz, B.J. 32 (1987) 173–243
- Perkins, D., An unfair review of Margaret Boden's *The Creative Mind* from the perspective of creative systems 79 (1995) 97–109
- Perlin, M., Arc consistency for factorable relations (Research Note) 53 (1992) 329–342
- Perlis, D., Languages with self-reference I: foundations (or: We can have everything in first-order logic!) 25 (1985) 301–322
- Perlis, D., Circumscribing with sets (Research Note) 31 (1987) 201–211
- Perlis, D., Languages with self-reference II: knowledge, belief, and modality 34 (1988) 179–212
- Perlis, D., Autocircumscription (Research Note) 36 (1988) 223–236
- Perlis, D., Truth and meaning (Research Note) 39 (1989) 245–250
- Perlis, D. and J. Minker, Completeness results for circumscription 28 (1986) 29– 42
- Perlis, D., see Etherington, D.W. 52 (1991) 221–261
- Perrault, C.R., Book review of *Meaning and Grammar: An Introduction to Semantics* (Gennaro Chierchia and Sally McConnell-Ginet) 63 (1993) 493–502
- Perrault, C.R., see Allen, J.F. 15 (1980) 143–178
- Pevac, I., see Cvetković, D. 35 (1988) 1– 23
- Phelps, R., Book review of *Mental Models* (P.N. Johnson-Laird) 28 (1985) 343–344
- Philips, A.B., see Minton, S. 58 (1992) 161–205
- Pijls, W., see Plaat, A. 87 (1996) 255–293

- Pillow, N., see Zisserman, A. 78 (1995) 239-288
- Pinkas, G., Reasoning, nonmonotonicity and learning in connectionist networks that capture propositional knowledge 77 (1995) 203-247
- Pirolli, P., Book review of *Mind Bugs: The Origins of Procedural Misconceptions* (Kurt VanLehn) 52 (1991) 329-340
- Pitrat, J., A chess combination program which uses plans 8 (1977) 275-321
- Plaat, A., J. Schaeffer, W. Pijls and A. de Bruin, Best-first fixed-depth minimax algorithms 87 (1996) 255-293
- Plaisted, D.A., Theorem proving with abstraction 16 (1981) 47-108
- Plaisted, D.A., A simplified problem reduction format 18 (1982) 227-261
- Plaisted, D.A., see Nie, X. 41 (1990) 223-235
- Plaisted, D.A., see Nie, X. 55 (1992) 109-128
- Plaisted, D.A., see Lee, S.-J. 69 (1994) 205-233
- Pletat, U., see Beierle, C. 55 (1992) 149-191
- Plummer, D., see Bundy, A. 27 (1985) 137-181
- Pohl, I., Heuristic search viewed as path finding in a graph 1 (1970) 193-204
- Politakis, P. and S.M. Weiss, Using empirical analysis to refine expert system knowledge bases 22 (1984) 23- 48
- Politakis, P., see Ginsberg, A. 35 (1988) 197-226
- Pollack, M.E., see Pereira, F.C.N. 50 (1991) 37- 82
- Pollack, J.B., Recursive distributed representations 46 (1990) 77-105
- Pollack, J.B., On the wings of knowledge: a review of Allen Newell's *Unified Theories of Cognition* 59 (1993) 355-369
- Pollack, M.E., The uses of plans 57 (1992) 43- 68
- Pollock, J.L., How to reason defeasibly 57 (1992) 1- 42
- Pollock, J.L., Justification and defeat 67 (1994) 377-407
- Pólos, L., see Huang, Z. 82 (1996) 75-127
- Poole, D., A logical framework for default reasoning 36 (1988) 27- 47
- Poole, D., The effect of knowledge on belief: conditioning, specificity and the lottery paradox in default reasoning 49 (1991) 281-307
- Poole, D., Probabilistic Horn abduction and Bayesian networks 64 (1993) 81-129
- Poole, D., Probabilistic conflicts in a search algorithm for estimating posterior probabilities in Bayesian networks 88 (1996) 69-100
- Popplestone, R.J., A.P. Ambler and I.M. Bellos, An interpreter for a language for describing assemblies 14 (1980) 79-107
- Popplestone, R.J., see Ambler, A.P. 6 (1975) 129-156
- Popplestone, R.J., see Ambler, A.P. 6 (1975) 157-174
- Porter, B., see Cohen, P. 85 (1996) 1- 2
- Porter, B.W., R. Bareiss and R.C. Holte, Concept learning and heuristic classification in weak- theory domains 45 (1990) 229-263
- Porter, B.W., see Blumenthal, B. 67 (1994) 287-327
- Powley, C., C. Ferguson and R.E. Korf, Depth-first heuristic search on a SIMD machine 60 (1993) 199-242
- Präcklein, A., see Eisinger, N. 50 (1991) 141-181
- Prade, H., see Dubois, D. 35 (1988) 243-257

- Prade, H., see Dubois, D. 50 (1991) 223–239
- Pradhan, M., M. Henrion, G. Provan, B. del Favero and K. Huang, The sensitivity of belief networks to imprecise probabilities: an experimental investigation 85 (1996) 363–397
- Prazdny, K., Book review of *Cognitive Psychology* (J. Green, ed.) 14 (1980) 110–112
- Prieditis, A. and R. Davis, Quantitatively relating abstractness to the accuracy of admissible heuristics (Research Note) 74 (1995) 165–175
- Priest, G., Reasoning about truth (Research Note) 39 (1989) 231–244
- Profitlich, H.-J., see Wahlster, W. 63 (1993) 387–427
- Profitlich, H.-J., see Heinsohn, J. 68 (1994) 367–397
- Prokopowicz, P., see Brand, M. 73 (1995) 307–322
- Prosser, P., An empirical study of phase transitions in binary constraint satisfaction problems 81 (1996) 81–109
- Provan, G., see Pradhan, M. 85 (1996) 363–397
- Przymusinska, H., see Gelfond, M. 38 (1989) 75– 94
- Przymusinska, H., see Gelfond, M. 30 (1986) 273–287
- Przymusinski, T.C., An algorithm to compute circumscription 38 (1989) 49– 73
- Przymusinski, T.C., Three-valued nonmonotonic formalisms and semantics of logic programs 49 (1991) 309–343
- Przymusinski, T.C., see Gelfond, M. 38 (1989) 75– 94
- Puerta, A.R., see Eriksson, H. 79 (1995) 293–326
- Pulman, S.G., see Crouch, R.S. 63 (1993) 265–304
- Purdom Jr, P.W., Search rearrangement backtracking and polynomial average time 21 (1983) 117–133
- Purves, D., Brain or mind? A review of Allen Newell's *Unified Theories of Cognition* 59 (1993) 371–373
- Pustejovsky, J. and B. Boguraev, Lexical knowledge representation and natural language processing 63 (1993) 193–223
- Pylyshyn, Z.W., Literature from cognitive psychology (Correspondent's Report) 19 (1982) 251–255
- Pylyshyn, Z.W., On *Computation and Cognition: Toward a Foundation for Cognitive Science*: a response to the reviews by A.K. Mackworth and M.J. Stefik 38 (1989) 248–251
- Qu, Y., see Kambhampati, S. 88 (1996) 253–315
- Rabin, M.O., see Halpern, J.Y. 32 (1987) 379–405
- Rabinov, A., A generalization of collapsible cases of circumscription (Research Note) 38 (1989) 111–117
- Rabinov, A., see Lifschitz, V. 38 (1989) 225–237
- Rada, R., Book review of *Artificial Intelligence* (Elaine Rich) 28 (1986) 119–121
- Rae, J.P., see Bray, A.J. 52 (1991) 319–328
- Raiman, O., Order of magnitude reasoning 51 (1991) 11– 38

- Ram, A., L. Wills, E. Domeshek, N. Nersessian and J. Kolodner, Understanding the creative mind: a review of Margaret Boden's *Creative Mind* 79 (1995) 111–128
- Rana, S., see Whitley, D. 85 (1996) 245–276
- Rao, R.P.N. and D.H. Ballard, An active vision architecture based on iconic representations 78 (1995) 461–505
- Raphael, B., see Yates, R.A. 1 (1970) 257–289
- Rau, L.F., see Jacobs, P.S. 63 (1993) 143–191
- Ravi Shankar, C., Book review of *Prolog and Natural-Language Analysis* (Fernando C.N. Pereira and Stuart M. Sheiber) 39 (1989) 275–278
- Rayner, M., On the applicability of nonmonotonic logic to formal reasoning in continuous time 49 (1991) 345–360
- Reece, D.A. and S.A. Shafer, Control of perceptual attention in robot driving 78 (1995) 397–430
- Reeke Jr, G.N., Book review of *The Society of Mind* (Marvin Minsky) 48 (1991) 341–348
- Reeke Jr, G.N., Book review of *The Computational Brain* (Patricia S. Churchland and Terrence J. Sejnowski) 82 (1996) 381–391
- Reese, D., Book review of *Artificial Intelligence*, 2nd Ed. (P.H. Winston) 27 (1985) 127–128
- Reichgelt, H., see Vila, L. 83 (1996) 59–74
- Reichman-Adar, R., Extended person-machine interface 22 (1984) 157–218
- Reid, I.D. and J.M. Brady, Recognition of object classes from range data 78 (1995) 289–326
- Reinefeld, A. and P. Ridinger, Time-efficient state space search (Research Note) 71 (1994) 397–408
- Reinefeld, A., see Ladkin, P.B. 57 (1992) 105–124
- Reinefeld, A., see Marsland, T.A. 31 (1987) 185–199
- Reiter, R., Book review of *Computational Semantics* (Eugene Charniak and Yorick Wilks, eds.) 8 (1977) 365–372
- Reiter, R., A logic for default reasoning 13 (1980) 81–132
- Reiter, R., A theory of diagnosis from first principles 32 (1987) 57–95
- Reiter, R., Proving properties of states in the situation calculus (Research Note) 64 (1993) 337–351
- Reiter, R. and A.K. Mackworth, A logical framework for depiction and image interpretation 41 (1990) 125–155
- Reiter, R., see Brachman, R.J. 49 (1991) 1–3
- Reiter, R., see De Kleer, J. 56 (1992) 197–222
- Reiter, R., see Minicocchi, E. 3 (1972) 175–180
- Rendell, L., A new basis for state-space learning systems and a successful implementation 20 (1983) 369–392
- Reynard, D., see Blake, A. 78 (1995) 179–212
- Reynolds, D. and J. Gomatam, Stochastic modelling of Genetic Algorithms 82 (1996) 303–330

- Reynolds, D. and J. Gomatam, Similarities and distinctions in sampling strategies for Genetic Algorithms (Research Note) 86 (1996) 375–390
- Rich, A., see Siklóssy, L. 4 (1973) 1– 27
- Ridinger, P., see Reinefeld, A. 71 (1994) 397–408
- Rieger III, C.J., see Schank, R.C. 5 (1974) 373–412
- Rieger, C., On organization of knowledge for problem solving and language comprehension 7 (1976) 89–127
- Rieger, J.H., The geometry of view space of opaque objects bounded by smooth surfaces 44 (1990) 1– 40
- Riloff, E., An empirical study of automated dictionary construction for information extraction in three domains 85 (1996) 101–134
- Ripken, K., see Haralick, R.M. 6 (1975) 75– 99
- Rist, T., see Wahlster, W. 63 (1993) 387–427
- Ritchie, G.D. and F.K. Hanna, AM: a case study in AI methodology 23 (1984) 249–268
- Rivest, R.L., Game tree searching by min/max approximation 34 (1988) 77– 96
- Rivlin, E., see Basri, R. 78 (1995) 327–354
- Roach, J., see Joslin, D. 41 (1990) 97–106
- Roach, J., see Siklóssy, L. 6 (1975) 41– 52
- Robin, J. and K. McKeown, Empirically designing and evaluating a new revision-based model for summary generation 85 (1996) 135–179
- Rock, S., Book review of *Robot Technology*, Volume 1: *Modelling and Control*; Volume 2: *Interaction with the Environment* (Philippe Coiffet) 33 (1987) 141–142
- Rock, S., Book review of *On Machine Intelligence*, 2nd ed. (Donald Michie) 34 (1988) 386–387
- Roizen, I. and J. Pearl, A minimax algorithm better than alpha-beta? Yes and no 21 (1983) 199–220
- Roos, N., A logic for reasoning with inconsistent knowledge 57 (1992) 69–103
- Rose, D.E., Book review of *Advances in Connectionist and Neural Computation Theory*, Volume 1: *High-Level Connectionist Models* (J.A. Barnden and J.B. Pollack, eds.) 62 (1993) 129–139
- Rosenbloom, P.S., A world-championship-level Othello program 19 (1982) 279–320
- Rosenbloom, P.S., J.E. Laird, A. Newell and R. McCarl, A preliminary analysis of the Soar architecture as a basis for general intelligence 47 (1991) 289–325
- Rosenbloom, P.S. and J.E. Laird, *On Unified Theories of Cognition*: a response to the reviews 59 (1993) 389–413
- Rosenbloom, P.S., see Golding, A.R. 87 (1996) 215–254
- Rosenbloom, P.S., see Laird, J.E. 33 (1987) 1– 64
- Rosenbloom, P.S., see Tambe, M. 68 (1994) 155–199
- Rosenfeld, A., Book review of *The Psychology of Computer Vision* (Patrick Henry Winston, ed.) 7 (1976) 279–282
- Rosenfeld, A., see Davis, L.S. 17 (1981) 245–263

- Rosenfeld, A., see Lee, C.-H. 26 (1985) 125-143
- Rosenschein, J.S., see Ephrati, E. 87 (1996) 21- 74
- Rosenschein, J.S., see Zlotkin, G. 84 (1996) 151-176
- Rosenschein, J.S., see Zlotkin, G. 86 (1996) 195-244
- Rosenschein, S.J. and L.P. Kaelbling, A situated view of representation and control 73 (1995) 149-173
- Rosenschein, S.J., see Hobbs, J.R. 9 (1977) 287-306
- Rossi, F., see Montanari, U. 48 (1991) 143-170
- Roth, D., On the hardness of approximate reasoning 82 (1996) 273-302
- Roth, D., see Khardon, R. 87 (1996) 187-213
- Roth, Y. and R. Jain, Knowledge caching for sensor-based systems 71 (1994) 257-280
- Rothwell, C., see Zisserman, A. 78 (1995) 239-288
- Ruspini, E.H., see Saffioti, A. 76 (1995) 481-526
- Russell, D.M., Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (1984) 239-242
- Russell, S., see Zilberstein, S. 82 (1996) 181-213
- Russell, S. and E. Wefald, Principles of metareasoning 49 (1991) 361-395
- Ruth, G.R., Intelligent program analysis 7 (1976) 65- 85
- Rymon, R., Goal-directed diagnosis—a diagnostic reasoning framework for exploratory-corrective domains 84 (1996) 257-297
- Sablon, G., L. De Raedt and M. Bruynooghe, Iterative versionspaces (Research Note) 69 (1994) 393-409
- Sacerdoti, E.D., Planning in a hierarchy of abstraction spaces 5 (1974) 115-135
- Sacerdoti, E.D., see Stefik, M.J. 18 (1982) 135-173
- Sacerdoti, E.D., see Stefik, M.J. 59 (1993) 221-224
- Sacks, E.P., Automatic qualitative analysis of dynamic systems using piecewise linear approximations 41 (1990) 313-364
- Sacks, E.P., A dynamic systems perspective on qualitative simulation 42 (1990) 349-362
- Sacks, E.P., Automatic analysis of one-parameter planar ordinary differential equations by intelligent numeric simulation 48 (1991) 27- 56
- Sacks, E.P., What's in a linkage? Review of: Glenn Kramer, *Solving Geometric Constraint Systems* 61 (1993) 343-349
- Sacks, E.P., see Joskowicz, L. 51 (1991) 381-416
- Sadeh, N., K. Sycara and Y. Xiong, Backtracking techniques for the job scheduling constraint satisfaction problem 76 (1995) 455-480
- Sadeh, N. and M.S. Fox, Variable and value ordering heuristics for the job shop scheduling constraint satisfaction problem 86 (1996) 1- 41
- Saffioti, A., K. Konolige and E.H. Ruspini, A multivalued logic approach to integrating planning and control 76 (1995) 481-526
- Safir, A., see Weiss, S.M. 11 (1978) 145-172

- Sandewall, E., Formal methods in the design of question-answering systems 2 (1971) 129–145
- Sandewall, E., see Beckman, L. 7 (1976) 319–357
- Santos Jr, E. and E.S. Santos, Polynomial solvability of cost-based abduction (Research Note) 86 (1996) 157–170
- Santos Jr, E., A linear constraint satisfaction approach to cost-based abduction 65 (1994) 1–27
- Santos, E.S., see Santos Jr, E. 86 (1996) 157–170
- Sarkar, U.K., P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Reducing reexpansions in iterative-deepening search by controlling cutoff bounds (Research Note) 50 (1991) 207–221
- Sato, S., MBT2: a method for combining fragments of examples in example-based translation 75 (1995) 31–49
- Satta, G. and O. Stock, Bidirectional context-free grammar parsing for natural language processing 69 (1994) 123–164
- Saund, E., Putting knowledge into a visual shape representation 54 (1992) 71–119
- Say, A.C.C. and S. Kuru, Qualitative system identification: deriving structure from behavior 83 (1996) 75–141
- Scandura, J.M., J.H. Durnin and W.H. Wulfeck II, Higher order rule characterization of heuristics for compass and straight edge constructions in geometry 5 (1974) 149–183
- Schaeffer, J., see Marsland, T.A. 31 (1987) 185–199
- Schaeffer, J., Conspiracy numbers 43 (1990) 67–84
- Schaeffer, J., J. Culberson, N. Treloar, B. Knight, P. Lu and D. Szafron, A world championship caliber checkers program (Research Note) 53 (1992) 273–289
- Schaeffer, W., see Plaat, A. 87 (1996) 255–293
- Schaerf, M. and M. Cadoli, Tractable reasoning via approximation 74 (1995) 249–310
- Schaerf, M., see Cadoli, M. 88 (1996) 215–251
- Schank, R.C., Interestingness: controlling inferences 12 (1979) 273–297
- Schank, R.C. and D.A. Foster, The engineering of creativity: a review of Boden's *The Creative Mind* 79 (1995) 129–143
- Schank, R.C. and M.Y. Jona, Issues for psychology, AI, and education: a review of Newell's *Unified Theories of Cognition* 59 (1993) 375–388
- Schank, R.C. and D.B. Leake, Creativity and learning in a case-based explainer 40 (1989) 353–385
- Schank, R.C. and C.J. Rieger III, Inference and the computer understanding of natural language 5 (1974) 373–412
- Schaub, T., see Delgrande, J.P. 70 (1994) 167–237
- Schlechta, K., see Makinson, D. 48 (1991) 199–209
- Schmidt, C.F., N.S. Sridharan and J.L. Goodson, The plan recognition problem: an intersection of psychology and artificial intelligence 11 (1978) 45–83

- Schmidt-Schauß, M. and G. Smolka, Attributive concept descriptions with complements 48 (1991) 1–26
- Schmitt, P.H., see Beierle, C. 55 (1992) 149–191
- Schoppers, M., The use of dynamics in an intelligent controller for a space faring rescue robot 73 (1995) 175–230
- Schor, M.I., see Lee, H.S. 54 (1992) 249–274
- Schrag, R. and J.M. Crawford, Implicates and prime implicates in Random 3-SAT 81 (1996) 199–222
- Schreiber, P.P., Book review of *Neural Assemblies—An Alternative Approach to Artificial Intelligence, Part I* [Studies of Brain Function 7] (Günther Palm) 21 (1983) 358–359
- Schubert, L., see Gerevini, A. 70 (1994) 347–361
- Schubert, L., see Gerevini, A. 74 (1995) 207–248
- Schubert, L.K., Extending the expressive power of semantic networks 7 (1976) 163–198
- Erratum 7 (1976) 369
- Schukin, Y., Book review of *Natural and Artificial Intelligence (Conceptual Approach)—Materials of the Fourth International Joint Conference on Artificial Intelligence* (in Russian) (V.V. Chavchanidze et al., eds.) 8 (1977) 233–238
- Schunck, B.G., see Horn, B.K.P. 17 (1981) 185–203
- Schunck, B.G., see Horn, B.K.P. 59 (1993) 81–87
- Schwartz, J.T. and M. Sharir, A survey of motion planning and related geometric algorithms 37 (1988) 157–169
- Schwarz, G., On embedding default logic into Moore's autiepistemic logic (Research Note) 80 (1996) 349–359
- Schwarz, G., In search of a "true" logic of knowledge: the nonmonotonic perspective 79 (1995) 39–63
- Schwarz, G. and M. Truszczyński, Minimal knowledge problem: a new approach 67 (1994) 113–141
- Sebastiani, R., see Bundy, A. 88 (1996) 39–67
- Segre, A. and C. Elkan, A high-performance explanation-based learning algorithm 69 (1994) 1–50
- Segre, A. and G. Gordon, Book review of *Computer Systems That Learn* (Sholom M. Weiss and C.A. Kulikowski) 62 (1993) 363–378
- Segre, A.M., G.J. Gordon and C.P. Elkan, Exploratory analysis of speedup learning data using expectation maximization 85 (1996) 301–319
- Sejnowski, T.J., see Tesauro, G. 39 (1989) 357–390
- Self, J.A., Concept teaching 9 (1977) 197–221
- Selfridge, M., A computer model of child language learning 29 (1986) 171–216
- Selman, B., see Kautz, H.A. 49 (1991) 243–279
- Selman, B., see Kautz, H. 74 (1995) 129–146
- Selman, B. and H.A. Kautz, Model-preference default theories 45 (1990) 287–322
- Selman, B. and S. Kirkpatrick, Critical behavior in the computational cost of satisfiability testing 81 (1996) 273–295

- Selman, B. and H.J. Levesque, The complexity of path-based defeasible inheritance 62 (1993) 303–339
- Selman, B. and H.J. Levesque, Support set selection for abductive and default reasoning 82 (1996) 259–272
- Selman, B., D.G. Mitchell and H.J. Levesque, Generating hard satisfiability problems 81 (1996) 17– 29
- Sen, A.K. and A. Bagchi, Graph search methods for non-order-preserving evaluation functions: applications to job sequencing problems 86 (1996) 43– 73
- Serafini, L., see Giunchiglia, F. 65 (1994) 29– 70
- Shachter, R.D., see Peot, M.A. 48 (1991) 299–318
- Shafer, G. and R. Logan, Implementing Dempster's rule for hierarchical evidence 33 (1987) 271–298
- Shafer, S.A., see Reece, D.A. 78 (1995) 397–430
- Shahar, Y., see Eriksson, H. 79 (1995) 293–326
- Shallice, T., see Cooper, R. 85 (1996) 3– 44
- Shanahan, M., Default reasoning about spatial occupancy (Research Note) 74 (1995) 147–163
- Shanahan, M., A circumscriptive calculus of events 77 (1995) 249–284
- Shankar, N., Book review of *Ontic: A Knowledge Representation System for Mathematics* (David A. McAllester) 62 (1993) 355–362
- Shapiro, S.C., Book review of *Artificial Intelligence* (Earl B. Hunt) 7 (1976) 199–201
- Shapiro, S.C., see Martins, J.P. 35 (1988) 25– 79
- Sharir, M., see Schwartz, J.T. 37 (1988) 157–169
- Shastri, L., Default reasoning in semantic networks: a formalization of recognition and inheritance 39 (1989) 283–355
- Shavlik, J.W., see Towell, G.G. 70 (1994) 119–165
- Shavlik, J.W. and G.F. DeJong, Learning in mathematically-based domains: understanding and generalizing obstacle cancellations 45 (1990) 1– 45
- Shaw, D.E., On the range of applicability of an artificial intelligence machine 32 (1987) 151–172
- Shekhar, S., see Latombe, J.-C. 52 (1991) 1– 47
- Shen, W., Functional transformations in AI discovery systems 41 (1990) 257–272
- Shen, Z., Book review of *Fuzzy Sets and Applications: Selected Papers by L.A. Zadeh* (R.R. Yager, S. Ovchinnikov, R.M. Tong and H.T. Nguyen, eds.) 61 (1993) 351–358
- Shimaya, A., Interpreting non-3-D line drawings 77 (1995) 1– 41
- Shimony, S.E., see Charniak, E. 66 (1994) 345–374
- Shimony, S.E., Finding MAPs for belief networks is NP-hard (Research Note) 68 (1994) 399–410
- Shimura, M. and F.H. George, Rule-oriented methods in problem solving 4 (1973) 203–223
- Shin, K.G., see Musliner, D.J. 74 (1995) 83–128

- Shirai, K., Guest editor's preface 75 (1995) 1- 2
- Shirai, Y., A context sensitive line finder for recognition of polyhedra 4 (1973) 95-119
- Shoham, Y., Agent-oriented programming 60 (1993) 51- 92
- Shoham, Y., Temporal logics in AI: semantical and ontological considerations 33 (1987) 89-104
- Shoham, Y., Chronological ignorance: experiments in non-monotonic temporal reasoning 36 (1988) 279-331
- Shoham, Y. and D. McDermott, Problems in formal temporal reasoning 36 (1988) 49- 61
- Shoham, Y. and M. Tennenholtz, On social laws for artificial agent societies: off-line design 73 (1995) 231-252
- Shoham, Y., see Lin, F. 57 (1992) 271-289
- Shoham, Y., see Moses, Y. 64 (1993) 299-321
- Shortliffe, E.H., see Davis, R. 8 (1977) 15- 45
- Shortliffe, E.H., see Gordon, J. 26 (1985) 323-357
- Shortliffe, E.H., see Gordon, J. 59 (1993) 43- 47
- Shortliffe, E.H., see Davis, R. 59 (1993) 181-189
- Shortliffe, E.H., see Klein, D.A. 67 (1994) 201-243
- Shostak, R.E., see Bledsoe, W.W. 27 (1985) 255-288
- Shostak, R.E., Refutation graphs 7 (1976) 51- 64
- Corrigendum 7 (1976) 283
- Shrager, J., Book review of *Universal Subgoaling and Chunking: The Automatic Generation and Learning of Goal Hierarchies* (John Laird, Paul Rosenbloom and Allen Newell) 32 (1987) 269-273
- Shrager, J., Book review of *Induction: Process of Inference, Learning and Discovery* (John H. Holland, Keith J. Holyoak, Richard E. Nisbett, and Paul R. Thagard) 41 (1990) 249-252
- Shvarts, G.F., Fixed points in the propositional nonmonotonic logic (Research Note) 38 (1989) 199-206
- Sideri, M., see Papadimitriou, C.H. 69 (1994) 347-357
- Siegel, P., see Bossu, G. 25 (1985) 13- 63
- Siekmann, J., see Beierle, C. 55 (1992) 149-191
- Siklóssy, L., A. Rich and V. Marinov, Breadth-first search: some surprising results 4 (1973) 1- 27
- Siklóssy, L. and J. Roach, Model verification and improvement using DISPROVER 6 (1975) 41- 52
- Silver, B., see Bundy, A. 27 (1985) 137-181
- Simari, G.R. and R.P. Loui, A mathematical treatment of defeasible reasoning and its implementation 53 (1992) 125-157
- Simmons, R.G., The roles of associational and causal reasoning in problem solving 53 (1992) 159-207
- Simon, H.A., The structure of ill structured problems 4 (1973) 181-201
- Simon, H.A., Search and reasoning in problem solving 21 (1983) 7- 29
- Simon, H.A., Artificial intelligence: an empirical science 77 (1995) 95-127

- Simon, H.A., Allen Newell: the entry into complex information processing 59 (1993) 251–259
- Simon, H.A. and J.B. Kadane, Optimal problem-solving search: all-or-none solutions 6 (1975) 235–247
- Simon, H.A., see Iwasaki, Y. 29 (1986) 3–32
- Simon, H.A., see Iwasaki, Y. 29 (1986) 63–72
- Simon, H.A., see Iwasaki, Y. 59 (1993) 141–146
- Simon, H.A., see Iwasaki, Y. 67 (1994) 143–194
- Simonet, G., On Sandewall's paper: Nonmonotonic inference rules for multiple inheritance with exceptions (Research Note) 86 (1996) 359–374
- Simonet, G. and R. Ducournau, On Stein's paper: resolving ambiguity in nonmonotonic inheritance hierarchies (Research Note) 71 (1994) 183–193
- Simonis, H., see Van Hentenryck, P. 58 (1992) 113–159
- Singh, S.P., see Barto, A.G. 72 (1995) 81–138
- Sirovich, F., see Levi, G. 7 (1976) 243–259
- Skuce, D., Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 81–94
- Slagle, J.R., see Chang, C.L. 2 (1971) 117–128
- Slagle, J.R., see Chang, C.L. 12 (1979) 159–178
- Sleeman, D.H. and M.J. Smith, Modelling student's problem solving 16 (1981) 171–188
- Sloman, A., Interactions between philosophy and artificial intelligence: the role of intuition and non-logical reasoning in intelligence 2 (1971) 209–225
- Sloman, A., The emperor's real mind: review of Roger Penrose's *The Emperor's New Mind: Concerning Computers, Minds and the Laws of Physics* 56 (1992) 355–396
- Smaill, A., see Bundy, A. 62 (1993) 185–253
- Smets, P. and R. Kennes, The transferable belief model 66 (1994) 191–234
- Smith, B.C., The owl and the electric encyclopedia 47 (1991) 251–288
- Smith, B.M. and M.E. Dyer, Locating the phase transition in binary constraint satisfaction problems 81 (1996) 155–181
- Smith, B., see Wos, L. 22 (1984) 303–356
- Smith, B.A., see Greiner, R. 41 (1990) 79–88
- Smith, D.E., Controlling backward inference 39 (1989) 145–208
- Smith, D.E. and M.R. Genesereth, Ordering conjunctive queries 26 (1985) 171–215
- Smith, D.E., M.R. Genesereth and M.L. Ginsberg, Controlling recursive inference 30 (1986) 343–389
- Smith, D.E., see Ginsberg, M.L. 35 (1988) 165–195
- Smith, D.E., see Ginsberg, M.L. 35 (1988) 311–342

- Smith, D.R., Top-down synthesis of divide-and-conquer algorithms 27 (1985) 43-96
- Smith, E.E., Cognitive psychology (Correspondent's Report) 25 (1985) 247-253
- Smith, M.J., see Sleeman, D.H. 16 (1981) 171-188
- Smith, R.G., Book review of *Machine Intelligence* 10 (J.E. Hayes, D. Michie and Y.-H. Pao, eds.) 21 (1983) 351-357
- Smith, R.G., see Davis, R. 20 (1983) 63-109
- Smolensky, P., Tensor product variable binding and the representation of symbolic structures in connectionist systems 46 (1990) 159-216
- Smoliar, S.W., Book review of *Conceptual Structures: Information Processing in Mind and Machine* (J.F. Sowa) 33 (1987) 259-266
- Smoliar, S.W., Book review of *Epistemology and Cognition* (A.I. Goldman) 34 (1988) 251-264
- Smoliar, S.W., Book review of *The Robot's Dilemma: The Frame Problem in Artificial Intelligence* (Zenon W. Pylyshyn, ed.) 36 (1988) 131-137
- Smoliar, S.W., Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) 38 (1989) 119-124
- Smoliar, S.W., Book review of *Neural Darwinism: The Theory of Neuronal Group Selection* (Gerald M. Edelman) 39 (1989) 121-136
- Smoliar, S.W., Book review of *Models of Musical Communication and Cognition* (Marc Leman, ed.) 44 (1990) 361-371
- Smoliar, S.W., Book review of *How to Build a Person: A Prolegomenon* (John Pollock) 48 (1991) 253-256
- Smoliar, S.W., Book review of *The Society of Mind* (Marvin Minsky) 48 (1991) 349-370
- Smoliar, S.W., Book review of *The Remembered Present: A Biological Theory of Consciousness* (Gerald M. Edelman) 52 (1991) 295-318
- Smoliar, S.W., Book review of *Artificial Life* (Christopher G. Langton, ed.), *Artificial Life II* (Christopher G. Langton, Charles Taylor, J. Dooyne Farmer and Steen Rasmussen, eds.) and *Artificial Life II: Video Proceedings* (Christopher G. Langton, ed.) 73 (1995) 371-377
- Smoliar, S.W., Book review of *Creative Cognition* (Ronald Finke, Thomas Ward, Steven Smith) 79 (1995) 183-196
- Smoliar, S.W., The music collection (Editorial) 79 (1995) 341-342
- Smoliar, S.W., Book review of *Music, Mind and Machine: Studies in Computer Music, Music Cognition and Artificial Intelligence* (Peter Desain and Henkjan Honing) 79 (1995) 361-371
- Smoliar, S.W. and M.J. Stefik, Eight reviews on connectionism (Editorial) 62 (1993) 89-91
- Smoliar, S.W., see Stefik, M.J. 59 (1993) 261-263
- Smoliar, S.W., see Stefik, M.J. 61 (1993) 37-40
- Smoliar, S.W., see Stefik, M.J. 79 (1995) 65-67

- Smoliar, S.W., see Stefik, M.J. 80 (1996) 95- 97
- Smolka, G., see Schmidt-Schauß, M. 48 (1991) 1- 26
- Sobel, I., On calibrating computer controlled cameras for perceiving 3-D scenes (Technical Note) 5 (1974) 185-198
- Soloway, E., see Clancey, W.J. 42 (1990) 1- 6
- Sowa, J.F., On *Conceptual Structures*: a response to the review by S.W. Smoliar 34 (1988) 388-394
- Sowa, J.F., Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) 38 (1989) 125-131
- Sowa, J.F., Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 95-104
- Spaccamela, A.M., see Donini, F.M. 53 (1992) 309-327
- Spector, L. and J. Hendler, Book review of *Minimal Rationality* (Christopher Cherniak) 39 (1989) 137-139
- Sproull, R., Book review of *Artificial Intelligence and Pattern Recognition in Computer Aided Design* (J.C. Latombe, ed.) 15 (1980) 125-126
- Sridharan, N.S., see Schmidt, C.F. 11 (1978) 45- 83
- Srihari, S.N. and R.M. Božinović, A multi-level perception approach to reading cursive script 33 (1987) 217-255
- Srinivasan, A., S.H. Muggleton, M.J.E. Sternberg and R.D. King, Theories for mutagenicity: a study in first-order and feature-based induction 85 (1996) 277-299
- St. John, M.F. and J.L. McClelland, Learning and applying contextual constraints in sentence comprehension 46 (1990) 217-257
- Stabler Jr, E.P., Parsing as non-Horn deduction 63 (1993) 225-264
- Stallman, R.M. and G.J. Sussman, Forward reasoning and dependency-directed backtracking in a system for computer-aided circuit analysis 9 (1977) 135-196
- Stalnaker, R., A note on non-monotonic modal logic 64 (1993) 183-196
- Steele Jr, G.L., see Sussman, G.J. 14 (1980) 1- 39
- Stefik, M.J., Inferring DNA structures from segmentation data 11 (1978) 85-114
- Stefik, M.J., Planning with constraints (MOLGEN: Part 1) 16 (1981) 111-139
- Stefik, M.J., Planning and meta-planning (MOLGEN: Part 2) 16 (1981) 141-170
- Stefik, M.J., Book review of *The Sciences of the Artificial*, 2nd Ed. (H.A. Simon) 22 (1984) 95- 97
- Stefik, M.J., Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) 22 (1984) 219-222
- Stefik, M.J., Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell, eds.) 25 (1985) 236-238
- Stefik, M.J., Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown, eds.) 26 (1985) 238-245

- Stefik, M.J., Book review of *Minds, Machines, and Evolution* (C. Hookway, ed.) 27 (1985) 237-245
- Stefik, M.J., Book review of *Vehicles: Experiments in Synthetic Psychology* (V. Braitenberg) 27 (1985) 246-248
- Stefik, M.J., Book reviews of *Artificial Intelligence Applications for Business Management* (R.K. Miller), *Artificial Intelligence Applications for Business, Proceedings of the NYU Symposium, May 1983* (W. Reitman, ed.), and *The AI Business: Commercial Uses of Artificial Intelligence* (P.H. Winston and K.A. Prendergast, eds.) 28 (1986) 345-348
- Stefik, M.J., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z.W. Pylyshyn) 38 (1989) 241-247
- Stefik, M.J., J.S. Aikens, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, The organization of expert systems, a tutorial 18 (1982) 135-173
- Stefik, M.J., J.S. Aikens, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, Retrospective on "The organization of expert systems, a tutorial" 59 (1993) 221-224
- Stefik, M.J. and D.G. Bobrow, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 220-226
- Stefik, M.J. and S.W. Smoliar, Eight reviews of *Unified Theories of Cognition* and a response (Editorial) 59 (1993) 261-263
- Stefik, M.J. and S.W. Smoliar, The commonsense reviews (Editorial) 61 (1993) 37- 40
- Stefik, M.J. and S.W. Smoliar, *The Creative Mind: Myths and Mechanisms*—an introduction 79 (1995) 65- 67
- Stefik, M.J. and S.W. Smoliar, *What Computers Still Can't Do*: five reviews and a response (Editorial) 80 (1996) 95- 97
- Stefik, M.J., see Smoliar, S.W. 62 (1993) 89- 91
- Stein, L.A., Resolving ambiguity in nonmonotonic inheritance hierarchies 55 (1992) 259-310
- Stein, L.A. and L. Morgenstern, Motivated action theory: a formal theory of causal reasoning 71 (1994) 1- 42
- Steinberg, L. and N. Langrana, EVEXED and MEET for mechanical design: testing structural decomposition and constraint propagation 84 (1996) 37- 56
- Steinberg, L., see Mahadevan, S. 64 (1993) 1- 52
- Štěpánková, O. and I.M. Havel, A logical theory of robot problem solving 7 (1976) 129-161
- Stepp, R.E. and R.S. Michalski, Conceptual clustering of structured objects: a goal-oriented approach 28 (1986) 43- 69
- Sternberg, M.J.E., see Srinivasan, A. 85 (1996) 277-299
- Stevens, A., see Bundy, A. 62 (1993) 185-253

- Stevens, K.A., The visual interpretation of surface contours 17 (1981) 47–73
- Stickel, M.E., see Hobbs, J.R. 63 (1993) 69–142
- Stock, O., see Satta, G. 69 (1994) 123–164
- Stockman, G.C., A minimax algorithm better than alpha-beta? 12 (1979) 179–196
- Strom, J.D. and L. Darden, Is artificial intelligence a degenerating programme?: a review of Hubert Dreyfus' *What Computers Still Can't Do* 80 (1996) 151–170
- Subrahmanian, V.S., see Erol, K. 76 (1995) 75–88
- Sucar, L.E., D.F. Gillies and D.A. Gillies, Objective probabilities in expert systems 61 (1993) 187–208
- Suchman, L.A., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 227–232
- Suermondt, H.J. and G.F. Cooper, Initialization for the method of conditioning in Bayesian belief networks (Research Note) 50 (1991) 83–94
- Suganuma, Y., Learning structures of visual patterns from single instances 50 (1991) 1–36
- Sugihara, K., Range-data analysis guided by a junction dictionary 12 (1979) 41–69
- Sugihara, K., An algebraic approach to shape-from-image problems 23 (1984) 59–95
- Sun, R., Robust reasoning: integrating rule-based and similarity-based reasoning 75 (1995) 241–295
- Sussman, G.J., see Stallman, R.M. 9 (1977) 135–196
- Sussman, G.J. and G.L. Steele Jr, CONSTRAINTS—a language for expressing almost hierarchical descriptions 14 (1980) 1–39
- Sutcliffe, G., Compulsory reduction in linear derivation systems (Letter to the Editor) 50 (1991) 131–132
- Swain, M.J., see Cooper, P.R. 58 (1992) 207–235
- Swartout, W.R., XPLAIN: a system for creating and explaining expert consulting programs 21 (1983) 285–325
- Swartout, W.R., Book review of *Rule-Based Expert Systems: The MYCIN Experiments of the Stanford Heuristic Programming Project* (B.G. Buchanan and E.H. Shortliffe, eds.) 26 (1985) 364–366
- Sycara, K., see Miyashita, K. 76 (1995) 377–426
- Sycara, K., see Sadeh, N. 76 (1995) 455–480
- Szafron, D., see Schaeffer, J. 53 (1992) 273–289
- Szolovits, P. and S.G. Pauker, Categorical and probabilistic reasoning in medical diagnosis 11 (1978) 115–144
- Szolovits, P. and S.G. Pauker, Categorical and probabilistic reasoning in medicine revisited 59 (1993) 167–180
- Tadepalli, P.V., see Weiss, S.M. 45 (1990) 47–71
- Tadepalli, P.V., see Mahadevan, S. 64 (1993) 1–52

- Tambe, M. and P.S. Rosenbloom, Investigating production system representations for non-combinatorial match 68 (1994) 155-199
- Tanner, M.C., see Bylander, T. 49 (1991) 25- 60
- Tappert, C.C. and N.R. Dixon, A procedure for adaptive control of the interaction between acoustic classification and linguistic decoding in automatic recognition of continuous speech 5 (1974) 95-113
- Tärnlund, S.-Å., see Brown, F.M. 12 (1979) 207-229
- Tate, A., see Currie, K. 52 (1991) 49- 86
- Tenenbaum, J.M. and H.G. Barrow, Experiments in interpretation-guided segmentation 8 (1977) 241-274
- Tenenbaum, J.M., see Barrow, H.G. 17 (1981) 75-116
- Tenenbaum, J.M., see Barrow, H.G. 59 (1993) 71- 80
- Tenenberg, J., see Bacchus, F. 52 (1991) 87-108
- Teng, C.-M., see Van Hentenryck, P. 57 (1992) 291-321
- Tennenholtz, M., see Shoham, Y. 73 (1995) 231-252
- Tennenholtz, M., see Moses, Y. 83 (1996) 229-239
- Terenziani, P., see Brusoni, V. 74 (1995) 367-379
- Terzopoulos, D., A.P. Witkin and M. Kass, Constraints on deformable models: recovering 3D shape and nonrigid motion 36 (1988) 91-123
- Tesauro, G. and T.J. Sejnowski, A parallel network that learns to play backgammon 39 (1989) 357-390
- Tessem, B., Approximation for efficient computation in the theory of evidence (Research Note) 61 (1993) 315-329
- Thagard, P., K.J. Holyoak, G. Nelson and D. Gochfeld, Analog retrieval by constraint satisfaction 46 (1990) 259-310
- Thielscher, M., On prediction in Theorist (Research Note) 60 (1993) 283-292
- Thielscher, M., Ramification and causality 89 (1997) 317-364
- Thielscher, M., see Brüning, S. 64 (1993) 353-354
- Thirunarayan, K. and M. Kifer, A theory of nonmonotonic inheritance based on annotated logic 60 (1993) 23- 50
- Thomason, R.H., see Horty, J.F. 42 (1990) 311-348
- Thompson, H., see Bobrow, D.G. 8 (1977) 155-173
- Thompson, W.B., see Wick, M.R. 54 (1992) 33- 70
- Throop, D.R., see Kuipers, B.J. 51 (1991) 343-379
- Todd, P.M., Book review of *Emergent Computation: Self-Organizing, Collective, and Cooperative Phenomena in Natural and Artificial Computing Networks* (Stephanie Forrest, ed.) 60 (1993) 171-183
- Torre, V., see Parodi, P. 70 (1994) 239-276
- Toth, J.A., Book review of *Reasoning Agents in a Dynamic World: The Frame Problem* (Kenneth M. Ford and Patrick J. Hayes, eds.) 73 (1995) 323-369

- Touretzky, D.S., BoltzCONS: dynamic symbol structures in a connectionist network 46 (1990) 5–46
- Touretzky, D.S., Book review of *Neural Networks in Artificial Intelligence* (Matthew Zeidenberg) 62 (1993) 163–164
- Touretzky, D.S., see Horty, J.F. 42 (1990) 311–348
- Towell, G.G. and J.W. Shavlik, Knowledge-based artificial neural networks 70 (1994) 119–165
- Traverso, P., see Giunchiglia, F. 80 (1996) 197–241
- Treloar, N., see Schaeffer, J. 53 (1992) 273–289
- Truszczyński, M., see Schwarz, G. 67 (1994) 113–141
- Tsotsos, J.K., Behaviorist intelligence and the scaling problem 75 (1995) 135–160
- Tsotsos, J.K., S.M. Culhane, W.Y.K. Wai, Y. Lai, N. Davis and F. Nuflo, Modeling visual attention via selective tuning 78 (1995) 507–545
- Tu, S.W., see Eriksson, H. 79 (1995) 293–326
- Turner, S.R., Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) 79 (1995) 145–159
- Tuttle, M.S., Book review of *Representations of Commonsense Knowledge* (E. Davis) and *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 121–148
- Uhr, L., Book review of *Computer Models of Thought and Language* (Roger C. Schank and Kenneth Mark Colby, eds.) 6 (1975) 289–292
- Ulpinar, F. and R. Nevatia, Recovery of 3-D objects with multiple curved surfaces from 2-D contours 67 (1994) 1–28
- Uzcátegui, C., see Lobo, J. 89 (1997) 149–171
- Valdés-Pérez, R.E., Conjecturing hidden entities by means of simplicity and conservation laws: machine discovery in chemistry 65 (1994) 247–280
- Valdés-Pérez, R.E., A new theorem in particle physics enabled by machine discovery (Research Note) 82 (1996) 331–339
- Valdés-Pérez, R., Machine discovery in chemistry: new results (Research Note) 74 (1995) 191–201
- Valtorta, M., see Hansson, O. 55 (1992) 129–143
- Van Baalen, J., Automated design of specialized representations 54 (1992) 121–198
- Van Beek, P., Reasoning about qualitative temporal information 58 (1992) 297–326
- Van Beek, P., see Kondrak, G. 89 (1997) 365–387
- Van den Herik, H.J., see Dekker, S.T. 43 (1990) 111–123
- Van den Herik, H.J., see Allis, L.V. 66 (1994) 91–124
- Van der Meulen, M., see Allis, L.V. 66 (1994) 91–124
- Van Harmelen, F., see Bundy, A. 62 (1993) 185–253
- Van Harmelen, F. and A. Bundy, Explanation-based generalisation = partial evaluation (Research Note) 36 (1988) 401–412

- Van Hentenryck, P., Y. Deville and C.-M. Teng, A generic arc-consistency algorithm and its specializations 57 (1992) 291-321
- Van Hentenryck, P., H. Simonis and M. Dincbas, Constraint satisfaction using constraint logic programming 58 (1992) 113-159
- VanLehn, K., Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell, eds.) 25 (1985) 233-236
- VanLehn, K., Book review of *The Architecture of Cognition* (John R. Anderson) 28 (1986) 235-240
- VanLehn, K., Learning one subprocedure per lesson 31 (1987) 1-40
- Vardi, M.Y., see Fagin, R. 79 (1995) 203-240
- Velardi, P., see Basili, R. 85 (1996) 59-99
- Vellino, A., Book review of *Artificial Intelligence: The Very Idea* (J. Haugeland) 29 (1986) 349-353
- Vellino, A., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 213-220
- Vencovská, A., see Paris, J.B. 64 (1993) 197-241
- Vere, S.A., Relational production systems 8 (1977) 47-68
- Vere, S.A., Multilevel counterfactuals for generalizations of relational concepts and productions 14 (1980) 139-164
- Veroff, R., see Vos, L. 22 (1984) 303-356
- Verschaetse, K., see De Schreye, D. 41 (1990) 237-248
- Vila, L. and H. Reichgelt, The token reification approach to temporal reasoning 83 (1996) 59-74
- Voge, W.M., see Weischedel, R.M. 10 (1978) 225-240
- Voorbraak, F., On the justification of Dempster's rule of combination 48 (1991) 171-197
- Vose, M.D., see Battle, D.L. 60 (1993) 155-165
- Vose, M.D., Generalizing the notion of schema in genetic algorithms (Research Note) 50 (1991) 385-396
- Wahlster, W., E. André, W. Finkler, H.-J. Profitlich and T. Rist, Plan-based integration of natural language and graphics generation 63 (1993) 387-427
- Wai, W.Y.K., see Tsotsos, J.K. 78 (1995) 507-545
- Waldinger, R.J., see Manna, Z. 6 (1975) 175-208
- Waldinger, R.J. and K.N. Levitt, Reasoning about programs 5 (1974) 235-316
- Walker, E.L. and M. Herman, Geometric reasoning for constructing 3D scene descriptions from images 37 (1988) 275-290
- Walker, M.A., The effect of resource limits and task complexity on collaborative planning in dialogue 85 (1996) 181-243
- Wallace, R.J., see Freuder, E.C. 58 (1992) 21-70
- Walley, P., Measures of uncertainty in expert systems 83 (1996) 1-58
- Walsh, T., see Giunchiglia, F. 57 (1992) 323-389

- Walsh, T., see Bundy, A. 88 (1996) 39- 67
- Walsh, T., see Gent, I.P. 70 (1994) 335-345
- Walsh, T., see Gent, I.P. 81 (1996) 59- 80
- Walsh, T., see Gent, I.P. 88 (1996) 349-358
- Walther, C., A mechanical solution of Schubert's steamroller by many-sorted resolution 26 (1985) 217-224
- Walther, C., On proving the termination of algorithms by machine 71 (1994) 101-157
- Wang, T.-C., A typed resolution principle for deduction with conditional typing theory 75 (1995) 161-194
- Ward, N., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z. Pylyshyn) 33 (1987) 415-417
- Ward, N., A parallel approach to syntax for generation 57 (1992) 183-225
- Warren, D.H.D., see Pereira, F.C.N. 13 (1980) 231-278
- Waterman, D.A., Generalization learning techniques for automating the learning of heuristics 1 (1970) 121-170
- Waterman, D.A. and A. Newell, Protocol analysis as a task for artificial intelligence 2 (1971) 285-318
- Webb, J.A. and J.K. Aggarwal, Structure from motion of rigid and jointed objects 19 (1982) 107-130
- Webber, B., N. Badler, B. Di Eugenio, C. Geib, L. Levison and M. Moore, Instructions, intentions and expectations 73 (1995) 253-269
- Weber, S., see Colby, K.M. 2 (1971) 1- 25
- Weber, S., see Colby, K.M. 3 (1972) 199-221
- Wefald, E., see Russell, S. 49 (1991) 361-395
- Weigend, A.S., Book review of *Introduction to the Theory of Neural Computation* (John A. Hertz, Anders S. Krogh and Richard G. Palmer) 62 (1993) 93-111
- Weiner, J.L., BLAH, a system which explains its reasoning 15 (1980) 19- 48
- Weir, C., see Palmer, M.S. 63 (1993) 17- 68
- Weischedel, R.M., W.M. Voge and M. James, An artificial intelligence approach to language instruction 10 (1978) 225-240
- Weiss, S.M., see Politakis, P. 22 (1984) 23- 48
- Weiss, S.M., see Ginsberg, A. 35 (1988) 197-226
- Weiss, S.M., R.S. Galen and P.V. Tadepalli, Maximizing the predictive value of production rules 45 (1990) 47- 71
- Weiss, S.M., C.A. Kulikowski, S. Amarel and A. Safir, A model-based method for computer-aided medical decision-making 11 (1978) 145-172
- Weld, D.S., The use of aggregation in causal simulation 30 (1986) 1- 34
- Weld, D.S., Comparative analysis 36 (1988) 333-373
- Weld, D.S., Exaggeration 43 (1990) 311-368
- Weld, D.S., Reasoning about model accuracy 56 (1992) 255-300
- Weld, D.S., Book review of *Representations of Commonsense Knowledge* (E. Davis) 61 (1993) 113-120

- Weld, D.S., Book review of *Women, Fire, and Dangerous Things* (George Lakoff) 35 (1988) 137-141
- Weld, D.S., Book review of *The Psychology of Everyday Things* (Donald A. Norman) 41 (1990) 111-114
- Weld, D.S., see Barrett, A. 67 (1994) 71-112
- Weld, D.S., see Kushmerick, N. 76 (1995) 239-286
- Weld, D.S., see Etzioni, O. 89 (1997) 113-148
- Welham, B., see Bundy, A. 16 (1981) 189-212
- Wellman, M.P., Book review of *Expert Critiquing Systems: Practice-Based Medical Consultation by Computer* (P.L. Miller) 35 (1988) 273-276
- Wellman, M.P., Fundamental concepts of qualitative probabilistic networks 44 (1990) 257-303
- Wellman, M.P., Book review of *The Ecology of Computation* (B.A. Huberman, ed.) 52 (1991) 205-218
- Wellman, M.P., see Doyle, J. 49 (1991) 97-128
- Weyhrauch, R.W., Prolegomena to a theory of mechanized formal reasoning 13 (1980) 133-170
- White, B.Y. and J.R. Frederiksen, Causal model progressions as a foundation for intelligent learning environments 42 (1990) 99-157
- Whitehead, S.D. and L.-J. Lin, Reinforcement learning of non-Markov decision processes 73 (1995) 271-306
- Whitney, D., S. Rana, J. Dzuberka and K. Mathias, Evaluating evolutionary algorithms 85 (1996) 245-276
- Wick, M.R. and W.B. Thompson, Reconstructive expert system explanation 54 (1992) 33- 70
- Wiggins, G.A., Book review of *Understanding Music with AI—Perspectives on Cognitive Musicology* (M. Balaban, K. Ebcioglu and O. Laske, eds.) 79 (1995) 373-385
- Wilkenfeld, J., see Kraus, S. 75 (1995) 297-345
- Wilkerson, R.W., see Greiner, R. 41 (1990) 79- 88
- Wilkins, D.C. and Y. Ma, The refinement of probabilistic rule sets: sociopathic interactions 70 (1994) 1- 32
- Wilkins, D.E., Using patterns and plans in chess 14 (1980) 165-203
- Wilkins, D.E., Using knowledge to control tree searching 18 (1982) 1- 51
- Wilkins, D.E., Domain-independent planning: representation and plan generation 22 (1984) 269-301
- Wilks, Y., A preferential, pattern-seeking, semantics for natural language inference 6 (1975) 53- 74
- Wilks, Y., Making preferences more active 11 (1978) 197-223
- Will, P.M. and K.S. Pennington, Grid coding: a preprocessing technique for robot and machine vision 2 (1971) 319-329
- Williams, B.C., Qualitative analysis of MOS circuits 24 (1984) 281-346
- Williams, B.C., A theory of interactions: unifying qualitative and quantitative algebraic reasoning 51 (1991) 39- 94

- Williams, B.C. and J. De Kleer, Qualitative reasoning about physical systems: a return to roots 51 (1991) 1- 9
- Williams, B.C., see De Kleer, J. 32 (1987) 97-130
- Williams, C.P., see Hogg, T. 69 (1994) 359-377
- Williams, C.P., see Hogg, T. 81 (1996) 1- 15
- Williams, C.P. and T. Hogg, Exploiting the deep structure of constraint problems 70 (1994) 73-117
- Wills, L., see Ram, A. 79 (1995) 111-128
- Wills, L.M., Automated program recognition: a feasibility demonstration 45 (1990) 113-171
- Wilson, R.H. and J.-C. Latombe, Geometric reasoning about mechanical assembly 71 (1994) 371-396
- Winker, S., see Wos, L. 22 (1984) 303-356
- Winograd, T., see Bobrow, D.G. 8 (1977) 155-173
- Winograd, T., Extended inference modes in reasoning by computer systems 13 (1980) 5- 26
- Winograd, T. and F. Flores, *On Understanding Computers and Cognition: A New Foundation for Design*, a response to the reviews by A. Vellino, M. Stefik and D.G. Bobrow, L.A. Suchman, and W.J. Clancey 31 (1987) 250-261
- Winston, P.H., see Michalski, R.S. 29 (1986) 121-146
- Winston, P.H., Learning by creating and justifying transfer frames 10 (1978) 147-172
- Winston, P.H., Learning new principles from precedents and exercises 19 (1982) 321-350
- Wipke, W.T., G.I. Ouchi and S. Krishnan, Simulation and evaluation of chemical synthesis—SECS: and application of artificial intelligence techniques 11 (1978) 173-193
- Witkin, A.P., Recovering surface shape and orientation from texture 17 (1981) 17- 45
- Witkin, A.P., see Terzopoulos, D. 36 (1988) 91-123
- Witteveen, C. and G. Brewka, Skeptical reason maintenance and belief revision 61 (1993) 1- 36
- Wong, JooFung, Norvig's *Paradigms of Artificial Intelligence Programming: a student's perspective* (Book review) 64 (1993) 161-167
- Woodham, R.J., Analysing images of curved surfaces 17 (1981) 117-140
- Woods, W.A., Optimal search strategies for speech understanding control 18 (1982) 295-326
- Woods, W.A. and J. Makhoul, Mechanical inference problems in continuous speech understanding 5 (1974) 73- 91
- Wos, L., S. Winker, B. Smith, R. Veroff and L. Henschen, A new use of an automated reasoning assistant: open questions in equivalential calculus and the study of infinite domains 22 (1984) 303-356
- Wulfeck II, W.H., see Scandura, J.M. 5 (1974) 149-183

- Xiang, Y., A probabilistic framework for cooperative multi-agent distributed interpretation and optimization of communication 87 (1996) 295-342
- Xiong, Y., see Sadeh, N. 76 (1995) 455-480
- Xu, H., Computing marginals for arbitrary subsets from marginal representation in Markov trees (Research Note) 74 (1995) 177-189
- Yager, R.R., Using approximate reasoning to represent default knowledge (Research Note) 31 (1987) 99-112
- Yakimovsky, Y., see Feldman, J.A. 5 (1974) 349-371
- Yang, C.J., see Lehnert, W.G. 20 (1983) 15- 62
- Yang, Q., A theory of conflict resolution in planning 58 (1992) 361-392
- Yang, Q., see Bacchus, F. 71 (1994) 43-100
- Yang, Q., see Foulser, D.E. 57 (1992) 143-181
- Yang, Q., see Kambhampati, S. 76 (1995) 167-238
- Yang, Q., see Fink, E. 89 (1997) 285-315
- Yang, Y. and A.L. Yuille, Multilevel enhancement and detection of stereo disparity surfaces 78 (1995) 121-145
- Yanover, P.L., see McLeod, D. 48 (1992) 245-252
- Yates, R.A., B. Raphael and T.P. Hart, Resolution graphs 1 (1970) 257-289
- Yeap, W.K., see Lam, F.C. 53 (1992) 245-254
- Yeap, W.K., Towards a computational theory of cognitive maps 34 (1988) 297-360
- Yip, K.M.-K., Understanding complex dynamics by visual and symbolic reasoning 51 (1991) 179-221
- Yip, K.M.-K., Model simplification by asymptotic order of magnitude reasoning 80 (1996) 309-348
- York, J., Use of the Gibbs sampler in expert systems 56 (1992) 115-130
- Addendum 56 (1992) 397-398
- Yoshida, K. and H. Motoda, CLIP: concept learning from inference patterns 75 (1995) 63- 92
- Young, R., Book review of *Pattern-Directed Inference Systems* (R. Hayes-Roth and D. Waterman, eds.) 12 (1979) 197-202
- Yuille, A.L., see Yang, Y. 78 (1995) 121-145
- Zhang, C., Cooperation under uncertainty in distributed expert systems 56 (1992) 21- 69
- Zhang, M.C., see Lee, S.J. 26 (1985) 145-169
- Zhang Mingyi, see Gottlob, G. 69 (1994) 329-345
- Zhang, N.L., Irrelevance and parameter learning in Bayesian networks (Research Note) 88 (1996) 359-373
- Zhang, W. and R.E. Korf, Performance of linear-space search algorithms 79 (1995) 293-326
- Zhang, W., see Pemberton, J.C. 81 (1996) 297-325
- Zhang, W. and R.E. Korf, A study of complexity transitions on the asymmetric traveling salesman problem 81 (1996) 223-239

- Zhang, Z., R. Deriche, O. Faugeras and Q.-T. Luong, A robust technique for matching two uncalibrated images through the recovery of the unknown epipolar geometry 78 (1995) 87–119
- Zhao, F., Extracting and representing qualitative behaviors of complex systems in phase space 69 (1994) 51– 92
- Zilberstein, S. and S. Russell, Optimal composition of real-time systems 82 (1996) 181–213
- Zimmer, R.M., see Holte, R. 85 (1996) 321–361
- Zisserman, A., D. Forsyth, J. Mundy, C. Rothwell, J. Liu and N. Pillow, 3D object recognition using invariance 78 (1995) 239–288
- Zlotkin, G. and J.S. Rosenschein, Compromise in negotiation: exploiting worth functions over states 84 (1996) 151–176
- Zlotkin, G. and J.S. Rosenschein, Mechanism design for automated negotiation, and its application to task oriented domains 86 (1996) 195–244
- Zlotkin, G., see Kraus, S. 75 (1995) 297–345
- Zobrist, A.L., Book review of *Pattern Recognition, Learning and Thought* (Leonard Uhr) 6 (1975) 373–376
- Zucker, S.W., see Pednault, E.P.D. 16 (1981) 213–222
- Zweben, M., E. Davis, B. Daun, E. Drascher, M. Deale and M. Eskey, Learning to improve constraint-based scheduling 58 (1992) 271–296
- Zytkow, J.M., see Langley, P. 40 (1989) 283–312